

OASIS TC Operations Handbook

Internal. Draft 0.5, 30 July 2026.

The companion to the public OASIS TC Handbook. That document sets out the rules; this one sets out the operation that carries them out, with an owner, a system, a permission, a timing and a record for every step.

Every operational claim in this handbook traces to the fact registry that ships beside it, or is marked [VERIFY] and listed in Appendix A. Qualifiers are verbatim from policy. Where an internal procedure and OASIS policy disagree, policy wins and the disagreement is recorded as a defect to file rather than reconciled in prose.

1. About this handbook

1.1 Scope

The [public TC Handbook](#) documents the rules a Technical Committee works under. This handbook documents the operation that carries those rules out. For every task in publishing a specification, running a ballot and running a public review, it records whose remit it is today, what system it runs on, what access it needs, how long it takes, and what record it leaves behind.

The audience is the Technical Committee and Standards Publishing Admin, the role that runs OASIS Technical Committee operations and standards publishing.

It covers:


- the publishing operation from intake to the audit record
- balloting
- public reviews
- the communications tied to those tasks
- the systems and access they depend on
- the records they produce
- the roles that hold them
- the known weak points in the operation, and what would fix each

Out of scope:

1. Interpreting OASIS policy: the TC Process and the public TC Handbook govern that, and section 1.3 sets out what happens when the two appear to disagree.
2. Deciding platform or infrastructure architecture.
3. Legal, membership or intellectual property questions.
4. Credentials, host addresses, account, bucket, distribution or zone identifiers, and paths into anyone's machine or into the infrastructure.

Systems are named by what they do, because this document circulates internally and outlives any one person's access.

Every reference in this document is cited, with a link to its origin source. Some figures may change over time, such as the number of checks the [acceptance criteria](#) apply; a document records them as they stood when it was written.



the three-way split between the TC Process and public TC Handbook (the rules), this handbook (the operation), and the live systems (the state), with an arrow showing which way authority runs

1.2 How to read an operations entry

Every operational section follows the same shape: a few sentences of plain prose that describe the task and why it exists, then, where it applies, a block of five facts.

- **Owner:** whose remit this is today.
- **System:** where it happens, named by function.
- **Permission:** the access a person needs before they can do it.
- **Timing:** how long it takes, or the clock it starts.
- **Record:** the artifact left behind, such as a ticket, a published file, a report or an announcement.

Not every section carries all five. A section that describes a relationship rather than a discrete action states only the fields that apply. The values come from the registry entry behind the claim. None of them is inferred, and no owner or permission is written into this handbook that has not been observed in the real operation.

The second thing to read in an entry is its authority. Every operational claim carries one of four natures, and the wording signals which one:

Nature	What it means	How it reads
Obligation	OASIS is bound by written policy, and the governing clause can be named	"OASIS must ...", with the clause cited
Practice	OASIS holds itself to this. It was earned from real work, and no single clause requires it	"OASIS does this, though no clause requires it"
Convention	An internal working agreement, adopted because it prevents a known failure	"The working convention is ..."
Finding	An observed state of the world, true on a stated date	"As of date, ..."

Read those as a scale of how hard something is to change:

- **An obligation** changes only when policy changes.
- **A practice** changes whenever OASIS decides to stop doing it, and nothing outside OASIS obliges it to continue.
- **A convention** changes at any time by agreement among the people running the operation.
- **A finding** changes when the world does, which is why every finding carries a date.

From any entry, a reader should be able to say whether OASIS is bound or has chosen. Chapter 3 is organised around that difference.

A claim marked [VERIFY] could not be confirmed against a source when it was written. It is not evidence, and it must not be repeated to a TC. Appendix A lists every one of them and what was needed to close it.

1.3 Relationship to the TC Handbook and OASIS policy

The [OASIS TC Process](#), the [Committee Operations Process](#), the [Naming Directives](#) and the public TC Handbook are authoritative on policy:

- what a TC must do to advance a specification
- what each ballot requires
- what a public review must include

This handbook does not restate them and never overrides them. Where it needs a policy fact it points to the entry in the public TC Handbook's own registry rather than writing the rule out a second time, so a policy revision is corrected in one place.

The rule for conflicts is the one OASIS already states to TCs in its publication documentation.

The conflict rule

Where the mechanics and the process rules appear to disagree, the TC Handbook and the TC Process win. The disagreement is then a defect, in this handbook or in the operation it describes, and it is filed as one.

The disagreement is filed rather than reconciled in prose, and the operation is never described as though the policy said something else.

This is an internal publication. It describes current practice rather than a fixed specification, and it changes as roles, systems and staff change. Draft 0.4 records the operation as it stood in July 2026.

1.4 Technical Committees and Open Projects


Two standards programs

OASIS runs two standards programs, with different intake, governance and tools: Technical Committees and Open Projects. This handbook documents the Technical Committee program.

Technical Committees are the formal, member-based program under the [OASIS TC Process](#). A TC is chartered by members, decides by ballot, and advances a specification through public review and the stages to OASIS Standard, with the approved work published to docs.oasis-open.org. Publishing, balloting and public reviews, the rest of this handbook, are TC operations.

Open Projects are the [parallel program](#) for open-source work: communities that develop code, APIs, reference implementations and specifications under open-source licences. A project is sponsor-funded, contributors join without dues, and it is centred on its own [GitHub organisation](#), with a mailing group, calendar, roster and ballot alongside. Each project is governed by a [Project Governing Board and a Technical Steering Committee](#), with the rest of its governance documented in the project's own GOVERNANCE.md. The program's [policies](#) and [guides](#) live in the [Open Projects documentation repository](#).

The two programs run different early ladders and converge at the top. An Open Project advances work as a [Project Specification Draft, then a Project Specification](#), each approved by its Project Governing Board, where a TC advances a Committee Specification Draft to a Committee Specification by TC ballot. From there both tracks pass through the same gate: a 60-day public review, three Statements of Use, a Special Majority Vote to approve a Candidate OASIS Standard, and a Call for Consent to the OASIS membership, with the option to submit the result to ISO, IEC or ITU. The administrator function that runs the ballots, reviews conformance, announces the reviews and publishes the approved work is the operation this handbook documents, so Open Projects are in scope here where they use it; a task written for a TC still does not transfer to a project unchanged.



the Technical Committee and Open Project ladders side by side, each advancing its draft to its specification by its own vote, converging at the shared gate: the 60-day public review, three Statements of Use, the Special Majority Vote to Candidate OASIS Standard, and the Call for Consent

OASIS runs two documentation domains. Published specifications are served from docs.oasis-open.org. A second domain, docs.oasis-open-projects.org, was set up for Open Projects, but as of 29 July 2026 its index lists only one project, OSLC, beside a templates folder. That single entry is not a count of the Open Projects program. It reflects a move away from giving each project its own documentation site, and it does not depend on whether a project is an Open Project or whether it follows the TC Process.

2. The Technical Committees this manual serves

The rest of this handbook describes an operation. This chapter is about the people that operation serves: the OASIS Technical Committees (TCs), how they work, and how they differ from each other in ways that change how a request from them arrives, the tools they use, and how correspondence reaches them. The figures below come from an audit of TC requests and activity over July 2024 to July 2026.

2.1 Activity, as measured by tool usage

OASIS sees only a fraction of what a TC does. Most of the work happens in calls, in email and in Word documents that OASIS cannot see into. What it can measure is tool usage: the marks a TC leaves in the systems OASIS runs. Everything in this chapter is activity measured that way, and the first thing to know is that a TC can be busy and leave almost no mark at all.

There are four kinds of tool data. A TC that is quiet in one is often busy in another:

1. **Developer tools:** commits, issues, pull requests and comments on the two GitHub organisations, Jira issues, and wiki edits.
2. **Booked meetings:** calls scheduled on the member platform calendar.
3. **Publications:** specifications deposited on docs.oasis-open.org in the window.
4. **Member discussion:** discussion posts written by a member rather than staff. This one is read by hand; the other three a query can count.

No TC's activity level can be judged from one kind of data alone, because each kind catches TCs the others miss. Each TC reaches the organisation through different tools, and some barely use the tools at all.

- Publications alone show [LegalDocML](#) and [Energy Interoperation](#) as active. Both do no developer-tool work and book no meetings, yet each published a normative specification in the window: LegalDocML its Akoma Ntoso v2.0 Committee Specification, Energy Interoperation four artifacts.
- Meetings rescue [AMQP](#), [SAM](#) and [ESAT](#). None did developer-tool work or published in the window, but AMQP keeps fortnightly meetings booked out to September 2026, SAM bi-monthly to February 2027 and ESAT monthly to October 2026. AMQP and SAM also post member discussion; ESAT is the one TC the calendar alone rescues.
- The discussion threads alone show [BDXR](#) and [PMRM](#) as active. Both are quiet everywhere else, yet post agendas and minutes every month under a named member.
- [DITA](#), [CACAO](#) and [DSS-X](#) appear only in the developer tools.

Any of these, judged on a single kind of data, would be wrongly marked inactive.

50	34	16
active Technical Committees	leave a measurable footprint	leave no in-window trace

The full population is 50 active TCs, alongside 11 Open Projects of which 5 are active. Of the 50, 34 leave a measurable footprint in the tools and the member platform; the other 16 or so leave no in-window trace at all. The banding below covers 33 committees: it omits DocBook, whose roster is now empty, and includes [OpenCSA](#), a closed liaison subcommittee kept in the data for completeness. Count how many of the four kinds of data each committee appears in, and they sort like this:

Kinds of data with activity	Technical Committees
4 of 4	Emergency Management
3 of 4	CSAF, OData, OpenEoX, XACML, PKCS#11, CTI, ODF, KMIP, LEXIDMA, UBL
2 of 4	TOSCA, SARIF, MQTT, OpenC2, VIRTIO, XLIFF, AMQP, SAM, LegalDocML, Energy Interoperation
1 of 4	DITA, CACAO, DSS-X, ESAT, PMRM, BDXR
0 of 4	eMIX, WS-Calendar, AMQP-BINDMAP, OpenCSA, LP, LegalRuleML

One committee sits in the top band, and its tools signal is thin: [Emergency Management](#)'s band rests on two recorded tool actions, while the canonical action count records zero, so read it as a meetings, publications and discussion committee rather than a tools one.

Six committees appear in none of the four. That says more about the data than about the committees, and one of the six, OpenCSA, is the closed liaison subcommittee rather than a TC proper. For five of them, [eMIX](#), [WS-Calendar](#), [AMQP-BINDMAP](#), OpenCSA and [LP](#), the most recent thing in their community is a staff notice

about the 2024 platform migration. For [LegalRuleML](#), no member has posted since 2022. Being absent from all four kinds of data is worth a second look. Being absent from one is not: a TC that never touches the calendar shows zero meetings whether it meets weekly or never.

Absence from the data is not absence of work

Do not read how a TC works off one kind of tool data. A TC that never uses the calendar shows zero meetings even if it meets every week. Confirm how a TC works from its requests and its approved minutes; silence in any one tool proves nothing. This is set out in full in 2.3.

TOOL COVERAGE

Committee activity across the four kinds of data

Each row shows a badge per system. A lit badge is member activity in the window; count a row's lit kinds and you have its band.

GITHUB

JIRA

WIKI

developer tools, together one kind

CALENDAR

member-platform meetings

DOCS

docs.oasis-open.org publications

HL POSTS

Higher Logic member discussion

JIRA

lit: member activity in the window

JIRA

dimmed: none

HL POSTS

dashed: not read by hand

staff-only posting is dimmed and noted

4 OF 4

1 Technical Committee

lit in all four kinds

COMMITTEE

DEVELOPER TOOLS, 24MO ACTIONS

MEETINGS, PLATFORM CALENDAR

PUBLICATIONS, DOCS SITE

MEMBER DISCUSSION

ROSTER

Emergency Management

TOOLS 2

CALENDAR

monthly

DOCS

2

latest 2025-10-01

HL POSTS

36

3 OF 4

10 Technical Committees

lit in three of the four

CSAF

GITHUB 4,592

JIRA

WIKI

CALENDAR

monthly

DOCS

2

latest 2026-02-25

HL POSTS

not read

48

OData

GITHUB 1,136

JIRA 10

WIKI

CALENDAR

weekly

DOCS

2

latest 2025-11-18

HL POSTS

not read

58

OpenEoX

GITHUB 1,002

JIRA

WIKI

CALENDAR

monthly

DOCS

1

latest 2026-07-13

HL POSTS

not read

18

XACML

GITHUB 846

JIRA

WIKI

CALENDAR

monthly

DOCS

5

latest 2026-02-18

HL POSTS

not read

37

PKCS#11

GITHUB 569

JIRA

WIKI 256

CALENDAR

fortnightly

DOCS

8

latest 2026-06-03

HL POSTS

not read

46

CTI

GITHUB 601

JIRA

WIKI

CALENDAR

monthly + weekly

DOCS

2

latest 2025-04-02

HL POSTS

not read

113

UBL

GITHUB 278

JIRA 159

WIKI

CALENDAR

weekly, feed minutes

DOCS

4

latest 2026-04-15

HL POSTS

not read

38

ODF

GITHUB 113

JIRA 193

WIKI

CALENDAR

weekly

DOCS

2

latest 2025-10-06

HL POSTS

not read

21

KMIP

GITHUB 108

JIRA

WIKI 29

CALENDAR

fortnightly

DOCS

4

latest 2026-06-18

HL POSTS

not read

61

LEXIDMA

GITHUB 101

JIRA

WIKI

CALENDAR

occasional

DOCS

3

latest 2025-04-29

HL POSTS

not read

12

2 OF 4

10 Technical Committees

lit in two

TOSCA

GITHUB 700

JIRA

WIKI

CALENDAR

DOCS

3

latest 2025-07-22

HL POSTS

not read

69

SARIF

GITHUB 574

JIRA

WIKI

CALENDAR

monthly

DOCS

HL POSTS

not read

20

MQTT

GITHUB 486

JIRA 81

WIKI

CALENDAR

occasional

DOCS

HL POSTS

not read

28

VIRTIO

GITHUB 275

JIRA

WIKI

CALENDAR

DOCS

2

latest 2026-04-08

HL POSTS

not read

59

OpenC2

GITHUB 247

JIRA

WIKI

CALENDAR

DOCS

6

latest 2025-04-16

HL POSTS

not read

34

XLIFF

GITHUB 74

JIRA

WIKI

CALENDAR

DOCS

3

latest 2025-03-13

HL POSTS

not read

17

AMQP

GITHUB

JIRA

WIKI

CALENDAR

fortnightly

DOCS

HL POSTS

29

SAM

GITHUB

JIRA

WIKI

CALENDAR

bi-monthly

DOCS

HL POSTS

13

LegalDocML

GITHUB

JIRA

WIKI

CALENDAR

DOCS

2

latest 2026-05-08

HL POSTS

18

Energy Interoperation

GITHUB

JIRA

WIKI

CALENDAR

DOCS

4

latest 2025-09-02

HL POSTS

10

1 OF 4

6 Technical Committees

lit in one

DITA

GITHUB 409

JIRA

WIKI

CALENDAR

DOCS

HL POSTS

not read

38

CACAO

GITHUB 31

JIRA

WIKI

CALENDAR

DOCS

HL POSTS

not read

43

DSS-X

GITHUB 1

JIRA

WIKI

CALENDAR

DOCS

HL POSTS

not read

8

ESAT

GITHUB

JIRA

WIKI

CALENDAR

monthly

DOCS

HL POSTS

staff only

9

PMRM

GITHUB

JIRA

WIKI

CALENDAR

DOCS

HL POSTS

13

BDXR

GITHUB

JIRA

WIKI

CALENDAR

DOCS

HL POSTS

16

0 OF 4

6 Technical Committees

lit in none

eMIX

GITHUB

JIRA

WIKI

CALENDAR

DOCS

HL POSTS

not read

7

WS-Calendar

GITHUB

JIRA

WIKI

CALENDAR

DOCS

HL POSTS

not read

4

AMQP-BINDMAP

GITHUB

JIRA

WIKI

CALENDAR

DOCS

HL POSTS

not read

14

OpenCSA

GITHUB

JIRA

WIKI

CALENDAR

DOCS

HL POSTS

not read

5

LP

GITHUB

JIRA

WIKI

CALENDAR

DOCS

HL POSTS

not read

13

LegalRuleML

GITHUB

JIRA

WIKI

CALENDAR

DOCS

HL POSTS

staff only

10

* Emergency Management's tools signal rests on 2 recorded actions in the signal matrix; the canonical survey records zero tool actions for it.

33 committees in the banding; DocBook, whose roster is empty, is omitted; OpenCSA is a closed liaison subcommittee kept in the data for completeness.

For eMIX, WS-Calendar, AMQP-BINDMAP, OpenCSA and LP the most recent community event is a staff notice announcing the 2024 platform migration; for LegalRuleML the most recent member post is 2022.

Signal flags and cadence from the four-signal matrix; actions, rosters and publication dates from the canonical survey spine. Members only, staff and automated accounts excluded.

* Emergency Management's tools signal rests on 2 recorded actions in the signal matrix; the canonical survey records zero tool actions for it.
 33 committees in the banding. DocBook, whose roster is empty, is omitted; OpenCSA is a closed liaison subcommittee kept in the data for completeness.
 For eMIX, WS-Calendar, AMQP-BINDMAP, OpenCSA and LP the most recent community event is a staff notice announcing the 2024 platform migration; for LegalRuleML the most recent member post is 2022.
 Signal flags and cadence from the four-signal matrix; actions, rosters and publication dates from the canonical survey spine. Members only, staff and automated accounts excluded.

all 33 committees of the four-signal banding, one row per committee with a lit or dimmed badge per system, GITHUB, JIRA and WIKI for the developer tools, CALENDAR for platform meetings, DOCS for docs.oasis-open.org publications and HL POSTS for member discussion, so a row's band is the count of its lit kinds, with action counts and a magnitude bar, meeting cadence, publications with the latest date, the discussion reading and the roster beside the badges, grouped by band from 4-of-4 down to 0-of-4

- **Owner:** a measurement the TC Administrator keeps for orientation
- **Record:** the activity measurement in the engagement pack

2.2 Four operating cultures, and why the culture changes the operation

All four kinds of data together show a distinction that a single activity score would miss. The canonical survey classifies every one of the 34 measured TCs into one of four operating cultures, and the culture determines where a successor looks for the work, which tools the TC actually touches, and how correspondence reaches its members:

- **Tool-native** (16): [CSAF](#), [OData](#), [OpenEoX](#), [XACML](#), [PKCS#11](#), [TOSCA](#), [CTI](#), [SARIF](#), [MQTT](#), [UBL](#), [DITA](#), [ODF](#), [VIRTIO](#), [OpenC2](#), [KMIP](#) and [LEXIDMA](#). The work leaves a repository trail, from CSAF's 4,592 tool actions in the window down to LEXIDMA's 101.
- **Light-tool** (3): [XLIFF](#), CACAO and DSS-X, with 74, 31 and a single tool action respectively.
- **Meeting-driven** (8): Emergency Management, AMQP, LegalDocML, BDXR, PMRM, SAM, Energy Interoperation and ESAT. All eight record zero tool actions, several author their specifications in Word rather than in a repository, and every one of them reaches OASIS through the member platform alone.
- **Dormant** (7): AMQP-BINDMAP, LP, LegalRuleML, eMIX, OpenCSA, WS-Calendar and DocBook, none with any in-window signal.

Within the tool-native sixteen a further split matters day to day: DITA, TOSCA, UBL, VIRTIO and OpenC2 run asynchronously, with real repository activity and no meetings booked on the calendar, while CSAF, OData, PKCS#11, KMIP, XACML, OpenEoX, CTI and ODF keep a live meeting record and a live repository together.

"No meetings booked" is a statement about the calendar only. Some asynchronous TCs record their calls as posted minutes instead. BDXR is one example, and UBL's weekly Atlantic-call minutes sit on its discussion feed rather than on the calendar.

The culture matters to the operation in three concrete ways:

1. **Intake differs.** A meeting-driven, Word-native TC delivers a rendered package and its approving minutes, while an asynchronous TC's work and its vote record may sit in a repository or in per-issue ballots.
2. **The tools differ.** A request about a meeting-driven TC will not be answered by looking at GitHub.
3. **The comms path differs.** A TC reachable through its Higher Logic community is reached differently from one whose editors coordinate by call.

Intake culture check

A tooling or communications decision that assumes one culture will not fit the others, because all four operating cultures exist in the measured set today.

HOW THE MEASURED TCS ACTUALLY WORK			
Four operating cultures			
All 34 measured Technical Committees, classified by the engagement data book survey; the culture sets where staff look for the work.			
TOOL-NATIVE the work leaves a repository trail 16	LIGHT-TOOL a thin repository trail 3	MEETING-DRIVEN zero tool actions, platform only 8	DORMANT no in-window signal 7
24-mo actions	24-mo actions	roster members	last community event
CSAF 4,592	XLIFF 74	Emergency Management 36	DocBook 2026-07
OData 1,146	CACAO 31	AMQP 29	LegalRuleML 2025-09 staff
OpenEoX 1,002	DSS-X 1	LegalDocML 18	LP 2024-05
XACML 846	Three committees with a thin repository trail; the platform carries the rest of their work.	BDXR 16	AMQP-BINDMAP 2024-02
PKCS#11 825		PMRM 13	eMIX 2024-02
TOSCA 700		SAM 13	OpenCSA 2024-02
CTI 601		Energy Interoperation 10	WS-Calendar 2024-02
SARIF 574		ESAT 9	DocBook's roster is empty; OpenCSA is a closed liaison subcommittee.
MQTT 567		All eight record zero tool actions and reach OASIS through the member platform alone.	
UBL 437			
DITA 409			
ODF 306			
VIRTIO 275			
OpenC2 247			
KMIP 137			
LEXIDMA 101			
FOR STAFF Intake: repository or platform Look in: the repository trail Comms: repository and platform	FOR STAFF Intake: platform request Look in: platform; repository rarely Comms: member platform	FOR STAFF Intake: Word package and minutes Look in: calendar and minutes Comms: member platform only	FOR STAFF Intake: expect nothing inbound Before acting: confirm status
A tooling or communications decision that assumes one culture will not fit the others.			

the four operating cultures as columns, each naming all of its Technical Committees with the datum that matters for that culture: 24-month action counts for the tool columns, roster members for the meeting-driven eight, the last community event for the dormant seven, with a row underneath showing the intake form, the tool to check, and the comms path each culture implies for staff

- **Owner:** TC Administrator, who reads the culture before acting on a TC's request
- **Record:** the operating-culture classification in the engagement data book, cross-referenced to the activity measurement

2.3 LegalDocML: an active TC that manages its work elsewhere

LegalDocML shows why intake must confirm where a TC actually works. On repository activity alone, LegalDocML appears inactive: its GitHub repository ([oasis-open/legaldocml-akomantoso](https://github.com/oasis-open/legaldocml-akomantoso)) was last pushed on 2 June 2022, and its Jira project exists but has never held a single issue. The committee is active. It published Akoma Ntoso v2.0 as a Committee Specification (cs01) on 8 May 2026 and passed a Special Majority Vote that closed on 15 July 2026, in which all six eligible Voting Members voted Yes and none voted No. Its work runs through [its Higher Logic community](#) and the TC Administrator process; the developer tools set up for it were never adopted.

Intake channel check

Do not assume a TC's channel. A publication or ballot request can arrive from a TC with no repository activity for years, and that inactivity is not a reason to question the request. Confirm the working channel per TC at intake, from the request and the approving minutes.

Do the same at every intake: confirm the working channel per TC from the request and the approving minutes, as the publishing and balloting chapters require, rather than inferring it from whichever kind of data is easiest to read.

MEMBER PLATFORM, LEGALDOCML TC
Active community page, quiet code repository

OASIS LegalDocumentML (LegalDocML) TC

Community Home Discussion 203 Meetings 3 Members 21 Workspace

21 members still listed as active

960 discussion posts logged in this community

Links out to the TC's code repository

Contacts

Chair: Monica Palmirani, University of Bologna-CIRSF
monica.palmirani@unibo.it

Chair: Fabio Vitali, University of Bologna-CIRSFID
fabio@cs.unibo.it

OASIS Staff Contact: Kelly Cullinane
kelly.cullinane@oasis-open.org

[Join this TC]

Description

Advancing worldwide best practices for the use of XML in legal documents

Group Notes

Table of Contents

- [Announcements](#)
- [Overview](#)
- [Subcommittees](#)
- [Technical Work Produced by the Committee](#)
- [OASIS TC Open Repositories Sponsored by the Committee](#)
- [Expository Work Produced by the Committee](#)
- [External Resources](#)
- [Mailing Lists and Comments](#)
- [Additional Information](#)

This website uses cookies to ensure you get the best experience on our website. [Learn more](#)

Post #LegalDocML

Akoma Ntoso Version 1.0 has been accepted by the OASIS members as an OASIS Standard. See the [public announcement](#) for details.

Akoma Ntoso Version 1.0 and Akoma Ntoso Naming Convention Version 1.0 have been approved by the TC as OASIS Committee Specifications effective 06 June 2017. For details, see the [public announcement](#) and the list of Technical Work Produced by the TC below.

Funding to ensure the broadest possible international participation in LegalDocML has been provided to OASIS through a generous contribution from Microsoft.

Membership in the OASIS LegalDocML TC is open to all interested parties. Contact join@oasis-open.org for more information.

Overview

The OASIS LegalDocML TC works to advance worldwide best practices for the use of XML within a Parliament's, Assembly's or Congress' document management processes, within courts' and tribunals' judgment management systems, and generally in legal documents including contracts. The work is based on the [Akoma Ntoso-UN project](#). The LegalDocML TC's goal is to collect requirements from the community of the stakeholders who create, manage and use legislative and legal documents (editors, libraries, public institutions, tribunals, publishers, etc.) in order to extend and refine the standard. All are welcome to join this work.

The LegalDocumentXML Specs provides a common legal document standard for the specification of parliamentary, legislative and judicial documents, for their interchange between institutions anywhere in the world and for the creation of a common data and metadata model that allows experience, expertise, and tools to be shared and extended by all participating peers, courts, Parliaments, Assemblies, Congresses and administrative branches of governments. The standard aims to provide a format for long-term storage of and access to parliamentary, legislative and judicial documents that allows search, interpretation and visualization of documents.

The specifications of the standard is based on the experience of the Akoma Ntoso language, and for this reason the specification keeps the name "Akoma Ntoso" and the root of the XML-schema will be "akomaNtoso".

The LegalDocumentXML Specs examine the relationships between the proposed XML vocabulary and other similar efforts especially those that already have gained national acceptance or are included in other LegalXML vocabularies (e.g. Contracts). In particular, the CEN Metalex standard is recognized as offering a conceptual meta-model that is appropriate for the management of the compliance issues between different XML national standards. Akoma Ntoso is from the very beginning compliant with CEN Metalex as an explicit design choice. CEN Metalex compliance will be considered as the first and most important requirement for comparison between the XML language approved by the TC and any other XML standard.

One of the topics about whom the LegalDocumentXML Specs provides a standardization is a URI-based syntax for legal citations for all types of documents produced by Parliaments and Courts and managed by the XML vocabulary, called the naming convention. The LegalDocumentXML Spec aims to examine and, as much as possible, accept past experiences and decisions of the Akoma Ntoso technical team, which have been consistently using an http-based syntax. This approach appears similar to the one chosen by the [European Legislation Identifier](#) and is also consistent with the http based URIs of the [URN:LEX syntax appendix D](#).

The TC is affiliated with the [OASIS LegalXML Member Section](#). For more information on LegalDocML, see the [TC Charter](#).

Subcommittees

No subcommittees have been formed for this TC.

Technical Work Produced by the Committee

- [Akoma Ntoso Version 1.0 Part 1: XML Vocabulary](#)
- [Akoma Ntoso Version 1.0 Part 2: Specifications](#)
- [Akoma Ntoso Naming Convention Version 1.0](#)
- [Akoma Ntoso Media Type Version 1.0](#)

OASIS TC Open Repositories Sponsored by the Committee

Content in [OASIS TC Open Repositories](#) is created by [public contributions](#) under an open source license as designated by the LegalDocML TC.

- [OASIS TC Open Repository: legaldocml-akomantoso](#): Schema files, examples, exemplificative implementations and libraries, and documentation related to the LegalDocML TC and Akoma Ntoso schema

Expository Work Produced by the Committee

Akoma Ntoso Version 1.0
Committee Specification Draft 02 / Public Review Draft 02

- Akoma Ntoso Version 1.0 Part 1: XML Vocabulary
HTML (Authoritative):
<http://docs.oasis-open.org/legaldocml/akn-core/v1.0/csprd02/part1-vocabulary/akn-core-v1.0-csprd02-part1-vocabulary.html>

- Akoma Ntoso Version 1.0 Part 2: Specifications
HTML and Editable Source (Authoritative):
<http://docs.oasis-open.org/legaldocml/akn-core/v1.0/csprd02/part2-specs/akn-core-v1.0-csprd02-part2-specs.html>

- **Owner:** TC Administrator
- **System:** the member platform for the TC's live work; the request tracker for the request record
- **Record:** the published Committee Specification and the closed ballot, cited on the request ticket

2.4 What TCs actually ask for

Inbound requests belong to one process seen at different stages. Public reviews, ballots and publication requests are stages of one path from a draft to an approved standard, which is why the operation records far more publications than publication requests.

122	85	5
requests, 24 months	carry a confirmed member name	request types

Across the 24-month window there were 122 requests, of which 85 carry a confirmed member name. The mix was:

Request type	Count, 24 months
Public review requests	43
Ballots and Special Majority Votes	24
Publication requests	24
Template and starter-document requests	19
Other administration	12

The 24 publication requests sit against 67 in-window publications because most publications happen as a stage of the review and ballot flow rather than as a separately requested event; see the publishing operation and balloting chapters for how one request carries a document through several published stages. The 19 template and starter-document requests are the intake end of the same path: drafts just beginning. The most frequent named requesters: Kenneth Bengtsson with 8 requests, all for UBL, Valerie Fenwick with 6 for PKCS#11, Judith Furlong with 6 for KMIP, David Lemire with 5 for OpenC2, David Filip with 4 for LEXIDMA, and Michael S. Tsirkin with 4 for VIRTIO. Fenwick and Furlong work in the Word-native TCs, whose TC work is recorded in requests, documents and minutes, outside repository activity.

Requests reach the queue two ways:

1. **A member emails or posts and staff open the ticket on their behalf.** The requester's identity is carried into the ticket.
2. **A public web request form writes a ticket directly.** The form is a Gravity Forms request page that writes into the request tracker as a service account and creates a TCADMIN ticket, as chapter 8 records. It submits as the service account rather than as the person, so the ticket does not carry the requester's identity.

Every request still gets a ticket, opened on behalf of the requester where the form did not, as chapter 9 records.

The TC admin request queue, 24 months

122 requests across five types, ranked by volume; 85 carry a verified member name.

Public review requests

43

43 of 122

Ballots and Special Majority Votes

24

24 of 122

Publication requests

24

24 of 122

Template and starter document requests

19

19 of 122

Other administration

12

12 of 122

TOTAL, 24 MONTHS

122 requests across the five types

122

85 of the 122 requests carry a verified member name.

MOST FREQUENT NAMED REQUESTERS

Kenneth Bengtsson 8 UBL

Valerie Fenwick 6 PKCS#11

Judith Furlong 6 KMIP

David Lemire 5 OpenC2

David Filip 4 LEXIDMA

Michael S. Tsirkin 4 VIRTIO

the 122 requests over the 24-month window split by the five types in the table, with the most frequent named requesters and the committee each requests for

The request tracker queue shows the same spread, with review, ballot and publication requests running as one flow rather than separate queues.

REQUEST TRACKER

One queue holds reviews, ballots and publications

The screenshot shows the OASIS Open Request Tracker interface. On the left, there's a sidebar with 'Technical Committee ...' and a list of issues. The main area displays 'Open issues' with a list of tickets. Two callouts highlight specific tickets:

- 1** A Special Majority Vote ballot request (Ticket TCADMIN-4726: Request a Special Majority Vote to ad...)
- 2** A public-review request, right below it (Ticket TCADMIN-4725: Request a first public review for Ope...)

The detailed view of the selected issue (TCADMIN-4726) shows the following information:

- Details:** Type: Task, Resolution: Unresolved, Priority: Major, Component/s: Ballot request, OS Submission Ballot, Labels: None, Environment: LegalDocML.
- Description:** Requested by Monica Palmirani (TC Chair, LegalDocML); processed by Michael Coletta (interim TC Administrator). The LegalDocML TC requests a Special Majority Vote to submit the following Committee Specification as a Candidate for OASIS Standard, per OASIS TC Process section 2.8.1.
- Your name:** Monica Palmirani (Chair)
- TC email address:** OASIS-legaldocml@ConnectedCommunity.org
- Title and version:** Akoma Ntoso Version 2.0. Part 2: Specifications of AKN 3.1
- Committee Specification URI:** <https://docs.oasis-open.org/legaldocml/akn-core/v2.0/cs01/>
- Committee Specification (Part 2, PDF):** <https://docs.oasis-open.org/legaldocml/akn-core/v2.0/cs01/part2-specs/akn-core-v2.0-cs01-part2-specs.pdf>
- CS approved by the TC:** 8 May 2026 (Higher Logic ballot id 3920, 6 Yes / 0 No)
- Statements of Use** (6 submitted; minimum 3 required, at least one from an OASIS Organizational Member):
 - 1. Publications Office of the European Union (OASIS Organizational Member) - 27 May 2026, Conformance Level 1
 - 2. The National Archives, UK - 9 June 2026, Conformance Level 1
 - 3. Xential Corporation, USA - 28 May 2026, Section 7 conformance
 - 4. BitNomos, IT - 25 June 2026, Conformance Level 2
 - 5. CIRSFID-ALMA-AI, University of Bologna, IT - 22 June 2026, Conformance Level 2
 - 6. World Health Organization - 9 June 2026
- Public review:** First public review (CSPRD01) ran 20 March - 20 April 2026 under TCADMIN-4706; no comments received. CS01 approved 8 May 2026.
- Voting roster:** 6 eligible voters. Special Majority Vote passes with at least 4 (2/3 x 6) Yes and no more than 1 (1/4 x 6) No.
- Requested ballot window:** open 8 July 2026, close 15 July 2026 (7 days, per TC Process 1.11 minimum electronic-ballot duration).
- Related prior work:** Akoma Ntoso Version 1.0 and the AKN Naming Convention Version 1.0 are existing OASIS Standards (2018).

The TCADMIN issue queue mixes public-review requests, ballot requests and publication tickets in a single ordered list.

the request tracker queue filtered to the 24-month window, showing enough rows that the spread of review, ballot and publication requests is visible as one flow

- **Owner:** TC Administrator, who opens or completes the ticket
- **System:** the request tracker; the public request form for self-service submissions
- **Permission:** the requester needs no tracker access; the form submits as a service account
- **Record:** one ticket per request, per chapter 9

2.5 How TCs decide, and who signs the work

A TC's formal decisions are recorded in its ballots, and the ballot record shows how decisions are made. Of the 120 most recent closed ballots in the public archive, 93 are attributed to these TCs, and as of the July 2026 pull they break down into:

- 42 per-issue resolution votes, all of them VIRTIO, which governs by ballot and holds 47 ballots in total;
- 34 spec-stage approvals of drafts, Committee Specifications, notes and charters;
- 15 candidates for OASIS Standard and calls for consent;
- 2 officer elections and other.

The standards ladder is visible in the ballot titles themselves: TOSCA v2.0 took six ballots from draft approval to the OASIS Standard call for consent, and ODF v1.4 took four, including a vote to continue after comments. The LegalDocML Special Majority Vote in 2.3 is one such ballot, and with exactly six Voting Members on the roster and six of six voting Yes, that voter list is the voting roster.

Published specifications identify the editors responsible for the text. Editors hold named, signed responsibility, and the editor set is often small even when the contributor list is large:

- Energy Interoperation listed Toby Considine as the single editor for all four of its in-window stage publications.
- UBL listed Kenneth Bengtsson as the single editor for all four stage publications of UBL v2.5.
- KMIP and much of PKCS#11 rest on three names from Cryptsoft, Tim Hudson, Greg Scott and Tony Cox, though Cox's affiliation is now printed as TC Logic, formerly Cryptsoft.
- Stefan Hagen signs seven of the window's publications across four directories, Greg Scott six across two, James Cabral and David Kemp five each across two, and Dieter Bong eight, all of them PKCS#11.

Contributor appendices run to hundreds of names, CTI credits 310 and VIRTIO 204, while formal signed responsibility is assigned to one or two people per Work Product. The named editors are the continuity record that matters, and the published specifications are the only place that record can be read.

DOCUMENT EDITORS			OASIS OPEN
Named editors by publishing directory			
All 21 directories that published in the window, each with every named editor and the count of in-window publications that editor signed there.			
DIRECTORY	PUBS	NAMED EDITORS (PUBLICATIONS SIGNED)	
PKCS#11	8	Dieter Bong (8), Greg Scott (5), Tony Cox (1)	
OpenC2	6	David Kemp (4), David Lemire (3), Alex Everett (1), Vasileios Mavroelidis (1)	
XACML	5	Steven Legg (5), Cyril Dangerville (5)	
Energy Interoperation	4	Toby Considine (4), sole editor on all four	
KMIP	4	Tony Cox (2), Tim Hudson (2), Greg Scott (1), Tim Chevalier (1), Judith Furlong (1), Jeff Bartell (1)	
UBL	4	Kenneth Bengtsson (4), sole editor on all four	
LEXIDMA	3	David Filip (3), Miloš Jakubiček (2), Vojtěch Kovář (2), Simon Krek (2), John McCrae (2), Michal Měchura (2)	
TOSCA	3	Chris Lauwers (3), Calin Curescu (3)	
XLIFF	3	Rodolfo M. Raya (3), Lucía Morado Vázquez (3)	
CSAF	2	Stefan Hagen (2), Thomas Schmidt (2)	
CTI	2	Richard Piazza (2), Emily Ratliff (1), Stephan Relitz (1), Christian Studer (1)	
Emergency Management	2	Rex Brooks (2), Norm Paulsen (2), Thomas Wood (2)	
LegalDocML	2	Monica Palmirani (2), Grant Vergottini (2), Fabio Vitali (2)	
OData	2	Ralf Handl (2), Hubert Heijkers (2), Gerald Krause (2), Michael Pizzo (2), Heiko Theißen (2), Martin Zurmuehl (2)	
ODF	2	Francis Cave (2), Patrick Durusau (2), Svante Schubert (2), Michael Stahl (2)	
VIRTIO	2	Michael S. Tsirkin (2), Cornelia Huck (2), Parav Pandit (2)	
OpenEoX	1	Jautau White (1), Stefan Hagen (1), Thomas Schmidt (1)	
PUBLISHING DIRECTORIES BEYOND THE MEASURED TC SPIRE			
NIEMOpen (Open Project)	6	James Cabral (3), Tom Carlson (3), Scott Renner (3), Christina Medlin (3)	
LVCSF	3	Don Sheppard (3), Stefan Hagen (3)	
LegalXML Court Filing	2	James Cabral (2), Gary Graham (2), Cassidy Stokes (1)	
DPS	1	David Kemp (1), Stefan Hagen (1)	
ACROSS DIRECTORIES			
Stefan Hagen signs 7 in-window publications across 4 directories; Greg Scott 6 across 2; James Cabral and David Kemp 5 each across 2; Dieter Bong 8, all PKCS#11.			
CONTRIBUTOR APPENDICES, FOR SCALE			
Contributor appendices run to hundreds: CTI credits 310, VIRTIO 204. Editorship is far narrower: one or two named people per Work Product.			
Editor credits parsed from the data book's publications census, one row per in-window publication; the count after a name is the publications that editor signed in that directory. One alias merge applied (Rich and Richard Piazza, the same MITRE person, the single merge the data book sanctions). Tony Cox's printed affiliation is TC Logic, formerly Cryptsoft.			

every one of the 21 publishing directories with its complete set of named editors and the count of publications each editor signed there, sole-editor Work Products noted, with the cross-directory editor spans and the contributor-scale contrast

- **Owner:** the TC votes and its editors sign; the TC Administrator runs the ballot mechanics and records the result
- **System:** the member platform for the ballot; docs.oasis-open.org for the signed publication
- **Record:** the closed ballot tally and the published specification front matter

2.6 The tools, and the mailing-list change that reshaped the comms path

Five tools serve the TCs, and each is different:

- **The member platform (Higher Logic)** is the member-facing service and record location for rosters, ballots, meeting calendars, document libraries and discussion. It covers 32 of the 50 active TCs by the site taxonomy, and 28 of 34 open communities had a post within the trailing 12 months. Eight TCs reach OASIS through no other tool at all: BDXR, Energy Interoperation, PMRM, AMQP, LegalDocML, ESAT, Emergency Management and SAM, the meeting-driven eight of 2.2.
- **GitHub** is three things at once: specification text under version control, the source code and schemas that ship alongside it, and the issue queues where implementers and the public file commentary on published specifications. It spans two organisations, oasis-tcs for specification work and oasis-open for Open Repositories, so any count limited to a single organisation undercounts the total.
- **Jira** is an active day-to-day tracker for two TCs, UBL and ODF, and four TCs depend on it enough that any replacement must migrate them first: ODF with 193 issues in the window, the one committee where Jira is the primary tool, then UBL with 159, MQTT with 81 and OData with 10. The licence is free and unlimited and the other roughly 80 projects are historical record, so the question about Jira is service quality; cost is zero.
- **The wikis** are nearly still: 285 edits by five members across the 24 months, all in two TC namespaces, PKCS#11 with 256 and KMIP with 29, out of 84 namespaces on the farm. The most recent edit anywhere is 22 May 2025, and the trailing 12 months hold none.
- **docs.oasis-open.org** is the publication service, the destination for approved work rather than a tool members work in; 67 publications came from 21 directories out of 119 in the window, and 98 directories published nothing.

The February 2024 platform migration changed how TC communications are routed.

427,256	963	12,680
list messages, October 1999 to the freeze	lists	distinct contributors

For two decades the classic mailing lists carried member discussion: 427,256 messages from October 1999 to the freeze, across 963 lists and 12,680 distinct contributors. In February 2024 the Higher Logic migration retired the classic list server, and all TC lists stopped carrying new traffic. The mail-forum model was a low-friction participation channel. DocBook, the largest list community at 40,133 messages, left OASIS in the migration year, and its practitioners rebuilt their site independently. The record itself was preserved: the full archive is read-only and searchable at lists-archive.oasis-open.org.

Current comment routing

Because the classic list server is retired, legacy TC list addresses no longer carry messages and do not return a bounce to the sender. Comment traffic now routes through the TC's public comment facility on the member platform, and announcements are posted to the member platform communities. Use the member platform routing for current TC comments and announcements.

The public-review comment routing described in the public reviews and communications chapters depends on this change and is stated there in full.

PUBLIC ARCHIVE
Retired TC lists, preserved and searchable

OASIS OPEN | TC Archives MAILING LIST PRESERVATION Search subjects, authors, message IDs, committees... Search Home Search Help

Home

Technical Committee Archives

427,256 preserved messages across 222 technical committees. Search the full corpus or pick a committee below.

MESSAGES	COMMITTEES	THREADS	CONTRIBUTORS	EARLIEST	LATEST
427,256	222	190,709	12,214	Oct 1999	Jul 2024

Groups (222) All lists (963) All authors →

Filter committees...

COMMITTEE	UNIQUE USERS	FIRST	LAST			
docbook (docbook, docbook-apps, docbook-tc, docbook-publishers, docbook-comment, docbook-apps-digest, docbook-publishers-chair, docbook-digest, docbook-elearning-chair)	9	40,133	14,195	3,324	Oct 1999	Feb 2024
office (office, office-comment, office-formula, office-collab, office-chair, office-accessibility, office-metadata, office-accessibility-chair, office-formula-chair, office-metadata-chair, office-requirements, office-collab-chair, office-editors-chair, office-editors)	14	27,082	13,451	430	Nov 2002	Mar 2024
dita (dita, dita-lightweight-dita, dita-techcomm, dita-adoption, dita-help, dita-sidsc, dita-translation, dita-comment, dita-adoption-help, dita-learning-spec, dita-chair, dita-busdocs, dita-machine-industry, dita-adoption-fasc, dita-users, dita-adoption-chair, dita-translation-chair, dita-pharma-chair, dita-pharma, dita-adoption-asia, dita-machine-industry-chair, dita-dice, dita-sidsc-chair, dita-help-chair, dita-techstds, dita-adoption-fasc-chair, dita-web-chair, dita-busdocs-chair, dita-techcomm-chair, dita-techstds-chair, dita-odf-db-interop-mktg, dita-adoption-asia-chair, dita-odf-db-interop-tech, dita-adoption-help-chair)	34	23,348	10,565	651	Mar 2004	Feb 2024
ubl (ubl, ubl-ndrsc, ubl-lcsc, ubl-comment, ubl-tsc, ubl-chair, ubl-dev, ubl-psc, ubl-csc-chair, ubl-jplsc, ubl-sbcs, ubl-lsc, ubl-pre-award, ubl-l10n, ubl-clsc, ubl-ndrsc-chair, ubl-ssc, ubl-australia, ubl-ttsc, ubl-eslsc, ubl-cmsc, ubl-csc, ubl-hisc, ubl-hisc-chair, ubl-cnisc, ubl-org-data, ubl-cmsc-chair, ubl-tsc-chair, ubl-lsc-chair, ubl-itsc, ubl-jplsc-chair, ubl-lcsc-chair, ubl-payfin, ubl-adoption, ubl-msc, ubl-cnisc-chair, ubl-fpsc, ubl-eslsc-chair, ubl-sbcs-chair, ubl-fssc, ubl-ssc-chair, ubl-krisc, ubl-trlsc-chair, ubl-security, ubl-krisc-chair, ubl-cefact, ubl-post-award, ubl-cdsc-chair, ubl-trlsc, ubl-lsc, ubl-security-chair, ubl-dklsc, ubl-itsc-chair, ubl-cdsc, ubl-dclsc, ubl-latamr, ubl-lsc-chair, ubl-asc, ubl-asc-chair, ubl-dklsc-chair, ubl-planning, ubl-ptlsc)	62	16,284	10,257	1,041	Sep 2001	Feb 2024
emergency (emergency, emergency-rim, emergency-cap, emergency-msg, emergency-if, emergency-cap-profiles, emergency-adapt-docs, emergency-have, emergency-tep, emergency-chair, emergency-adapt, emergency-ms, emergency-sc, emergency-gis, emergency-adapt-events, emergency-msg-chair, emergency-comment, emergency-tec, emergency-if-chair, emergency-ms-chair, emergency-gis-chair, emergency-adapt-outreach, emergency-rim-chair, emergency-adoption-chair, emergency-cap-profiles-chair, emergency-adapt-events-chair, emergency-adapt-chair, emergency-sc-chair, emergency-tep-chair, emergency-adoption, emergency-adapt-outreach-chair, emergency-have-chair)	32	15,944	9,598	547	Jan 2003	Feb 2024
xacml (xacml, xacml-comment, xacml-users, xacml-chair, xacml-dev, xacml-editors)	6	13,041	6,321	476	Apr 2001	Feb 2024
virtio (virtio, virtio-dev, virtio-comment)	3	11,317	2,082	340	Jun 2013	Feb 2024
security (security-services, security-use, security-services-comment, security-editors,	12	10,617	5,723	378	Dec 2000	Oct 2022

lists-archive.oasis-open.org keeps every retired TC mailing list readable after posting traffic stops routing there.

the lists-archive.oasis-open.org landing page showing the read-only searchable archive of the retired lists

Set out together, the five tools show which Technical Committees actually use each one.

Who uses which tool

TC operations run on five tools today. The classic mailing lists are retired below them, replaced by the member platform's comment route.

Member platform HIGHER LOGIC	covers 32 of the 50 active Technical Committees by the site taxonomy - the only tool eight TCs use, with their rosters: Emergency Management 36, AMQP 29, LegalDocML 18, BDXR 16, PMRM 13, SAM 13, Energy Interoperation 10 and ESAT 9 28 of 34 open communities posted within the trailing 12 months hosts the current comment route
GitHub SPECS, SOURCE CODE, ISSUES	spec text, source code and schemas, and the Issue queues where spec commentary arrives - every user with its 24-month GitHub actions (commits, issues, pull requests, comments): CSAF 4,592, OData 1,136, OpenEoX 1,002, XACML 846, TOSCA 700, CTI 601, SARIF 574, MQTT 486, DITA 409, UBL 278, VIRTIO 275, OpenC2 247, ODF 113, KMIP 108, LEXIDMA 101, XLIFF 74, CACAO 31 and DSS-X 1 - GitHub issues double as a public comment channel: implementers file commentary on published specifications there, alongside the member platform's comment facility - sixteen TCs are tool-native here; XLIFF, CACAO and DSS-X use it thinly - spread across two organisations, oasis-tcs and oasis-open; counting one undercounts
Jira DAY TO DAY TRACKER	a day to day tracker for UBL and ODF, on a free, unlimited licence - every user with its 24-month Jira issues: ODF 193, UBL 159, MQTT 81, OData 10 - those four are the Jira-dependent set; ODF is the only committee where Jira is the primary tool
The wikis WIKI	285 edits by five members across the 24 months - every user with its 24-month edits: PKCS#11 256, KMIP 29; the other 82 namespaces are idle - most recent edit anywhere 22 May 2025; none in the trailing 12 months stopped
docs.oasis-open.org PUBLICATION SERVICE	67 in-window publications from 21 of 119 directories every in-window publisher, with its count: PKCS#11 8, NIEMOpen 6, OpenC2 6, XACML 5, Energy Interoperation 4, KMIP 4, UBL 4, LEXIDMA 3, LVCSP 3, TOSCA 3, XLIFF 3, CSAF 2, CTI 2, Emergency Management 2, LegalDocML 2, LegalXML Court Filing 2, OData 2, ODF 2, VIRTIO 2, DPS 1 and OpenEoX 1

the five tools as rows, each naming every Technical Committee that actually uses it: the sixteen tool-native and three light-tool TCs on GitHub, the four Jira-dependent TCs, the two wiki TCs, the eight platform-only TCs, and every in-window publishing directory with its count, with the retired classic mailing lists drawn struck through and the member platform comment facility drawn as the current comment route

- **Owner:** TC Administrator for the comms path; the Director of IT for the platforms
- **System:** the member platform, the two GitHub organisations, Jira, the wikis, docs.oasis-open.org, and the read-only mailing-list archive
- **Record:** the engagement measurement in the pack, and the live archive at its published address


3. What OASIS owes a TC

A Technical Committee that asks what it gets from OASIS receives two different kinds of answer, and OASIS has never separated them in writing. Part of what OASIS does for a TC is required by written policy, and the governing clause can be named. The rest is practice: earned from real publications and held to consistently, backed by nothing except the decision to keep doing it. This chapter separates the two, then states the limits, because a limit OASIS has written down is as much a part of the contract as a promise.

The split shows in the acceptance criteria themselves. When the conditions OASIS confirms before it publishes were matched to their governing clauses in July 2026, the exercise covered the 96 conditions in the registry at that time: 38 were grounded in written policy and 58 were operational quality rules with no single written clause behind them.

96	38	58
conditions mapped, July 2026	grounded in written policy	earned quality rules

Of those 96 mapped conditions, close to three in five are conditions OASIS confirms because it chose to. That ratio describes the mapped set and nothing wider. Nobody has repeated the mapping since, and the conditions added on 21 July 2026 carry their governing clause inline in the registry rather than in the catalog, so the authority of every condition beyond the mapped 96 is unmapped rather than known to be earned.



the acceptance conditions divided into the policy-grounded set and the earned set, with the governing documents named on the policy side and the failure classes named on the earned side

3.1 The obligations written into policy

An obligation is something OASIS is bound to do, where the governing clause can be quoted. These are not commitments OASIS chose. They are terms of the OASIS process, and they bind the TC and OASIS alike.

Four obligations govern what is published:

- All approved versions of OASIS Deliverables must be published in (1) editable source, (2) HTML or XHTML, and (3) PDF formats ([TC Process 2.2.2](#)).
- All documents and other files produced by the TC, including Work Products at any level of approval, must use the OASIS file naming scheme and must include the OASIS copyright notice ([TC Process 2.2.1](#)).
- Work Products must present three general kinds of URI as display metadata: This stage, Previous stage where applicable, and Latest stage. The latest-stage alias is the only one of the three that may be updated when a newer version is published ([Naming Directives v1.7, 6.2](#)).
- All normative computer language definitions must also be provided in separate plain text files ([TC Process 2.2.5](#)). Embedding a schema only in the document body does not satisfy the clause. Non-Standards Track Work Products are not subject to it.

One obligation governs what happens after publication, and the publishing workflow is built to satisfy it. URIs for published OASIS resources must be persistent, and resources published in the OASIS Library, the TC document repository and other venues must not be deleted or otherwise altered; resources may be revised, but all revisions are retained (Naming Directives v1.7, [6.3](#) and [6.4](#)).

A published stage URL is permanent

It cannot be reused, corrected or withdrawn. That is why the publishing operation ends with staff confirming the live result rather than at deploy, and why an error found an hour after publication costs a new stage instead of a re-upload.

Two obligations constrain how names are formed:

- A stage abbreviation with its revision number must be used in lower case as a discrete path component for the document identifier, the document URI and the principal document filenames ([Naming Directives v1.7, 5.2](#)).
- A directory must not contain two or more names, filenames or directory names, that differ ONLY in case ([Naming Directives v1.7, 4](#)).

Both are blocking conditions in the acceptance criteria.

On the Standards Track, a Work Product must include a conformance clause section before it can be submitted for public review, approved as a Committee Specification, or approved as an OASIS Standard ([TC Process 2.2.6](#)). The guidelines on writing conformance clauses are recommended rather than required; the binding obligation is the Process clause, and only the Process clause is quoted when a TC is corrected.


One obligation governs visibility rather than files: all web pages, documents, ballot results and email archives of all committees and subcommittees shall be publicly visible ([Committee Operations Process 1.5](#)). Everything this handbook says about announcements, published ballot results and public review records follows from that single clause.

Alongside policy, OASIS has written down five guarantees about the publication pipeline itself, in the documentation TCs are pointed at. For every publication run:

- the source is preserved verbatim at the canonical URL alongside the renderings;
- the HTML and PDF are byte-deterministic from the same source on the same toolchain version;
- the pipeline catches known regression classes before publication rather than after;
- published artifacts are immutable at their stage-specific URL, and corrections require a new stage;
- and cache layers are refreshed on every publication so the public URL serves the new version within minutes.

Those five are stated to TCs, so OASIS is answerable for them. Two restate a policy obligation in operational terms: the immutability guarantee is the permanence clause, and source preservation is part of the three-format obligation. The other three are the pipeline's own commitments, and they change if the pipeline does.

- **Owner:** TC Administration.
- **System:** the publication pipeline and the acceptance gate.
- **Record:** the published package at its canonical stage URL, and the publication audit record.



one entry from the authority catalog showing a check, its acceptance criterion id, the governing document and section, and the clause quoted verbatim with its severity

3.2 The practice OASIS holds itself to

The 58 earned conditions in that mapping have no clause behind them. Each one exists because a real publication went wrong in exactly that way:

- a TODO: add the link. that shipped and stayed live for years;
- a lowercase citation that returned not-found on the case-sensitive host;
- a PDF rendered from an older draft than the HTML beside it;
- a self-referential symlink that a deploy materialized into 41 nested directories.

The acceptance criteria are the accumulated record of those correction rounds plus the publication pipeline's own lint registry, calibrated against a 13-package regression corpus of real submissions in their original received form.

The practice is not owed

No policy requires any of it. A TC has no standing to demand it and no clause to cite if it stopped. It is practice, and across the conditions that have been mapped it is more than half of what OASIS inspects. The practice is organised in two layers:

- **The first is validation.** The acceptance criteria run as code against the package alone, and the TC runs them itself before it votes.
- **The second is the publication audit.** OASIS examines the publication event against evidence no package-level tool can see.

Both sides run identical code. Acceptance is mechanical at both ends, and the TC's clean run predicts the OASIS run without substituting for it. Each layer produces a standard report, filed to the TC's request ticket and to the TC's audit record.

OASIS built the first layer to be run by the committee rather than kept in-house, and publishes the tool for TCs to use, though no clause requires either. The point is to catch a failing condition before a vote instead of after a publication. TC Administration then re-runs the same acceptance criteria identically at intake rather than accepting the TC's result.

The acceptance criteria grow over time. They stood at 165 individual checks across 55 check classes on 22 July 2026, re-derived from the tool itself rather than quoted from documentation, because the count is asserted from the code and moves as new failure modes appear. A figure written into prose without that date should be treated as out of date. The authority mapping in 3.1 covered 96 of those conditions and has not been repeated, so the split above is a measure of the mapped set and cannot be read across the full set as it now stands.

Two further things OASIS does as practice, with no clause behind either:

- It operates the rendering toolchain, the render filters, the PDF configuration and the deployment pipeline, so the TC never has to maintain any of them.
- It accepts whatever authoring format the TC works in, holding the bar at the output rather than the input.

Both layers of the practice run to the same ownership:

- **Owner:** the TC runs the validation layer; TC Administration re-runs it and runs the publication audit.
- **System:** the acceptance gate and the publication audit record.
- **Timing:** the TC's run before the vote; the OASIS re-run at intake.
- **Record:** the validation report and the publication audit report, filed to the request ticket and to the TC's audit record.

[Evidence captured in draft 0.4: a real Validation Report from a published specification, itemizing every condition with the value pulled from the package and the value it was compared against]

3.3 What OASIS does not promise

Current practice states the limits alongside the guarantees, and the limits bind what a TC may expect just as firmly. [VERIFY]

- The pipeline does not promise editorial review of specification content; that is the TC's responsibility.
- It does not promise visual perfection of every edge case in author-supplied Markdown; the TC editor and OASIS publication staff do the QA pass before final stage publication.
- It does not promise forward compatibility of the source with future renderer changes; major-version renderer changes are managed by OASIS publication staff with deliberate migration.

The first of those is the one most often misread. If any condition fails, the run stops, the failure is reported back to the TC, and nothing partially published reaches the public URL. That is conformance to the acceptance criteria rather than a reading of the specification.

OASIS does not read the content

Nobody at OASIS reads the specification for correctness, coherence or fitness for purpose.

Immutability is a limit as well as a guarantee. Each stage publishes into its own stage directory under the version directory, and the stage-specific path is the citable, immutable reference for that stage; the version directory carries a latest-stage copy of the source, the HTML and the PDF that moves forward as new stages publish. OASIS cannot correct a TC's mistake at a published stage URL after the fact, and will not.

There is no committed turnaround from request to publication in the stated contract. The only elapsed-time commitment in it is that cache layers are refreshed on every publication so the public URL serves the new version within minutes. A TC planning around a date should ask rather than assume. Chapter 9 records what has actually happened across the ticket history, with the method that produced it; an observed median describes the ticket record and commits nothing.

Stage URL is permanent, version URL moves

Index of /pkcs11/pkcs11-spec/v3.2/os/

../	03-Jun-2026 17:00	-
include/	03-Jun-2026 17:00	6K
pkcs11-spec-v3.2-os-manifest.txt	03-Jun-2026 17:00	1M
pkcs11-spec-v3.2-os.docx	03-Jun-2026 17:00	5M
pkcs11-spec-v3.2-os.html	03-Jun-2026 17:00	6M
pkcs11-spec-v3.2-os.pdf	03-Jun-2026 17:00	6M
pkcs11-spec-v3.2-os.zip	03-Jun-2026 17:00	-
pkcs11-spec-v3.2-os/files/	03-Jun-2026 17:00	-

1

The permanent stage URL:
/v3.2/os/

2

Up one level:
the version
directory that
moves

3

Manifest lists
every required
file

4

Every file
stamped the
same fixed time

The os stage directory keeps a permanent address beneath the version folder that moves forward.

a published stage directory at its canonical stage URL alongside the version directory above it

3.4 Where staff involvement stops

The TC owns four kinds of decision, and OASIS touches none of them:

- what the specification says;
- the companion artifacts that travel with it;
- the per-specification publication preferences;
- and the TC-wide publication defaults.

OASIS operates the publication infrastructure. The TC does not need to maintain the rendering toolchain, the render filters, the PDF configuration or the deployment pipeline; those are operated by OASIS and refined behind the contract. A TC that never wants to think about how its PDF is produced does not have to.

The delivery boundary stops at the document portal or email. TC editors deliver the final package through the TC document portal or by email. Staff move the delivered package into the internal publishing repositories.

The delivery boundary

A TC is never instructed to upload to the internal publishing repositories, because those repositories are OASIS bookkeeping rather than part of the TC's workflow.

The package may arrive in whatever form the TC produces, either fully rendered final artifacts or authoritative source for the pipeline or staff to render. TCs author in Markdown, Word, DocBook or XML, LaTeX and ODT among others. Whatever the intake form, the published result must conform to the same rules, because the bar is the output rather than the input.


OASIS supplies the templates and the TC fills them in. The Board approved a master template and delegated format versions, derivative templates and maintenance to the Board Process Committee.

Template	Approval status
OASIS Standard, Committee Specification, Committee Specification Draft	Board-approved master, 24 April 2025
Committee Note	delegated derivative, released 3 June 2025
Technical Report	does not appear in the Approvals record [VERIFY]

On quality, responsibility divides inside a single package:


Responsibility	Owner
Conformance to the acceptance criteria	mechanical, and OASIS owns it
Content	the TC's, and OASIS does not review it
The visual QA pass before final stage publication	shared: the TC editor and OASIS publication staff both do it

- **Owner:** TC editors deliver; the TC Administrator moves the package into the internal repository.
- **System:** the TC document portal, or email.
- **Permission:** the requester needs no repository access.
- **Record:** the delivered package in the internal publishing repository.



the delivery boundary from source authoring to published artifact, with three bands: what the TC owns, what is shared, and what OASIS operates

Everything to the left of that boundary follows a published rhythm of its own. The public TC Handbook describes it as the Work Product lifecycle: the drafting rounds, working-draft approvals and ballot cycles a TC runs internally before a package is ever handed across for publication. The next figure reproduces that lifecycle as a state machine, so the reader can place each handbook chapter against the state a Work Product is in when the operation touches it.



Where the same boundary falls in ballots and public reviews is covered in the balloting and public-review chapters.

3.5 The IPR framework and why it lets a TC collaborate safely

The publication machinery in 3.1 to 3.4 is what OASIS does with a finished specification. The [OASIS IPR Policy](#) is what makes the work leading up to it possible. It is a large part of what OASIS provides a TC. It fixes, in advance, the licensing terms that will attach to the finished standard, so competing companies can sit on the same committee and build one standard without unexpected patent exposure after implementers have committed.

The framework is built on one defined term. An **Essential Claim** is a patent claim that a compliant implementation of the standard necessarily infringes. Obligations attach only to Essential Claims, and a member's wider patent portfolio stays outside them, which is what keeps the commitment limited and knowable.

The IPR Mode is chosen once, at charter, and fixed. Every TC operates under exactly one of four modes, named in its charter, and a TC cannot change mode without closing and re-chartering. The mode decides how Essential Claims must be made available:

IPR Mode	How Essential Claims are made available
RAND	licensed on fair, reasonable and non-discriminatory terms, with a reasonable royalty permitted
RF on RAND Terms	licensed royalty-free, with other fair, reasonable and non-discriminatory conditions allowed
RF on Limited Terms	licensed royalty-free, with only a limited, fixed set of permitted conditions, such as reciprocity and defensive suspension, and no others
Non-Assertion	no licence, but a covenant not to assert Essential Claims against implementers of covered products

Because the mode is set at formation and cannot drift, a successor reads it from the charter rather than renegotiating or guessing it, and it is the mode named in the IPR reference every public-review Invitation to Comment carries.

Two obligations bind members, and one attaches by membership alone.

- The **Contribution Obligation** is incurred by submitting material: the contributor must license, or covenant over, any of its patents that become Essential Claims when that contribution is folded into the standard.
- The **Participation Obligation** is incurred by membership, with no contribution required, once a party has been a member for at least 60 days, is still a member at least 7 days after a draft is approved for publication, and that draft goes on to become a final standard. It then covers every Essential Claim in that standard.

Both survive the work. A party that withdraws sheds future Participation Obligations but keeps every obligation already incurred, so a commitment made cannot be walked back by leaving.

Disclosure is a good-faith duty. A participating member must disclose patents it actually knows may contain Essential Claims. It is not required to conduct a patent search, and OASIS does not compile or guarantee a complete patent landscape. The one operational task is in the review: a call for disclosure goes out with the public-review copies of a Standards-Track deliverable, which is one more reason the public review in chapter 6 is required and not a formality.

The Feedback License is why non-member comments route where they do. A non-member who comments does so under the OASIS Feedback License, which binds any Essential Claims in that feedback to the same mode the TC operates under. That is the reason the comment routing in chapters 6 and 7 is not optional: a comment submitted through the TC's public comment facility arrives under the Feedback License, while one sent by some other channel does not carry that commitment and cannot be accepted.

What the IPR framework provides

Competing companies can collaborate on one standard because the licensing terms are fixed in advance by the chartered mode, disclosure is required before final approval, and every contribution and comment carries a binding commitment that survives withdrawal.

The distinction this chapter draws still holds: the IPR framework is binding, clause-backed policy rather than earned practice. OASIS's part in it is small and specific: it confirms the chartered mode, makes sure the disclosure call goes out with each public review, and routes comments through the facility that carries the Feedback License. The framework itself is administered by OASIS legal and governance, outside the publication operation.

- **Owner:** OASIS governance and legal own the IPR Policy; the TC Administrator runs the operational hooks (the disclosure call with a review, the comment routing).
- **System:** the TC charter for the mode; the public review and comment facility for the disclosure call and the Feedback License.
- **Record:** the chartered IPR mode; the disclosure call published with the review; the comments received under the Feedback License.

4. The publishing operation


OASIS runs a GitHub organisation called OASIS-Docs, with one repository per Technical Committee. When a TC's approved publication submission arrives, OASIS staff put it into that TC's OASIS-Docs repository and run the automation that publishes the spec to production at docs.oasis-open.org. That is the spine of the publishing operation.

Publishing puts a Technical Committee's approved Work Product on the OASIS documents site as a permanent, citable record. Staff perform every task in this chapter. The TC's part is to approve the document and deliver the package. The TC is never asked to operate the publishing chain, touch the internal repositories, or run a deploy. The one thing a TC may do itself is run the package against the acceptance criteria, published for exactly that purpose and covered in 4.3.

The operation has five stages, and they run in this order:

1. intake
2. preparation and the acceptance criteria
3. the repository chain
4. deploy
5. verification

None of them is optional, including the fifth, verification.




the five stages from intake to verified publication, with the acceptance criteria sitting between preparation and the repository

4.1 What publishing is and why the URLs are permanent

A published document has its own address and does not move from it. Published artifacts are immutable at their stage-specific URL. A correction requires a new stage; nothing is edited in place.

Each stage publishes into its own stage directory under the version directory. The stage path is the citable, immutable reference for that stage. The version directory carries a latest-stage copy of the source, the HTML and the PDF. That latest-stage copy moves forward as new stages publish. Policy requires the document itself to present This stage, Previous stage where applicable, and Latest stage URIs as display metadata ([Naming Directives section 6.2](#), policy:template_cover_uris). The addresses appear inside the document as well as in front of the files.



the published PKCS #11 Specification v3.2 cover page showing the This stage, Previous stage and Latest stage URI blocks, with the latest-stage alias carrying no stage segment

Three formats are mandatory. [TC Process section 2.2.2](#) requires that all approved versions of OASIS Deliverables be published in three formats:

- editable source (Markdown, DOCX, XML or ODT; each TC is slightly different in what it provides)
- HTML or XHTML
- PDF

The authoritative source is kept unchanged at the canonical URL alongside the renderings. The HTML and PDF come from the same source on the same toolchain version and must match what that source and toolchain produce. That toolchain is the publisher-toolkit (github.com/OASIS-Docs/publisher-toolkit), which consumers pin by release SHA, so the same toolchain version is a specific commit rather than a label.

Case matters throughout. A directory must not contain two or more names, whether filenames or directory names, that differ only in case ([Naming Directives section 4](#)). A stage abbreviation with its revision number must be used in lower case as a discrete path component in the document identifier, the document URI and the principal document filenames ([Naming Directives section 5.2](#)).

Only current stage suffixes appear on a new publication: wd, csd, cnd, cs, cn, os and errata. The os stage never carries a revision number. The suffixes csprd, cnprd and cos were removed by [Naming Directives v1.7](#) effective 2 January 2024 and survive only in older published trees. A document entering public review keeps its stage name, so a Committee Specification Draft in review is still csd.

A defect in the published version becomes a permanent part of the record. Any one of these is a defect in a record that other documents cite:

- a broken link
- a wrong date in a citation block
- a file published under the wrong case

That is why the operation ends in verification and an audit record rather than at the moment the file reaches the server.

Why it ends in verification

A defect in a permanent URL stays part of the record, so the operation ends in verification and an audit record rather than at the moment the file reaches the server.

- **Owner:** TC Administrator
- **System:** the docs origin server and the delivery network in front of it
- **Record:** the published file at its permanent stage URL, plus the latest-stage copies in the version directory

A stage directory is a file listing

Index of /pkcs11/pkcs11-spec/v3.2/os/

../	03-Jun-2026 17:00	-
include/	03-Jun-2026 17:00	6K
pkcs11-spec-v3.2-os-manifest.txt	03-Jun-2026 17:00	1M
pkcs11-spec-v3.2-os.docx	03-Jun-2026 17:00	5M
pkcs11-spec-v3.2-os.html	03-Jun-2026 17:00	6M
pkcs11-spec-v3.2-os.pdf	03-Jun-2026 17:00	6M
pkcs11-spec-v3.2-os.zip	03-Jun-2026 17:00	6M
pkcs11-spec-v3.2-os-files/	03-Jun-2026 17:00	-

- 1 Live URL is the file listing
- 2 Manifest and source travel together
- 3 HTML, PDF and ZIP side by side
- 4 One timestamp covers every file

Every required format sits at this fixed address, all stamped with one shared publish time.

a live stage directory listing on the documents site showing the source, HTML, PDF and archive side by side with their publication timestamps

4.2 Intake: how a publication request arrives

A publication starts with the TC's request to TC Administration. The package may arrive in whatever form the TC produces: fully rendered final artifacts, or authoritative source for the pipeline or staff to render. TCs author in Markdown, Word, DocBook or XML, LaTeX and ODT among others. Whatever the intake form, the published result must conform to the same rules. The bar is the output, whatever the input.

Who renders follows from the format:

Source format	Who renders
Markdown	the OASIS pipeline
Word	TC Administration, using Microsoft Word, matching the TC's published precedent
DocBook, XML, LaTeX and other formats	the TC's own toolchain, which produces the renderings and delivers them alongside the source

TC editors deliver through the TC document portal or by email. Staff move the delivered package into the internal repositories. Do not instruct a TC to upload to those repositories. The requester needs no repository access at any point.

The request tracker is Atlassian Jira, project key TCADMIN, at <https://issues.oasis-open.org>, behind a login. Its attachment record shows this side of the operation as data: working-draft markdown sources, a Word-track source, the approving minutes evidencing the vote, and, on one ticket, the Board-approved template handed back to a TC that asked for it. A request that comes through the public Gravity Forms request form writes into the request tracker as a service account and opens a TCADMIN ticket.

Before touching the package, staff confirm five things:

1. the authoritative source
2. the document date the TC wants stamped on the publication
3. the stage
4. the spec short name used in filenames
5. every companion artifact the document cites

The document date often differs from the publication date, and the TC's call wins. A cited companion artifact that does not publish at the cited URL makes the citation block return not-found. Confirm the list at intake. Do not leave it to verification. The ticket that carries the request is covered in chapter 9.

Confirm before you touch

A cited companion artifact that does not publish at the cited URL makes the citation block return not-found, so confirm the list at intake rather than discovering the problem at verification.

- **Owner:** TC editors deliver; the TC Administrator takes intake and confirms the specifics
- **System:** the TC document portal or email for delivery; the request tracker for the record
- **Permission:** access to the TC document portal; the requester needs no repository access
- **Timing:** confirmation of the five specifics happens before preparation begins
- **Record:** the request ticket, carrying the confirmed specifics and the approval link

Intake ticket: free text plus attachments

Technical Committee Administration / TCADMIN-4727
Request a first public review for KMIP Usage Guide Version 3.0 Committee Note Draft 01 (cnd01) from OASIS KMIP TC

Insert Lucidchart Diagram **In Progress**

Details
 Type: ☒ Task Resolution: Unresolved
 Priority: ☒ Major
 Component/s: None
 Labels: None

Description
 Your name: Judith Furlong
 Project name: OASIS Key Management Interoperability Protocol (KMIP) TC
 Project email address: OASIS-kmip@ConnectedCommunity.org
 Title and version number: KMIP Usage Guide v3.0 Committee Note Draft 01
 Approval: <https://groups.oasis-open.org/discussion/kmip-meeting-minutes-for-june-4-2026pdf-uploaded>
 Notes: On June 4, 2026 the KMIP TC voted to designate the KMIP 3.0 Usage Guide as Committee Note Draft 01 (cnd01) and to request a first 30-day public review. The June 4 minutes were approved at the June 16, 2026 TC meeting: <https://groups.oasis-open.org/discussion/kmip-meeting-minutes-for-june-18-2026pdf-uploaded>
 The version to be published (latest CND01, includes the KMIP 3.0 participation list): <https://groups.oasis-open.org/discussion/cnd01-kmip-30-usage-guide-uploaded-1>
 Ticket filed by Michael Coletta (TC Administrator) on behalf of Judith Furlong, from her request of 16 July 2026 (thread: "KMIP v3.0 first public review"). Related: TCADMIN-4723 (KMIP Specification v3.0 csd02 review), TCADMIN-4724 (KMIP Profiles v3.0 csd02 review).

Attachments
 kmip-ug-v3.0-cnd01-pub-01 16/Jul/26 11:49 PM 358 kB
 kmip-ug-v3.0-cnd01-pub-01 16/Jul/26 3:32 PM 125 kB

Issue Links
 mentions
☒ TCADMIN-4723 Request a first public review for KMIP Specification v3... **IN PROGRESS**
☒ TCADMIN-4724 Request a first public review for KMIP Profiles v3.0 Co... **IN PROGRESS**

Activity
 All Comments History Activity Newest first 17
 Michael Coletta added a comment - 16/Jul/26 11:49 PM
Validation report updated (v3). Replaced the attached pub-check validation PDF: observed values are now complete (a 400-character capture cap previously cut long value sets – e.g. Latest-stage URLs and full test-case path lists – to an ellipsis), and the report now renders landscape with narrow margins so the full observed-vs-expected table for all 92 conditions is legible. **System of record:** OASIS-Docs/kmip_audit/commit/23556fe.

A publication request as it actually arrives, before anyone imposes structure on it.

a publication request ticket at intake, showing the summary line, the delivered source attachment and the approving minutes

4.3 Package preparation and the acceptance criteria

Preparation applies the TC's approved edits and brings the package to the house standard. The date in the document heading must match the TC-declared date. The This-stage and Latest-stage URL blocks must carry real URLs with no placeholder text. The citation block date must match the header. The latest-stage URL must carry no stage segment. Version links must have no format tags. Image paths must have no double slash. There must be no horizontal rule between the logo and the title. Editor's notes and draft residue must be gone.

Most of these items are part of the acceptance criteria, and every one traces to a real correction round in the published corpus.

The prepared package then goes through the acceptance criteria. These are the publication rules in runnable form. As of 22 July 2026 they run 165 individual rules across 55 classes. The set grows by design, and the code itself holds the inventory, so take the current figure from --list-checks rather than from this page.

Exit code zero means the package is publishable. A non-zero exit lists the blockers that must be cleared before the package moves forward. OASIS puts the package through the acceptance criteria before anything is committed, so the criteria catch the known regression classes before publication.

The exit code is the verdict

Exit code zero means the package is publishable. A non-zero exit lists the blockers that must be cleared before the package moves forward. Run this before anything is committed.

STAFF WORKSTATION
Acceptance check as a machine verdict

```

$ oasis_pub_check.py work/kmip-ug/v3.0-cnd01/30-stage
[BLOCKER] stage-name Stage '30-stage' is not a recognized stage token.
[BLOCKER] filenames No delivery items found in work/kmip-ug/v3.0-cnd01/30-stage

2 blocker(s), 0 warning(s) -> NOT PUBLISHABLE
$ echo exit=$?
1
  
```

1 Runs against a real stage directory

2 Two blockers: stale token, missing files

3 A mechanical tally computes the verdict

4 Exit code 1 fails any automated gate

The acceptance criteria run once against a stage directory and either pass or fail.

a terminal run of the acceptance criteria against a real stage directory, ending in the summary line and exit code

The acceptance criteria follow the authoring track. The full output and package suites run on every package regardless of how it was authored. Source-format rules are add-ons applied to whatever the package carries:

Source in the package	Add-on rules applied
a markdown source	markdown add-ons
a Word file	Word render-fidelity add-ons
an ODT	ODT container-integrity rules
any other format	a warning asking the authoritative source to travel with the renderings

Do not suggest repackaging or re-rendering across tracks. Render class is judged against the TC's own publication precedent. That precedent governs render fidelity only; naming and policy come from the current directives.

The same acceptance criteria are designed to run on the TC's side. The TC runs them in its own build before the vote, and TC Administration re-runs them identically at intake. A clean run on the committee's side predicts acceptance without substituting for it.

The OASIS publication quality stack

Package in at the bottom, verified publication at the top; two layers joined at checklist step 4b.




the validation layer the TC can run against the audit layer only OASIS can run

After the package clears the acceptance criteria, the publication produces both a machine-readable manifest and a Work Product Manifest File staff record carrying the bibliographic block, the archive listing with checksums, and digests. Both deploy with the package.

- **Owner:** TC Administrator, with the TC running the identical criteria upstream
- **System:** the local staging tree and the acceptance-criteria tool
- **Permission:** a local working copy of the package; no server access is needed at this stage
- **Timing:** before anything is committed
- **Record:** the itemized results, which become the validation report, plus the two manifests

oasis-pub-check: the acceptance criteria

One stdlib Python file. Every check is sourced from written OASIS policy (the TC Process, Naming Directives v1.7, the TC Handbook) or a real correction round.



what the acceptance criteria inspect and the exit-zero condition

4.4 The repository chain: the per-TC OASIS-Docs repo

The per-TC OASIS-Docs repository is where the publication lives and where the automation runs from. Every publication goes through that repository, including Word-authored specifications. Word-authored specifications skip the markdown rendering workflow steps, but they do not skip the repository.

Do not deploy from an unpushed local copy. Immediately before any deploy, staff confirm that each artifact about to be deployed is present at the pushed commit and matches it exactly. This matters because a package can be built correctly and synced straight to the servers, leaving no repository record behind and nothing to audit against.


Use the repository before deploy

Every publication goes through the TC's OASIS-Docs repository, including Word-authored specifications. Before deploy, confirm that each artifact is present at the pushed commit and matches it exactly.

A new internal publishing repository is created private, before any content is in it. Making it visible is a later and separate decision.

GITHUB, THE OASIS-DOCS ORGANISATION

Every TC's publication repository lives in one place



The OASIS-Docs organisation holds all 171 publication repositories, including this handbook. A locked repository stays private until its specification publishes.

the OASIS-Docs GitHub organisation repositories list, the internal publishing repositories that are the source of truth for what deploys

For a markdown publication the render chain runs four workflow steps in sequence against the same publication path and document date, each waiting on the previous to finish. Any change to the source or the stylesheet re-runs all four, because the PDF and the archive must always reflect the current source. A partial re-run is how a PDF ends up rendered from an older draft than the HTML beside it.

GITHUB ACTIONS

The render chain as recorded workflow runs

Status	Workflow	Event	Timestamp
x	6.0 - GO LIVE->PRODUCTION Environment	workflow_dispatch	2026-03-05 15:23
x	6.0 - GO LIVE->PRODUCTION Environment	workflow_dispatch	2026-03-05 15:22
✓	6.0 - GO LIVE->PRODUCTION Environment	workflow_dispatch	2026-03-05 15:12
✓	4.0 - Update Links to Latest Version	workflow_dispatch	2026-03-05 14:39
✓	3.0 - ZIP Package Files in Directory	workflow_dispatch	2026-03-05 14:38
✓	6.0 - GO LIVE->PRODUCTION Environment	workflow_dispatch	2026-03-04 19:13
✓	4.0 - Update Links to Latest Version	workflow_dispatch	2026-03-04 19:12
✓	3.0 - ZIP Package Files in Directory	workflow_dispatch	2026-03-04 19:10

1 Queried read-only from the repository's Actions record

2 Each publishing stage is its own numbered workflow

3 Pass and fail both sit in the record, failures included

OASIS-Docs repositories publish through numbered GitHub Actions workflows, and every run is dated in the repository's own record.


the workflow-run record of an OASIS-Docs publishing repository, queried read-only with `gh run list` against OASIS-Docs/pkcs11: each render stage a numbered workflow, every run dated with its pass or fail result

Promoting an approved OASIS Standard from an already-published Committee Specification is a stage promotion rather than a rebuild. There is no markdown chain:

1. the TC editor produces the stage-converted authoritative source
2. staff repoint the version directory's latest-stage links from the old stage to the new one
3. the new version-directory listing is compared against the previous version's listing so that every difference is either justified or removed

On the [PKCS#11](#) v3.2 promotion of 8 July 2026 that comparison caught directories left at the top of the version directory by an earlier stage's publish, which the mature previous-version layout does not include.

- **Owner:** publishing staff
- **System:** the TC's internal publishing repository and its rendering workflow
- **Permission:** write access to the internal publishing repository; a read-only account cannot push
- **Timing:** the four chain steps run in sequence; the pre-deploy inspection runs immediately before deploy
- **Record:** the pushed commit at the repository head, and the proof that each artifact matches it



source to repository to deployed artifact, with the byte-identity proof between each pair

The repository at the pushed commit holds the same rendered tree that reaches the site.

PUBLISHING REPOSITORY

The repo holds the pushed source

OASIS-Docs/publication-assurance Public

Code Issues Pull requests Actions Projects Security and quality Insights

main 1 Branch 8 Tags

blurphatic Release v1.1.2: README leads with a Quick start and guides table 10510c yesterday 10 Commits

- .githubhooks OASIS Publication Assurance 5 days ago
- .github Move the CSAF regression corpus under examples/ yesterday
- assets Release v1.1.2: README leads with a Quick start and guide... yesterday
- examples Move the CSAF regression corpus under examples/ yesterday
- pub-check Release v1.1.1: AUTHORITIES provenance completion + docs yesterday
- site-metadatas OASIS Publication Assurance 5 days ago
- gitignore Release v1.1.2: README leads with a Quick start and guide... yesterday
- CHANGELOG.md Release v1.1.2: README leads with a Quick start and guide... yesterday
- LICENSE OASIS Publication Assurance 5 days ago
- NOTICE OASIS Publication Assurance 5 days ago
- PUBLICATION-QUALITY.md OASIS Publication Assurance 5 days ago
- README.md Release v1.1.2: README leads with a Quick start and guide... yesterday
- TRANSFORMS.md OASIS Publication Assurance 5 days ago
- action.yml OASIS Publication Assurance 5 days ago
- config.xml OASIS Publication Assurance 5 days ago

README Apache-2.0 license

Publication Assurance

The quality of the development process and the publication itself behind OASIS Open.

Author: Michael Coletta, Technical Advisor, OASIS Open

Before OASIS publishes a work product to docs.oasis-open.org, TC Administration runs it through the publication acceptance tests. oasis-pub-check is those tests, packaged to run in your own CI. Run them before your TC votes, and fix what they find while the document is still yours to change.

Quick start

oasis-pub-check is one Python file (pub-check/oasis_pub_check.py), standard library only, no install, no config. <package> is a stage directory or a .zip. Exit 0 means publishable. Two ways to run it:

1. On your machine

```
git clone https://github.com/OASIS-Docs/publication-assurance
python3 publication-assurance/pub-check/oasis_pub_check.py <package>
```

Add --json for machine-readable output, or --emit-manifest to also write the release manifest.

oasis-pub-check: the acceptance criteria

One stable Python file. Every check is sourced from within each policy (see TC Process, Naming Conventions v1.3, the TC Handbook) or a real connection round.

159 checks in 57 classes

- 15 Naming, version & title
- 15 Front matter & back
- 15 Content, refs & metadata
- 15 Template & conformance
- 15 Rendering & type
- 15 Package & provenance

exit 0 - publishable

exit 1 - blockers

2. In your TC repo on GitHub

- Copy [examples/consumer-workflow.yml](#) into your TC repo as .github/workflows/pub-check.yml.
- Commit and push.
- In your repo on GitHub: Actions → pub-check → Run workflow, type your package path (e.g. work/v1.0/csd01), and run.

A blocker fails the build; warnings do not. The workflow pulls oasis-pub-check from this repo as a pinned Action, so you copy nothing into your repo and get fixes by bumping the tag.

If you would rather paste a step than copy the file, this is the minimum:

```
name: pub-check
on:
  workflow_dispatch:
    inputs:
      target:
        description: "stage dir or .zip"
        required: true
jobs:
  pub-check:
    runs-on: ubuntu-latest
    permissions:
      contents: read
    steps:
      - uses: actions/checkout@v4
      - uses: OASIS-Docs/publication-assurance@v1 # for production, pin to a full commit SHA
        with:
          target: ${{ inputs.target }}
```

Inputs: target (required), args (e.g. --json), python-version, install-poppler. To also run it automatically on every push, set PUB_CHECK_TARGET in the copied workflow file and uncomment its push: trigger.

The guides you'll actually open

File	Open it when
PUBLICATION-QUALITY.md	Editor or chair who wants the whole picture: both review layers, all 15 audit gates, a worked example. Start here .
pub-check/README.md	The full table of what it checks, with severities and the regression corpus.
pub-check/CHECKS.md	A check fired and you want the exact one. Full catalog, generated from the code.
TRANSFORMS.md	Building from Markdown and want the pipeline command by command.
pub-check/AUTHORITIES.md	The OASIS rule behind a check, quoted verbatim with its source. The criterion-to-clause map.
examples/leav-core-v1.0-csd01/	A real Validation Report from a live publication.

1 Lives under the OASIS-Docs GitHub org

2 Clone locally, then run the check

4.5 Deploy and the cache path


Deploy copies the package to four layers by hand, in order, every time. Together they serve <https://docs.oasis-open.org>:

1. the docs origin box
2. then AWS S3 as the object store
3. then AWS CloudFront as the content delivery network
4. then Cloudflare as the domain and cache layer

Copy the rendered package to the origin box and sync it to the object store behind the content delivery network. Then invalidate the delivery network distribution. Then purge the domain and cache layer above it by path prefix.

The publisher's two deploy steps that once automated part of this chain are no longer used, so the whole chain is done by hand. Staff refresh the cache layers on every publication so the public URL serves the new version within minutes, which is a documented commitment to the TC.

Every published file is stamped to the publication date at 17:00 UTC, the OASIS convention, rather than to its actual modification time. Directory index files are generated for every level of the published tree and deployed to the origin and the object store. They are deliberately not tracked in the publishing repository, so a repository pull never overwrites the deployed indexes.



the PKCS #11 Specification v3.2 version directory listing the csd01, cs01 and os stage subdirectories alongside the version-level latest-stage docx, html and pdf copies, all stamped 17:00 UTC

A re-deploy of an already-published tree needs force rather than sync. A plain sync can skip a file whose file size did not change even though its content did. Force-copy index files and manifests on a re-deploy. Those are exactly the files that change content without changing length, and because every file carries the same fixed timestamp, a sync treats them as unchanged and skips them.

The publication origin is case-sensitive and no case-insensitive fallback exists anywhere in the delivery path. Any case mismatch between a citation and the deployed key returns not-found. DMLex v1.0 was deployed under an upper-case stage directory while the specification's own canonical links used the lower-case form, and every in-document link failed.

Lower case is canonical for stage directories and stage filename suffixes. Where both cases must resolve, the fix is an additive alias. The existing key is never renamed or removed, because removing it breaks anyone already citing that form. The directory index advertises the lower-case name only. On any case bug, review every combination of directory case, filename case and file type and fix them all in one pass.

Case is canonical, lower case wins

The publication origin is case-sensitive and no case-insensitive fallback exists anywhere in the delivery path, so any case mismatch between a citation and the deployed key returns not-found.

- **Owner:** publishing staff
- **System:** the origin server, the object store, the content delivery network, and the domain and cache layer
- **Permission:** deploy credentials for each layer, run today from a staff workstation

- **Timing:** four layers in order; wait for the delivery-network invalidation to report completed before verifying
- **Record:** the deployed files stamped to the publication date at 17:00 UTC, and the directory index at every level

```
$ aws cloudfront get-invalidation --distribution-id E***** (redacted) \
  --id I***** (redacted)
{
  "Invalidation": {
    "Id": "I***** (redacted)",
    "Status": "Completed",
    "CreateTime": "2026-07-16T06:18:46.961000+00:00",
    "InvalidationBatch": {
      "Paths": {
        "Quantity": 4,
        "Items": [
          "/kmip/kmip-ug/",
          "/kmip/index.html",
          "/kmip/",
          "/kmip/kmip-ug/*"
        ]
      },
      "CallerReference": "cli-***** (redacted)"
    }
  }
}
```

a delivery-network invalidation showing status completed, with account and distribution identifiers redacted

4.6 Post-publish verification and the audit record

A publication is not done when the files reach the server. Every publication ends in a three-turn loop:

1. staff review their own work and deploy
2. two independent reviewers then examine the same live state
3. their findings are reconciled, with any defects fixed and confirmed again

One reviewer is mechanical and one is adversarial. Treat disagreement between them as a reason to investigate. Inspect what the live site actually serves to a reader rather than what staff meant to publish.

Judge by the live site

Inspect what the live site actually serves to a reader. A publication is judged by what loads.

The canonical URL set for a standard markdown publication is the four directory levels, the source, HTML, PDF and archive files, every cited schema and image, and the three latest-stage pointers. That comes to thirteen addresses for a package citing two companion artifacts, and more for a package citing more. Build the list from the package itself rather than assuming it. Every one must return success before the requester is told the publication is live.

Links are crawled rather than sampled. Extract every in-document link and every image, object and embed reference from the rendered HTML and fetch each one under every serving context the HTML is reachable from. Relative references resolve differently per context. A cited diagram in one published specification returned not-found for 14 months because an earlier sweep covered links only and not image references.

The publication event itself is then audited against the fifteen mandatory criteria in the canonical registry, each requiring recorded evidence. All fifteen:

1. byte identity between the live site and the pushed repository state
2. any live-versus-repository difference diffed and classified
3. render class against the TC's own precedent
4. front matter against the live roster, the companion document and the ticket
5. stage name under the current naming rules with no revision collision
6. the directory index chain
7. the archive and its manifest byte-identical with no stray members
8. the Invitation to Comment delivered to the all-members community and verified at its destination

9. the post live on the TC's own community
10. the post live on the TC's public comment facility community
11. the discoverability of a public review on the public feed
12. the website news post live where the stage warrants one
13. the ticket carrying the complete verified-link record
14. an independent adversarial verifier briefed to refute the publication
15. a human comparing the live cover page and directory listings against what was published

A criterion that does not apply to a given stage is recorded not-applicable with a reason, so every criterion has a recorded outcome.

Every publication produces two distinct reports:

- **The publication audit report** records each criterion as pass or fail with evidence.
- **The validation report** itemizes every individual acceptance criterion with the value pulled from the package and the value it was read against.

Each ships as a machine-readable record, markdown, and a rendered document, all committed to the TC's audit directory in the repository. Both rendered documents are attached to the ticket the TC opened. This is visible in the ticket record rather than only in the rule. Each of these tickets carries exactly that pair:

Ticket	Publication
TCADMIN-4727	KMIP Usage Guide v3.0 cnd01
TCADMIN-4725	OpenEoX Core v1.0 csd01
TCADMIN-4724	KMIP Profiles v3.0 csd02
TCADMIN-4723	KMIP Specification v3.0 csd02

[Evidence captured in draft 0.4: the publication audit report and the validation report for KMIP Usage Guide v3.0 cnd01]

The reports are named <spec>-<version>-<stage>-publication-audit-<date>.pdf and <spec>-<version>-<stage>-pub-check-validation-<date>.pdf. Chapter 9 covers what the two reports contain and how the verdict is computed.

One ticket, the final pair of reports

Technical Committee Administration / TCADMIN-4727
Request a first public review for KMIP Usage Guide Version 3.0 Committee Note Draft 01 (cnd01) from OASIS KMIP TC

Insert Lucidchart Diagram **In Progress** Export

Details
 Type: Task Resolution: Unresolved
 Priority: Major
 Component/s: None
 Labels: None

People
 Assignee: Michael Coletta
 Reporter: VP_Standards
 Votes: 0 Vote for this issue
 Watchers: 1 Start watching this issue

Dates
 Created: 16/Jul/26 10:18 AM
 Updated: 16/Jul/26 11:49 PM

Status Time Free

Description
 Your name: Judith Furlong
 Project name: OASIS Key Management Interoperability Protocol (KMIP) TC
 Project email address: OASIS-knip@ConnectedCommunity.org
 Title and version number: KMIP Usage Guide v3.0 Committee Note Draft 01
 Approval: <https://groups.oasis-open.org/discussion/knip-meeting-minutes-for-june-4-2026pdf-uploaded>
 Notes: On June 4, 2026 the KMIP TC voted to designate the KMIP 3.0 Usage Guide as Committee Note Draft 01 (cnd01) and to request a first 30-day public review. The June 4 minutes were approved at the June 18, 2026 TC meeting: <https://groups.oasis-open.org/discussion/knip-meeting-minutes-for-june-18-2026pdf-uploaded>
 The version to be published (latest CND01, includes the KMIP 3.0 participation list): <https://groups.oasis-open.org/discussion/cnd01-knip-30-usage-guide-uploaded-1>
 Ticket filed by Michael Coletta (TC Administrator) on behalf of Judith Furlong, from her request for a public review of 16 July 2026 (thread: "KMIP v3.0 first public review"). Related: TCADMIN-4723 (KMIP Specification v3.0 csd02 review), TCADMIN-4724 (KMIP Profiles v3.0 csd02 review).

Attachments

kmip-ug-v3.0-cnd01-pub-01.pdf 16/Jul/26 11:49 PM 358 kB
 kmip-ug-v3.0-cnd01-pub-01.pdf 16/Jul/26 3:32 PM 125 kB


Issue Links
 mentions
 TCADMIN-4723 Request a first public review for KMIP Specification v3.0... IN PROGRESS
 TCADMIN-4724 Request a first public review for KMIP Profiles v3.0 Co... IN PROGRESS

Activity
 All Comments History Activity
 Michael Coletta added a comment - 16/Jul/26 11:49 PM
 Validation report updated (v3). Replaced the attached pub-check-validation PDF: observed values are now complete (a 400-character capture can previously cut long value sets - e.g. Latest-stage URLs and full test-case path lists - or an ellipsis), and the report now renders landscape with narrow margins so the full observed-vs-expected table for all 92 conditions is legible. System of record: OASIS-Docs/knip_audit/commit 23556fe.

The ticket carries both audit reports under the fixed naming convention, plus the record comment.

the two report PDFs attached to a publication ticket alongside the complete-record comment

- **Owner:** TC Administrator, plus two independent reviewers
- **System:** the live site; the check is what a reader actually loads
- **Permission:** read access to the live site; no special access needed
- **Timing:** after the delivery-network invalidation completes; repeats if the first pass finds defects
- **Record:** the two reports, filed in the TC's audit directory and attached to the ticket



how the TC's validation run plugs into the publication audit as one task

The worked example directory in the acceptance repository carries a real validation report for reference.

[Evidence captured in draft 0.4: the real validation report from the OpenEoX Core v1.0 csd01 publication]

4.7 The two reports per publication

Every publication produces two separate reports. The first is the publication audit report. It examines the publication event against the fifteen mandatory gates in the canonical gate registry, and every one of them appears in the record: pass or fail with its recorded evidence, or an explicit not-applicable with a reason. All fifteen:

1. byte identity between the live site and the pushed repository state;
2. any live-versus-repository difference diffed and classified;
3. render class against the TC's own precedent;
4. front matter against the live roster, the companion document and the ticket;
5. stage name under the current naming rules with no revision collision;
6. the directory index chain;
7. the archive and its manifest byte-identical with no stray members;
8. the Invitation to Comment delivered to the all-members community and confirmed at its destination;
9. the post live on the TC's own community;
10. the post live on the TC's public comment facility community;
11. the discoverability of a public review on the public feed;
12. the website news post live where the stage warrants one;
13. the ticket carrying the complete record of confirmed links;
14. an independent adversarial verifier briefed to refute the publication;
15. a human comparing the live cover page and directory listings against what was published.

A gate that does not apply to a stage is recorded not-applicable with a reason, and no gate is left unrecorded. The adversarial verifier gate is the one gate that can never be recorded not-applicable. The verdict follows from the gate results: any failed gate, or any product finding at blocker or major severity, forces a fail, and a stated verdict that disagrees with the computed one is rejected.

The second is the validation report. It goes through the acceptance criteria one by one, recording the value read from the package and the value it was compared against, each marked pass, warning, blocker, or not-applicable with a reason. Both reports are issued as a machine-readable record, a markdown form and a rendered document, all committed to the TC's audit directory in the internal repository and mirrored into a single local reports directory for that TC rather than scattered across the working folders of individual publications. Both rendered documents are attached to the ticket the TC opened. The publication also produces a release manifest, machine-readable and as a staff record carrying the bibliographic block, the archive listing with checksums and the digests, and both are published with the package.

Re-render before you re-attach

Re-render a report from the current validated record against the current rendering standard, and clear the render gate, before attaching it anywhere; a superseded render was once attached to a live ticket and the requester noticed.



The attachment record shows this standard as data rather than as a rule. A sweep of the tracker on 22 July 2026 found 32 attachments across 26 tickets, and every recent publication ticket carries exactly the pair, named to a fixed convention. The live instances are:

Ticket	Work Product
TCADMIN-4727	KMIP Usage Guide v3.0 cnd01
TCADMIN-4725	OpenEoX Core v1.0 csd01
TCADMIN-4724	KMIP Profiles v3.0 csd02
TCADMIN-4723	the KMIP Specification v3.0 csd02

The standard is followed in practice, and a successor can confirm it directly from the tracker.

- **Owner:** TC Administrator, using the standard report renderers rather than a hand-written gate table
- **System:** the report tooling, the TC's audit directory in the internal repository, and the request tracker
- **Permission:** write access to the internal publishing repository, plus attachment rights on the ticket
- **Timing:** produced at the end of the publication, after the validation loop passes; re-rendered before any re-attachment
- **Record:** two reports per publication, each as record, markdown and rendered document, in the audit directory and attached to the ticket

4.8 Timing: what is committed, what is observed

No fixed service-level turnaround from intake to live is committed anywhere. The internal work sets the floor: the render chain runs its steps in sequence, and the deploy waits on the cache invalidation completing before verification begins. An absent commitment is not the same as an absent record, and the two have been treated as the same thing before now.

The record exists in the request tracker.



Across the 24 months to 22 July 2026, 113 requests were resolved with a median of 7.2 days from raise to resolution. Of those, 82 were publication, review or ballot requests, resolved at a median of 10.8 days with a range from same-day to 181 days. The query behind the figure is every TCADMIN ticket created since 22 July 2024 with a resolution date, which returns 133 resolved tickets in total.

The method has three limits, and the figures mislead without them:

1. The 20 tickets resolved Invalid are spam submissions and are excluded from the 113, which is why they are reported separately; they resolve at a median of 27.7 days and would inflate the headline number if folded in.
2. The resolution date records when the ticket was closed rather than when the TC received the result, so the figure measures the closing of a record rather than the delivery of a service.
3. Several requests resolve in 0.0 days because the ticket was opened on behalf of the requester after the work was already done, which pulls the median down.

Quoting the timing figures

The medians describe when tickets closed in the tracker. OASIS commits no turnaround time, so quote them with the method and the three limits above, or leave them out.

Two operational consequences follow:

- A re-publication triggered by a TC's post-publish edits re-runs the full chain and the full deploy rather than a partial update, so a late correction costs the same as the original publication.
- Because published files always carry the publication date at 17:00 UTC rather than the wall-clock deploy time, the timestamps on the site cannot be used to reconstruct how long anything took; the ticket and the work tracker are the only timing record, and chapter 9 covers what they can and cannot answer.
- **Owner:** TC Administrator
- **System:** the render chain and the deploy path; the request tracker for the timing record
- **Timing:** no committed turnaround; the sequential chain and the cache-invalidation wait set the floor
- **Record:** the raise and resolution timestamps on the ticket, and the hours logged in the work tracker

5. Balloting operations


Four ballots sit on the standards path:

1. the Full Majority Vote that sends a draft to public review,
2. the Special Majority Vote that approves the Committee Specification once that review closes,
3. the Special Majority Vote that submits the Committee Specification as a Candidate OASIS Standard,
4. and the Call for Consent that turns the candidate into an OASIS Standard.

They all run on the member platform, Higher Logic, and each one is recorded in the request tracker. The TC casts the votes. The TC Administrator handles the ballot set-up, the reviews, the records and the follow-on work. For a Special Majority Vote, policy puts the conduct of the ballot with the TC Administrator on the chair's request.


This chapter is written for the administrator doing the work. Each section identifies:

- the area of the member platform where the task happens,
- the fields that carry the decision,
- what the platform enforces,
- and what it does not.



the four votes in order with the artifact each one produces and the minimum duration of each, from Full Majority Vote through Call for Consent to the OASIS Standard deployment

Those four votes are steps on a longer ladder. The public TC Handbook publishes the full Standards Track lifecycle, Working Draft to OASIS Standard, with the develop, review, approve and publish phases and the minimum time each stage takes. The ladder below is that published reference, and the rest of this chapter works through the votes that move a Work Product up it.



the full Standards Track stage ladder the four votes climb, Working Draft to OASIS Standard, with the develop, review, approve and publish phases and the minimum duration at each stage, as published in the public TC Handbook Work Product Lifecycle reference

5.1 Ballot types and when each is used

Three thresholds cover the path:

- A **Full Majority Vote** passes when more than 50% of all eligible voters vote Yes, whether present or not.
- A **Special Majority Vote** passes when at least 2/3 of eligible voters vote Yes and no more than 1/4 vote No.
- A **Call for Consent** is not a TC vote at all: it is an opt-out consent process in which each eligible OASIS Organizational Member at the time of the call is entitled to express consent.

The Call for Consent has three outcomes, and 5.6 covers them in full:

- no valid objections and it becomes an OASIS Standard;
- fewer than 15 valid objections and the TC has 30 days to resolve them or withdraw, with one attempt at Material changes;
- 15 or more valid objections and it is deemed rejected.

The old shortcut that treated anything under 15 as a pass was retired on 22 July 2026 and marked do not use. It misses the middle case, which exists as soon as there is a single valid objection.

The Full Majority Vote opens a public review. The Special Majority Vote approves the Committee Specification after the review. This is the most common mix-up because both votes can attach to the same specification within weeks of each other. The Full Majority Vote is the committee's own ballot: the TC runs it and records it in its minutes. The TC Administrator confirms that it is in the approved minutes before opening the review. The Special Majority Vote is conducted by the TC Administrator on the chair's request.

The most common error

The Full Majority Vote opens a public review. The Special Majority Vote approves the Committee Specification after it. Both can attach to the same specification within weeks of each other, which is why this is the most common mix-up.

Vote	What it decides	Threshold	Who conducts it
Full Majority Vote	approves the draft and the decision to go to public review	more than 50% of all eligible voters vote Yes	the TC
Special Majority Vote	approves the Committee Specification after a successful review and resolution of all comments	at least 2/3 of eligible voters vote Yes and no more than 1/4 vote No	the TC Administrator
Special Majority Vote	submits that Committee Specification as a Candidate OASIS Standard	at least 2/3 of eligible voters vote Yes and no more than 1/4 vote No	the TC Administrator
Call for Consent	turns the candidate into an OASIS Standard	three outcomes, set out in 5.6: no valid objections approves it, fewer than 15 valid objections opens a 30-day resolution window, 15 or more valid objections rejects it	the TC Administrator, to eligible OASIS Organizational Members at the time of the call

- **Owner:** the TC runs its Full Majority Votes; the TC Administrator conducts every Special Majority Vote and the Call for Consent.
- **System:** the member platform, Ballots area of the TC workspace, for the TC votes; the all-members voting facility for the Call for Consent.
- **Record:** the ballot on the platform, and the request ticket that carries the advancement sequence.

MEMBER PLATFORM, TC WORKSPACE
Every surface this chapter uses, one workspace

1 Where invitations and public comments are posted

2 Document portal a TC editor uses

3 Same roster the ballot count comes from

4 Where every ballot in this chapter opens

The TC workspace navigation: Discussions, Documents, Roster and Ballots all live behind the same tabs.

the TC workspace navigation with the Ballots, Roster, Documents, Discussions and Action Items areas visible in one frame

5.2 Roster math and thresholds

Both TC thresholds use N, the number of eligible voters at the moment the ballot opens. They do not use the number of votes cast. Once N is set, the arithmetic is:

- Yes votes required is $\frac{2}{3}$ of N rounded up,
- and the maximum No votes allowed is $\frac{1}{4}$ of N rounded down.

N comes from the Eligible Voters report in the TC's Roster area. The report names the calculation method it used. The row count is N. The spreadsheet export is kept as the ballot's audit trail. Before opening, confirm with the chair that the voting roster is current. A one-line question and reply is enough. It is not a separate approval.

Eligibility freezes when the ballot opens. Voter management is set to not automatically manage so the eligible set is fixed at open. A roster change during the ballot then does not change N.

N freezes at open

Both TC thresholds are measured against N, the number of eligible voters at the moment the ballot opens; turnout plays no part. Set voter management to not automatically manage so the eligible set freezes at open, and a roster change during the ballot then leaves N alone.

N, eligible voters when the ballot opens	Yes votes needed to pass ($\frac{2}{3}$ of N, rounded up)	No votes that still allow a pass ($\frac{1}{4}$ of N, rounded down)
4	3	1
5	4	1
6	4	1
9	6	2
12	8	3

Read a row as a worked example: with 9 eligible voters, the ballot needs at least 6 Yes votes, and a third No vote sinks it even if the Yes count is met.

- **Owner:** TC Administrator determines N; the chair confirms the roster is current.
- **System:** the member platform, Roster area, Eligible Voters report.
- **Permission:** roster access in the TC workspace.
- **Timing:** before the ballot opens, because eligibility freezes at open.
- **Record:** the exported eligible-voter spreadsheet, kept with the ballot's audit trail.

Where the ballot's eligible-voter count comes from

The screenshot shows the OASIS LegalDocML (LegalDocML) TC Member Roster page. The page displays a list of members with their roles and voting status. The total number of members is 125, and the maximum number of members is 160. The page includes a search bar, a filter for 'Active Members', and a 'Find' field. The 'Reports' section shows 'Meeting Attendance', 'Voting Participation', and 'Eligible Voters'. The 'Export' button is highlighted with a red arrow and a callout box stating 'Export the roster instead of counting'. The 'Roster' section shows a list of members with their roles and voting status. The 'Voting-member count is where N starts' callout points to the 'Voting Member' status. The 'Report calculates who may vote' callout points to the 'Eligible Voters' report. The 'Roster sits at 160, above the cap' callout points to the 'Max Members: 125 160' text. The 'Voting-member count is where N starts' callout points to the 'Voting Member' status.

1 Report calculates who may vote

2 Export the roster instead of counting

3 Roster sits at 160, above the cap

4 Voting-member count is where N starts

Details Company Role Voting

GC	[Individual]	Observer	Non-Voter
Crowe, Gary	[Individual]	Voting Member	Voter
AS	[Individual]	Member	Non-Voter
Sandoval, Alvaro	European Parliament	Member	Non-Voter
CB	James E. Cabral Jr. (Personal)	Member	Non-Voter
Bouzas Mantas, Clara	M.I.T.	Member	Non-Voter
TH	National Association of Professional Process Servers	Observer	Non-Voter
SC	Cotinas, Sue	Observer	Non-Voter
YM	National Center for State Courts	Observer	Non-Voter
Madrigal, Yoni			
VP	Parlier Consulting SARL-S	Voting Member	Voter
Parisse, Veronique	Publications Office of the European Union	Observer	Non-Voter
MD	Doro, Mr. Michael	Member	Non-Voter
AH	Hernandez-Garcia, Alejandro-Miguel	Voting Member	Voter
MK	Kardani, Maria	Observer	Non-Voter
WV	University of Bologna-CIRSFID	Member	Non-Voter
Cervone, Dr. Luca	University of Bologna-CIRSFID	Chair **	Voter
FV	University of Bologna-CIRSFID	Chair **	Voter
Vitali, Fabio	University of Luxembourg	Member	Non-Voter
Ceci, Dr. Marcello	Xcental Group, LLC	Voting Member	Voter
Vergottini, Grant			

Roster Statistics (18 Total Users)

Group Roles

- 6 (33.3%) Member
- 5 (27.8%) Observer
- 4 (22.2%) Voting Member
- 2 (11.1%) Chair
- 1 (5.6%) OASIS Staff Cont

List Subscriptions

- 18 (100.0%) regular

Show Voting Members Only

Contact Us

OASIS Open
400 TradeCenter, Suite 5900
Woburn, MA 01801
USA
Phone
+1 781 425 5073

Membership

Get Involved
Join an Open Project
Join a Technical Committee

Privacy & Terms

About Us
Privacy

Copyright 2026. All rights reserved.
Powered by Higher Logic

The TC roster page: role counts, the Eligible Voters report, and the spreadsheet export that produces the number a ballot cites.

the Eligible Voters report showing the calculation method it used, the voter rows, and the spreadsheet export control, with the row count legible

The export control on that report produces the spreadsheet filed as the ballot's audit trail.

[Evidence captured in draft 0.4: an exported eligible-voters spreadsheet from a real Special Majority Vote]

5.3 Opening a ballot

The request ticket comes first, then the ballot. The record should show the request before the vote, even when the same person handles both. Current practice keeps one ticket open through the whole advancement chain and comments each transition on that ticket instead of opening a new ticket for each stage. The [PKCS#11](#) v3.2 run is the model: TCADMIN-4695 carried the ballot, the 60-day review and the Call for Consent, and was closed at the end.

Ballot work requires an administrator sign-in to the member platform. Expect the sign-in to be the most likely point of failure. The platform authenticates through single sign-on backed by a Salesforce identity provider. When the "Log in" link ends at an unauthenticated Salesforce screen, use the platform's own direct login form. A sign-in failure is diagnosed on the identity-provider side rather than the platform's (8.2 records this).

The ballot is created in the TC workspace's Ballots area through the Add Ballot form. There is no external balloting tool. The form's defaults already match a seven-day OASIS vote:

- dates from today to seven days out,
- US Eastern time,
- Yes and No options,
- Voting Members only,
- voter management not automatic,
- and email to eligible voters on open and on close.

The fields normally changed are:

- the title,
- the question and description,
- and the official-ballot checkbox.

Use the editor's source view for the description, then toggle back. Filling the visual editor directly is unreliable. Enter the angle brackets around the roster-math fractions as character entities. The usual window opens at 1:00 PM US Eastern and closes seven or eight days later at 11:59 PM in the same zone. Seven days is the floor for an electronic ballot held outside a meeting and eight is the established precedent. Continue leads to an eligible-voter confirmation page. That is the last chance to read N against the roster before the ballot exists. Accept creates the ballot, opens it and emails the voters. The ballot text cannot be edited afterwards.

Field on the Add Ballot form	What goes in it
Title	Approve [specification title] [stage] as a Candidate for OASIS Standard
Question and description	the block below, filled with N, the Yes count and the No maximum
Ballot options	Yes and No, see the first defect note at the end of this section
Opening date, time, timezone	the opening day, 1:00 PM US Eastern
Closing date	opening plus 7 or 8 days, 11:59 PM in the same zone
Voter eligibility	Voting Members only, which yields the N-voter set
Voter management	not automatically managed, which freezes eligibility at open
Official ballot	checked, for anything binding
Revoting	the setting used to date is voters may vote once, see the second defect note at the end of this section
Referenced items	the rendered ballot document; optionally the Statements of Use entry in Documents
Results and sharing	available as the ballot opens, detailed voter list, shared to the general membership and the general public, which is what Committee Operations Process 1.5 requires
Email notifications	eligible voters on open and on close

This is the post that goes into the description field, and it is the only place the roster math is stated to the voters:

Do you approve [SPECIFICATION TITLE] [STAGE] as a Candidate for OASIS Standard?[1]

This ballot requires a Special Majority Vote [2]. The TC roster currently lists [N] voting members. In order to pass, at least [X] $<2/3 \times [N]>$ members have to vote Yes and no more than [Y] $<1/4 \times [N]>$ members may vote No.

[1] URI for the specification:
[CANONICAL STAGE URL]

[2]

<https://www.oasis-open.org/policies-guidelines/oasis-defined-terms-2018-05-22/#dSpecialMajority>

Filled for the [LegalDocML](#) submission ballot of July 2026, that reads: a roster of 6 Voting Members, at least 4 members have to vote Yes, no more than 1 member may vote No, and the specification URI is <https://docs.oasis-open.org/legaldocml/akn-core/v2.0/cs01/>. Statement of Use links do not go in the ballot body. They belong on the ticket and in the Documents area.

Three things the form does not do:

- **No minimum-turnout field.** There is no minimum-turnout field anywhere on it, and none is needed. Quorum is defined as more than 50% of Voting Members present and governs meetings only, while both TC thresholds are measured against eligible voters rather than against turnout, as 5.2 sets out. No Quorum requirement attaches to an electronic ballot, so there is nothing on this form to look for. Any Quorum language that does appear sits in the free-text description as prose and the system never enforces it. If a description ever claims one, confirm turnout by hand against whatever it claims.
- **No public results by default.** Results visibility defaults to administrators of the group, with sharing to the general membership and the general public both off. The sharing settings in the table above are therefore not a preference. Committee Operations Process 1.5 requires that all web pages, documents, ballot results and email archives of all committees and subcommittees shall be publicly visible, and a ballot left on the platform default is non-conforming.
- **No lock on the eligible-voter list.** Eligible voters can be edited while a ballot is open, and every such edit is written to the ballot history log.

Two defects need filing rather than copying as practice. Both sit in the same field map and both are against [TC Process 1.11](#):

- **The first is the ballot options.** The operating procedure sets them to Yes and No with no Abstain, following current practice and the immediately prior ballot on the same TC, while TC Process 1.11 requires that any Work Product Ballot conducted as an electronic ballot permit each voter to choose yes, no or abstain. TC Process 1.11 controls. The open question is whether a ballot submitting a Committee Specification as a Candidate OASIS Standard is a Work Product Ballot within the meaning of that clause. [VERIFY]
- **The second is revoting.** The setting used to date is that voters may vote once, while TC Process 1.11 requires that eligible voters may change their vote up until the end of the voting period. A single-vote control removes exactly that right. TC Process 1.11 controls here too. This one may not be a defect at all: if the platform's vote-once control still permits a voter to re-open the ballot and change a cast vote, the operation conforms and only the label reads wrong. That has to be established on the live Add Ballot form. Prior ballots used the same setting, so precedent only shows that the same setting was used before. [VERIFY]
- **Owner:** TC Administrator.
- **System:** the member platform, Ballots area, Add Ballot form; the request ticket opened immediately beforehand.
- **Permission:** ballot-creation rights in the TC workspace; access to the request tracker.
- **Timing:** open at least 7 days, in practice 7 or 8; the platform emails eligible voters on open and on close.
- **Record:** the ballot with its own identifier and history log; the request ticket carrying the requester, the specification URL and the Statement of Use links.

The fields behind a ballot's title and window

1 Ballot title, shown to every voter

2 Roster math goes here as plain text

3 Yes/No is the default ballot shape

4 Opening date, closing date and timezone

The top half of the Add Ballot form, filled in for a Special Majority Vote.

the top of the Add Ballot form: Title, the question and description editor, Ballot Options, Opening Date with time and timezone, Closing Date, and the start of Voter Eligibility

The lower half of the same Add Ballot form holds the remaining settings.

Results visibility and email notification settings

1 Results share automatically with the public

2 Results style set to a per-voter list

3 Voters are emailed at open and close

Sharing Results
This group automatically shares all ballot results with the following groups:

- OASIS General Membership
- General Public

Ballot creators can view detailed results at any time. The following options define who else can optionally see the results.

☒ Members of this group

Results Availability
Available as soon as the ballot opens.

Results Style
Show a detailed list of voters and their votes.

Email Notifications

Email eligible voters when the ballot:
Opens, Closes

Email non-voters when the ballot:
Nothing selected

☐ Send reminders to eligible voters (who have not yet voted) at these times:

1st: Time

2nd: Time

3rd: Time

[Continue](#) [Save As Template](#)

Contact Us
OASIS Open
400 TradeCenter, Suite 5900
Woburn, MA 01801
USA
Phone
+1 781 425 5073

Membership
Get Involved
Join an Open Project
Join a Technical Committee

Privacy & Terms
About Us
Privacy

This website uses cookies to ensure you get the best experience on our website. [Learn more](#)

The lower Add Ballot form: who can see results and when voters get emailed about the ballot.

the lower half of the Add Ballot form: Voter Management, the official-ballot checkbox, Revoting, Referenced Items, Results and Sharing Results, and Email Notifications

The request ticket opened before the ballot carries the whole advancement chain.

One ticket carries the whole SMV chain

Technical Committee Administration / TCADMIN-4695

Request a Special Majority Vote to approve a candidate for OASIS Standard for PKCS #11 V3.2 CSD01 and PKCS #11 Profiles Version 3.2 CSD01 from OASIS PKCS 11 TC

Insert Lucidchart Diagram Closed Export

Details

Type: ☒ Task
 Priority: ☒ Major
 Component/s: None
 Labels: None

Description

Your name: Valerie Fenwick
 Project name: OASIS PKCS 11 TC
 Project email address: [1]OASIS-pkcs11@connectedcommunity.org
 Title and version number: PKCS #11 V3.2 CSD01 and PKCS #11 Profiles Version 3.2 CSD01
 Specification URL: [2]<https://docs.oasis-open.org/pkcs11-spec/v3.2/csd01/pkcs11-spec-v3.2-csd01.pdf>
 English-language summary of the specification: <https://docs.oasis-open.org/pkcs11-spec/v3.2/csd01/pkcs11-spec-v3.2-csd01.pdf>
<https://docs.oasis-open.org/pkcs11-profiles/v3.2/csd01/pkcs11-profiles-v3.2-csd01.pdf>
 BOTH please 😊

PKCS#11 (also known as Cryptoki) is a specification of an API, using cryptographic algorithms and related objects (like key types).
 Link to Statement of Use #1: [3]https://groups.oasis-open.org/higherlogic/ws/public/document?document_id=73097&wg_id=922ef643-1e10-4d65-a5ea-018dc7d3f0a4
 Link to Statement of Use #2: [4]<https://groups.oasis-open.org/higherlogic/System/DownloadDocumentFile.aspx?DocumentFileKey=7fcc2d5b-5c96-4228-b646-019ad9085db7>
 Link to Statement of Use #3: [5]https://groups.oasis-open.org/higherlogic/ws/public/document?document_id=73097&wg_id=922ef643-1e10-4d65-a5ea-018dc7d3f0a4
 Links to additional Statements of Use <https://groups.oasis-open.org/higherlogic/System/DownloadDocumentFile.aspx?DocumentFileKey=3dc4c687-8a0a-488d-9634-a84534d4dd79>
 Earlier attempts to standardize
 Yes
 Notes:
 PKCS#11 has been a standard since 1995. Most recently we elevated v 3.1 to OASIS Standard.
 NOTE: Please include the header files in the Special Majority Vote. https://groups.oasis-open.org/higherlogic/ws/public/document?document_id=73040&wg_id=922ef643-1e10-4d65-018dc7d3f0a4
 ALSO - we released a committee note already for 3.2 - should that be included here?
https://groups.oasis-open.org/higherlogic/ws/public/document?document_id=72732&wg_id=922ef643-1e10-4d65-a5ea-018dc7d3f0a4, (Approved April 23, 2025 <https://groups.oasis-open.org/higherlogic/System/DownloadDocumentFile.aspx?DocumentFileKey=7919640b-f227-4bdc-b7ea-eb7c9b369d4a&forceDialog=0>)

[1] OASIS-pkcs11@connectedcommunity.org
 [2] <https://docs.oasis-open.org/pkcs11-spec/v3.2/csd01/pkcs11-spec-v3.2-csd01.pdf>
 [3] https://groups.oasis-open.org/higherlogic/ws/public/document?document_id=73097&wg_id=922ef643-1e10-4d65-a5ea-018dc7d3f0a4
 [4] <https://groups.oasis-open.org/higherlogic/System/DownloadDocumentFile.aspx?DocumentFileKey=7fcc2d5b-5c96-4228-b646-019ad9085db7>
 [5] https://groups.oasis-open.org/higherlogic/ws/public/document?document_id=73097&wg_id=922ef643-1e10-4d65-a5ea-018dc7d3f0a4

People

Assignee: VP_Standards
 Reporter: VP_Standards
 Votes: 0
 Watchers: 1

Dates

Created: 25/Feb/26 3:10 PM
 Updated: 17/Mar/26 5:52 PM
 Resolved: 17/Mar/26 5:52 PM

Callouts:

- One ticket ID for the whole SMV request
- Closed once the advancement chain finished
- Shared intake account files it; the body names the requester
- Statements of Use linked directly in the ticket

A closed Special Majority Vote ticket, showing the ID, status, shared intake account and the linked Statements of Use.

a request ticket for a Special Majority Vote showing the summary line, the components, and the transition comments recording the ballot opening, the 60-day review opening and the Call for Consent

The body of that same ticket records the filled request field map.

[Evidence captured in draft 0.4: the request ticket body showing the filled request field map: requester, project, specification URL, plain-English summary, Statement of Use links, earlier standardization attempts]

5.4 Statements of Use

A Special Majority Vote to submit a Committee Specification as a Candidate OASIS Standard requires three Statements of Use referencing that Committee Specification, at least one of them from an OASIS Organizational Member. A Statement of Use is a written statement that does three things:

1. it states successful use or implementation consistent with the Work Product's conformance clauses,
2. it identifies which of those clauses apply,
3. and it states whether interoperability was demonstrated.

It must also be made to a specific version of the Specification and carry that Specification's approval date. Implementation alone qualifies. The binding text treats successful use or implementation as enough. Members upload their statements to the TC's Documents area on the member platform, commonly as a single archive. Non-members submit through the TC's public comment facility.

One precondition sits ahead of the ballot and the platform does not prompt for it. A Statement of Use submitted to the TC must be approved by TC Resolution as an acceptable Statement of Use with respect to the Specification. That approval has to be in place before the vote opens. A Special Majority Vote opened on statements the TC never resolved to accept is not valid. Confirm the accepting resolution is in the TC's approved minutes at the same time as the roster confirmation, and cite it on the request ticket.

The TC must accept the Statement of Use before the vote

A Statement of Use submitted to the TC must be approved by TC Resolution as an acceptable Statement of Use with respect to the Specification. The approval has to be in place before the vote opens. A Special Majority Vote opened on statements the TC never resolved to accept is not valid. Confirm the accepting resolution is in the TC's approved minutes at the same time as the roster confirmation, and cite it on the request ticket.

The administrator's review is narrow:

- Conformance is not audited,
- Primary Representative endorsements are not chased,
- and the comment facility is not policed as a prerequisite.

Take up those policy questions only if someone objects. For the ballot file, the routine is:

1. Count the statements,
2. confirm the accepting resolution,
3. confirm at least one member,
4. and record the wording defects.

The three that recur are:

- a wrong Committee Specification number in the prose,
- an unfilled placeholder in the conformance-level line,
- and a hyperlink that resolves to an earlier stage than the prose names.

The last two are recorded and are not disqualifying, because the prose identifies the specification.

The first one is a defect to file. Recording a wrong Committee Specification number and proceeding waives a Required rule: [the Defined Terms](#) say a Statement of Use must be made to a specific version of the Specification and must include that Specification's approval date, and a wrong number in the prose is the version identifier being wrong. The Defined Terms rule controls. The limited review described above is not in question, and nothing here asks for an audit. What is in question is that this one waiver contradicts a Required rule and has not been visible anywhere. The reading needed is what a wrong number in the prose does to the statement when the links and surrounding text otherwise identify the specification, and it needs answering before the next Special Majority Vote opens. [VERIFY]

- **Owner:** the TC and its members supply the statements and the TC resolves to accept them; the TC Administrator counts and confirms.
- **System:** the member platform, Documents area, for member statements; the TC's public comment facility for non-member statements; the TC's approved minutes for the accepting resolution.
- **Permission:** read access to the TC's Documents area.
- **Timing:** in hand and accepted by TC Resolution before the ballot opens.
- **Record:** the Documents entry, cited by its identifier in the request ticket, with the accepting resolution and any defects noted alongside the count.

Statements of Use live in Documents

OASIS LegalDocumentML (LegalDocML) TC

Community Home Discussion **360** Meetings **2** Members **23** Workspace Settings

Documents

Folder Navigator

Search Title All States Show Descriptions Apply Filter Last Updated

Showing 1 to 25 of 180 25

Details	Submitted / Last updated	State	Submitter	Actions
StatementsOfUse-AKN-3-1-2028 Revisions: 0 Comments: 0	2028-06-30 2028-06-30	Com mitte e Draft	Palmirani , Monica	Download
Akoma Ntoso Version 2.0. Part 2: Specifica... Revisions: 1 Comments: 0	2028-05-22 2028-05-22	Com mitte e Draft	Palmirani , Monica	Download
Minutes of TC meeting on 5 March 2026 - appr Revisions: 0 Comments: 0	2026-03-19 2026-03-19	Appr oved Docu ment	Palmirani , Monica	Download
Akoma Ntoso Version 2.0. Part 2: Specifica... Revisions: 2 Comments: 0	2026-03-02 2026-03-02	Com mitte e Draft	Palmirani , Monica	Download
Minutes - Committee Specification Draft - Rel... Revisions: 0 Comments: 0	2025-09-15 2025-09-15	Com mitte e Draft	Palmirani , Monica	Download
Akoma Ntoso schema - new release - fixed 0.2 Revisions: 0 Comments: 0	2025-02-01 2025-02-01	Draft	Palmirani , Monica	Download
Akoma Ntoso schema - new release - fixed 0.2 Revisions: 0 Comments: 0	2025-01-10 2025-01-10	Draft	Palmirani , Monica	Download
Akoma Ntoso schema - new release - fixed 0.2 Revisions: 1 Comments: 0	2024-09-08 2024-09-08	Com mitte e Draft	Palmirani , Monica	Download
LegalDocML - New release schema Revisions: 0 Comments: 0	2024-07-19 2024-07-19	Draft	Palmirani , Monica	Download
LegalDocML - New release schema Revisions: 0 Comments: 0	2024-04-16 2024-04-16	Draft	Palmirani , Monica	Download
LegalDocML_TC_meeting_Jan11_2023.pdf Revisions: 0 Comments: 0	2023-01-12 2023-01-12	Appr oved Docu ment	Palmirani , Monica	Download
LegalDocML_TC_meeting_Sep28_2022.pdf Revisions: 0 Comments: 0	2023-01-11 2023-01-11	Appr oved Docu ment	Palmirani , Monica	Download
LegalDocML_TC_meeting_Sep19_2022.pdf Revisions: 0 Comments: 0	2023-01-11 2023-01-11	Appr oved Docu ment	Palmirani , Monica	Download
Akoma Ntoso Naming Convention v1.0 OS Revisions: 0 Comments: 0	2019-02-21 2019-02-21	OASI S Stand ard	Ensign, Chet	Navigate
Akoma Ntoso Naming Convention v1.0 COS01 Revisions: 0 Comments: 0	2018-12-03 2018-12-03	Com mitte e Draft	Knight, Paul	Navigate
LegalDocML TC minutes, Nov. 14th, 2018 Revisions: 0 Comments: 0	2018-11-26 2018-11-26	Appr oved Docu ment	Palmirani , Monica	Download
CIRSFID-UNIBO letter of use of naming conven... Revisions: 0 Comments: 0	2018-11-12 2018-11-12	Appr oved Docu ment	Palmirani , Monica	Download
Xcential letter of use of naming convention Revisions: 0 Comments: 0	2018-11-12 2018-11-12	Appr oved Docu ment	Palmirani , Monica	Download
FAO letter of use of naming convention Revisions: 0 Comments: 0	2018-11-12 2018-11-12	Draft	Palmirani , Monica	Download
Akoma Ntoso v1.0 OS Revisions: 0 Comments: 0	2018-09-29 2018-09-29	OASI S Stand ard	Knight, Paul	Navigate
The Pocket Guide to Akoma Ntoso Revisions: 2 Comments: 0	2018-07-12 2018-07-12	Appr oved Docu ment	Vergottin i, Grant	Download
Akoma Ntoso v1.0 COS01 Revisions: 0 Comments: 0	2018-05-08 2018-05-08	Com mitte e Draft	Knight, Paul	Navigate
COS01 with Part: XML Vocabulary non-material... Revisions: 0 Comments: 0	2018-04-30 2018-04-30	Appr oved Docu ment	Palmirani , Monica	Download
Letter of Use of UK and Scottish Revisions: 0 Comments: 0	2018-04-30 2018-04-30	Appr oved Docu ment	Palmirani , Monica	Download

5.5 Closing a ballot and recording the result

The platform handles the close. At the scheduled closing time it:

- flips the ballot to closed,
- locks the voting controls,
- and sends the close notification.

The ballot passes when it closes with at least the required Yes count and no more than the allowed No count. Both are measured against the N frozen at open. Record the outcome by commenting the result and the close date on the request ticket and transitioning it. Put the close day on a calendar or set a scheduled reminder. The next task in the chain starts on that day and the platform will not prompt for it.

Nothing prompts the next task

Put the close day on a calendar or set a scheduled reminder. The next task in the chain starts on that day and nothing on the platform will prompt for it.

6

roster edits inside the open voting window, 2025 board election

4

traceable to one documented Primary Representative change

The Special Majority Vote itself carries no membership announcement. The platform has already emailed the eligible voters on open and on close. Announcements on this path come after the vote passes. If the result is questioned, the answer is in the ballot history log. The log timestamps every vote and every eligible-voter modification and attributes each to an account. It has already caught real activity: on the 2025 board election the roster was modified six times inside the open voting window, four of those traceable to one documented change of a Primary Representative.

- **Owner:** TC Administrator.
- **System:** the member platform, Ballots area, for the result and the history log; the request tracker for the record.
- **Timing:** the platform closes the ballot at the scheduled time with no staff action.
- **Record:** the result and close date commented on the request ticket; the row updated in the Google Sheet work tracker (the "TC & Docs Tracker" tab), and the activity log.

A real, closed TC ballot

The screenshot displays the OASIS LegalDocumentML (LegalDocML) TC ballot interface. The page title is 'OASIS LegalDocumentML (LegalDocML) TC'. The navigation bar includes 'Community Home', 'Discussion 960', 'Meetings 0', 'Members 23', and 'Workspace'. The left sidebar shows 'Documents', 'Roster', 'Ballots', 'Action Items', and 'Settings'. The main content area shows the ballot details for 'Approve AKN-core v2.0 CSPRD01 Part 2-Specs as a Committee Specification'. The ballot is closed, with a 'Vote Closed' button. The ballot question is 'Do you Approve AKN-core v2.0 CSPRD01 Part 2-Specs as a Committee Specification?'. The options are 'Yes' (6 votes, 100%) and 'No' (0 votes, 0%). The ballot is closed on Friday, May 8, 2026, at 11:59 pm Eastern Daylight Time. The ballot requires a Special Majority Vote [2]. The TC roster currently lists 6 voting members. In order to pass, at 4 <2/3 x 6> members have to vote Yes and no more than 1 <1/4 x 6> members may vote No. CSPRD01 received no comments during the public review. The ballot history log is the audit trail that answers a disputed result.

1 Ballot closed on this date and time

2 Six of six voted yes, unanimous

3 Voting control locks once ballot closes

This website uses cookies to ensure you get the best experience on our website. [Learn more](#)

Contact Us
OASIS Open
400 TradeCenter, Suite 5900
Woburn, MA 01801
USA
Phone
+1 781 425 5073

Membership
Get Involved
Join an Open Project
Join a Technical Committee

Privacy & Terms
About Us
Privacy

Copyright 2026. All rights reserved.
Powered by Higher Logic

This is an actual TC ballot result, showing the final vote tally and a voting control that locks once the ballot ends.

a closed TC ballot showing the per-option vote counts and the locked voting control

The ballot's history log is the audit trail that answers a disputed result.

MEMBER PLATFORM, BALLOT HISTORY
The audit trail behind a ballot

OASIS LegalDocumentML (LegalDocML) TC

Community Home
Discussion
Meetings
Members
Workspace
Settings

Documents
Roster
Ballots
Action Items
Settings

Ballot:

Approve Akoma Ntoso Version 2.0. Part 2: Specifications of AKN 3.1 CS01 as a Candidate for OASIS Standard

Closed

Wed, Jul 15 2026 8:00 am Eastern Daylight Time

Details

Type

Official, as defined by organization policies and procedures

Open

Wed, Jul 8 2026 8:00 am Eastern Daylight Time

Closed

Wed, Jul 15 2026 8:00 am Eastern Daylight Time

Description

This ballot requires a Special Majority Vote [2]. The TC roster currently lists 6 voting members. In order to pass, at least 4 <2/3 x 6> members have to vote Yes and no more than 1 <1/4 x 6> members may vote No. CS01 was approved by the TC on 8 May 2026 following a 30-day public review (CSPRD01) that received no comments.

[1] URI for the specification: <https://docs.oasis-open.org/legaldocml/akn-core/v2.0/cs01/>

[2] <https://www.oasis-open.org/policies-guidelines/oasis-defined-terms-2018-05-22/#SpecialMajority>

Ballot

Ballot Question

Edit Page

Edit Navigation

Site Options

Impersonate

Admin

OASIS OPEN

Workspace Home

Communities

Member Home (Admin)

Q

ML

Options

☐ Yes

Comment Optional

6

100%

☐ No

Comment Optional

0

0%

Vote Closed

Referenced Items

Name	Type	Date	Actions
03927: Approve Akoma Ntoso Version 2.0. Part 2: Specifications of AKN 3.1 CS01 as a Candidate for...	Document (Archive)	2026-07-15	Download

Voting Statistics

Voting Summary by Option

Voting Details

Ballot Information

Ballot History

Date Modified	Modifier	Change
2026-07-08 5:51 am Pacific Daylight Time	Michael Coletta	Ballot created
2026-07-08 6:15 am Pacific Daylight Time	HL System	Ballot opened
2026-07-08 6:15 am Pacific Daylight Time	HL System	Ballot 'new' reminder for voters - View Archive
2026-07-08 7:26 am Pacific Daylight Time	Fabio Vitali	Vote recorded
2026-07-08 9:27 am Pacific Daylight Time	Alvaro Sandoval	Vote recorded
2026-07-08 11:21 pm Pacific Daylight Time	Maria Kardami	Vote recorded
2026-07-09 1:31 pm Pacific Daylight Time	Grant Vergottini	Vote recorded
2026-07-12 9:58 pm Pacific Daylight Time	Veronique Parisse	Vote recorded
2026-07-15 5:18 am Pacific Daylight Time	HL System	Ballot closed
2026-07-15 5:18 am Pacific Daylight Time	HL System	Ballot archived
2026-07-15 5:18 am Pacific Daylight Time	HL System	Ballot 'closed' reminder for voters - View Archive

1

This panel reveals the ballot's full history

2

Every vote timestamped and tied to a name

3

Closing and archiving are logged automatically too

Contact Us

OASIS Open
490 TradeCenter, Suite 5900
Woburn, MA 01801
USA
Phone
+1 781 425 5073

Membership

Get Involved
Join an Open Project
Join a Technical Committee

Privacy & Terms

About Us
Privacy

Copyright 2026. All rights reserved.

Powered by Higher Logic

OASIS Open | Internal / Operations

TC Ops Handbook 0.5 | 30 July 2026

Page 58 of 107

5.6 From Candidate OASIS Standard to OASIS Standard

Once the ballot passes, the Committee Specification is a Candidate OASIS Standard and the submission is frozen: no part of it may be changed or altered in any way after being submitted to the TC Administrator. There is no cos stage and no Candidate OASIS Standard publication event. The candidate is the frozen Committee Specification package exactly as it was published, so the only publication event in the candidate phase is the Invitation to Comment post. The next file deployment is the OASIS Standard itself, and the os stage never carries a revision number. PKCS#11 v3.2 is the live precedent: its version directories carry csd01, cs01 and os only, and the 60-day review ran against the untouched cs01 tree.

The TC Administrator then opens the candidate review, which runs a minimum of 60 days (chapter 6 covers the opening itself). The completion date depends on what happens after the review rather than on review close plus 14 days. The chair notifies the TC Administrator of the results, with no deadline set on the chair. The TC Administrator opens the Call for Consent within 7 days of that notification; the review close date itself starts no clock. A prompt chair means the Call for Consent can open the next day. Track the chair's notification separately because it has no deadline. If any comment arrives during the candidate review, a Special Majority Ballot is required before the Call for Consent. That ballot is begun within 7 days of the chair's request, with the Call for Consent following within 7 days of that ballot passing, which adds roughly two to three weeks. The comment position therefore determines the date, and it can be confirmed in the comment facility before any date is quoted to anyone.

60 days	no deadline	7 days	14 days
candidate review, minimum	chair notifies the results	notification to Call for Consent open	Call for Consent, minimum

The task with no deadline


The chair notifies the TC Administrator of the results with no deadline set on the chair, and the TC Administrator opens the Call for Consent within 7 days of that notification; the review close date itself starts no clock. Track the chair notification separately because it controls the Call for Consent opening date.

The Call for Consent runs in the all-members voting facility to eligible OASIS Organizational Members at the time of the call and is open at least 14 days. It is opt-out: eligible members are assumed to agree to consent and must explicitly use the voting facility if they wish to record an objection. Results are publicly visible during the consent period, an eligible member may change their opinion up until the end of it, and results are published to the membership and the TC within 7 days after the close. There are three outcomes:

- With no valid objections the Committee Specification shall become an OASIS Standard the moment the Call for Consent closes.
- With 15 or more valid objections from eligible OASIS Members it is deemed rejected.
- With fewer than 15 valid objections it does not become an OASIS Standard on the close at all: the TC has 30 days to resolve them or withdraw, and gets only one attempt during the consent process to make Material changes.

The three outcomes of a Call for Consent

Three outcomes. The middle case exists as soon as there is a single valid objection.



the three outcomes of a Call for Consent as a decision tree, with the follow-on work each one creates and the validity note under the tree

The third case is the one that creates follow-on work. The platform reports objections, but it does not decide validity. An objection counts only if it was entered on the ballot before it closed and carries a reason or a proposed remedy. The TC Administrator makes the final determination on whether it is valid, so the valid-objection count that decides the outcome comes from that determination rather than from the platform total. After the TC has decided how to resolve the objections it shall prepare a comment resolution log, approve it by Full Majority Vote and submit it to the TC Administrator.

The TC then has 30 days to act, and each of the three routes open to it is a Special Majority Vote:

- withdraw the submission;
- where no changes were made, ask the TC Administrator to approve the submitted Committee Specification as an OASIS Standard despite the objections;
- or submit an amended Committee Specification, asking for approval directly where the changes are Non-Material and for a second call for consent where they are Material.

The TC Administrator also decides whether changes to an amended candidate are Material or Non-Material. A Material finding requires a second call. A second call runs as the first did with two exceptions:

- A valid objection from the first call that is substantively repeated is not counted as valid for the second.
- And if Material changes are deemed necessary to satisfy valid objections to the second call, the candidate shall not become an OASIS Standard.

Failure for any reason does not prevent a later version of the same specification from being submitted again.

Two date points matter:

- The document date on the OASIS Standard is the day the Call for Consent closed with no objections, and the TC is offered an explicit override whose call wins.
- And approval is not publication: the specification is a standard the moment the Call for Consent closes clean, but the package is not on the docs site until it is deployed, so allow two to three days between the close and any announcement or press activity. Tell marketing that is what the padding is for.

Do not build a forecast from observed precedent. Measured review-close to OASIS Standard intervals were 17, 28, 29 and 56 days across four specifications, so nearly all the variance comes from the administrative gap, and a forecast built on those medians reflects other TCs' administrative delays rather than the mechanics themselves. The clean path is about 21 days.

One figure in that measurement needs settling before it is repeated. The operating procedure records the Call for Consent itself as running 12 to 15 days in every one of the four. Two of the four reproduce from the record:

- PKCS#11 v3.2 opened 19 May 2026 and closed 3 June 2026, which is 15 days,

- and OpenDocument v1.4 was announced to the membership on 22 September 2025 and was an OASIS Standard on 6 October 2025, which is 14 days.

Both meet the minimum. The 12 at the bottom of the recorded range matches no open-and-close pair in the record, and a 12-day open window would be under the at least 14 days that [section 2.8.3](#) requires. So either the figure measures something other than the open window, or a short Call for Consent was run and needs to be found. Keep the range out of forecasts until that is answered. [VERIFY]

Send the approval announcement with the publication as one batch, because scheduling it separately is how it gets missed.

- **Owner:** TC Administrator opens the Call for Consent, publishes the package and writes the approval announcement; OASIS staff post that announcement to the all-members list.
- **System:** the request tracker; the publishing operation for the os package; the all-members voting facility and the all-members community on the member platform.
- **Permission:** access to the request tracker; publishing access; posting rights on the all-members community.
- **Timing:** candidate review a minimum of 60 days; Call for Consent opened within 7 days of the chair's notification and open at least 14 days; results published within 7 days of close; 2 to 3 days between close and announcement.
- **Record:** the single request ticket carrying the chain; the published os package; the approval announcement.

OASIS OPEN

Workspace Home

Communities

Member Home (Admin)

MC

OASIS organizational voting

Community Home

Discussion463

Meetings0

Members232

Workspace

Settings

Documents

Roster

Ballots

Action Items

Settings

Ballot:

Call for consent for UBL v2.5 CS01 as an OASIS Standard

INELIGIBLE

Details

Type

Official, as defined by organization policies and procedures

Open

Wed, Jul 29 2026 4:00 pm Eastern Daylight Time

Close

Wed, Aug 12 2026 4:00 pm Eastern Daylight Time

Description

Universal Business Language (UBL) Version 2.5, Committee Specification 01, 15 April 2026. Editor: Kenneth Bengtsson.

The 60-day public review as a Candidate OASIS Standard closed 28 July 2026 with no comments requiring changes; three Statements of Use have been received.

Candidate package (authoritative format XML; also HTML and PDF): docs.oasis-open.org/ubl/cs01-UBL-2.5/

Members have a minimum of 14 days to consent or object. Absence of a response is consent.

Ballot

Ballot Question

Do you consent to the approval of Universal Business Language (UBL) Version 2.5, Committee Specification 01, as an OASIS Standard?

Options

Consent

Comment Optional

5

100%

Object

Comment Optional

0

0%

You are not eligible to vote on this ballot. Please email tc_admin@oasis-open.org for the reason(s) you are not eligible to vote.

Ineligible

Voting Rules for Company Ballots

Voting Statistics

Voting Summary by Option

Voting Details

Ballot Information

Ballot History

Contact Us

OASIS Open

400 TradeCenter, Suite 5900

Woburn, MA 01801

USA

Phone

+1 781 425 5073

Membership

Get Involved

Join an Open Project

Join a Technical Committee

Privacy & Terms

About Us

Privacy

Copyright 2026. All rights reserved.

Powered by Higher Logic

the Call for Consent ballot in the all-members voting facility, showing the opt-out wording and the objection control

The same all-members community holds the message composer used to post those announcements.

OASIS Open | Internal / Operations

TC Ops Handbook 0.5 | 30 July 2026

Page 62 of 107

Where TC announcements post to the whole membership

OASIS All Members - Mailing List Only

Community Home Discussion 153 Members 1.2k

3 153 discussion threads live in this community

1 The all-members mailing list address

This list is a mailing list group only. This list is comprised of everyone assigned to a group in this workspace.

OASIS-allmembers@connectedcommunity.org

This list is to be used by OASIS staff to communicate to the membership only. Admins required to approve all messages.

Quick Links

- Published Standards and Specifications
- Technical Committee Process

Announcements

Add Announcement Create a new announcement for display here.

Add Announcement

Latest Discussions

Most Recent

Membership Platform Search & Staff Support

By: Jen Walker, 6 hours ago

Dear OASIS Members, I want to update you on our progress toward replacing HigherLogic and providing staff support. Replacing ...

on Akoma Ntoso v2.0 Part 2 (AKN ...

By: Michael Coletta, 12 days ago

OASIS and the OASIS LegalDocumentML (LegalDocML) TC [1] are pleased to announce that Akoma Ntoso Version 2.0. Part 2: Specifications ...

2 A real Invitation to Comment, posted here

MC Invitation to Comment on KMIP Usage Guide v3.0 - ends ...

By: Michael Coletta, 12 days ago

Dear OASIS Members and Interested Parties: OASIS and the OASIS Key Management Interoperability Protocol (KMIP) TC are pleased ...

View more discussions

This website uses cookies to ensure you get the best experience on our website. [Learn more](#)

Contact Us

OASIS Open
400 TradeCenter, Suite 5900
Woburn, MA 01801
USA
Phone
+1 781 425 5073

Membership

Get Involved
Join an Open Project
Join a Technical Committee

Privacy & Terms

About Us
Privacy

Copyright 2026. All rights reserved.
Powered by [MatterLogic](#)

The All Members community, whose discussion feed carries every Invitation to Comment and OASIS Standard announcement.

the message composer on the all-members community

A real Call for Consent announcement shows what that post looks like.

[Evidence captured in draft 0.4: a real Call for Consent announcement as posted to the all-members community]


A real OASIS Standard approval announcement is the companion posted to the membership once the Call for Consent closes clean.

[Evidence captured in draft 0.4: a real OASIS Standard approval announcement as posted to the membership]

6. Public reviews

A public review publishes a frozen document for the membership and the public for a fixed window, collects comments through channels that already exist, and requires the TC to dispose of every comment before the specification advances. The work is to publish the documents, set the window and post the announcement. The announcement opens the review and starts the clock; there is nothing else to set up.

Before posting the announcement, make sure every linked item is live and correct. The package does not change once the review is open.



what opens a review, the three window lengths, and the three tasks that can follow the close, from the approving Full Majority Vote through the Invitation to Comment to the disposition of every comment

6.1 Review types and durations

There are three windows, set by the specification's current stage, and the document is frozen for the whole window in every case.

Review	Statutory minimum
First public review of a draft	30 days
Any subsequent review of the same specification	15 days
Candidate OASIS Standard review	60 days

Count the window from the start date

The window is counted as the start date plus the minimum number of days. A review announced on 14 July for 30 days ends on 13 August at 23:59 UTC; counting the days inclusively gives 12 August and puts the review under the statutory minimum.

The document keeps its stage name throughout. A Committee Specification Draft in public review is still csd01; there is no separate public-review stage. The suffixes csprd and cnprd were removed by [Naming Directives v1.7](#), effective 2 January 2024, along with cos, and they must not appear in the filenames, URIs or cover pages of a new publication. They remain in older published trees, which the permanence rule keeps exactly where they are. The acceptance criteria catch the retired tokens at intake.

Review	Minimum period
First public review	a minimum of 30 days
Any subsequent public review	a minimum of 15 days
Candidate OASIS Standard review	a minimum of 60 days

6.2 Opening a review

A review opens only after the TC has approved the draft and the decision to go to public review by a Full Majority Vote. That is the committee's own ballot, so confirm it is in the approved minutes. The Special Majority Vote comes later; it approves the Committee Specification after the review.

Full Majority Vote opens, Special Majority Vote closes

Confusing the ballot that opens the review with the Special Majority Vote that approves the Committee Specification after the review is the most common error in this work.

Four tasks follow, in order:

1. Publish the documents to their stage URLs through the publishing operation, and confirm every link that will appear in the announcement works before anything is posted.

2. Set the window: the start is the day of the announcement and the end is the start plus the minimum for the review type, at 23:59 UTC, with explicit times given.
3. Post the Invitation to Comment to the all-members community on the member platform, which sends it out to the membership. The TC Administrator issues it rather than the chair, and that post is what opens the review.
4. Publish a matching news post on the website; the post is the public record, and there is no standalone listing page to edit.

Do not look for an open-reviews category to apply. As of 22 July 2026:

- the website has no category with that slug at all;
- the dedicated listing URL returns not found;
- the category alias redirects to the news page with a filter the page ignores.

The four categories the filter offers are blog, press release, project news and recent post; an Invitation to Comment goes under project news. The announcement links the specific post or the news feed. The filter listing URL and the older public-reviews slug, which redirects to a 2016 post, both stay out of announcements.

The announcement includes:

- the title, version, stage and date of each document;
- links to every published format;
- the review start and end with UTC times;
- the comment routing with the statement that comments made by any other means cannot be accepted;
- the TC Administration contact address;
- the governing intellectual property policy and feedback licence with an invitation to disclose;
- the TC home page.

Review dates live in the announcement only

The review dates go in the announcement only. They never go on the specification cover.

- **Owner:** the TC supplies the approving Full Majority Vote; the TC Administrator issues the review.
- **System:** the publishing operation for the documents; the all-members community on the member platform for the Invitation to Comment; the website's news system for the listing.
- **Permission:** posting rights on the all-members community, author access to publish a news post under that category, and publishing access. The all-members posting right sat with a staff member who left in June 2026, so confirm it before the review opens.
- **Timing:** the announcement starts the clock; the window is the minimum for the review type.
- **Record:** the published documents; the Invitation to Comment post; the news post; the request ticket updated with review opened, the start and end dates and the link to the announcement, plus the work tracker row, the activity log and the close date on a calendar.

Invitation to comment on KMIP Usage
15 August 2026

1 Subject line states stage and closing date

16 Jul 2026

in Share X Post f Share Email

OASIS and the KMIP TC are pleased to announce that the Key Management Interoperability Protocol Usage Guide Version 3.0 is now available for public review and comment.

The Usage Guide is a Committee Note for developers and architects designing systems and applications that interoperate using the KMP specification. It explains the assumptions behind the protocol and describes how KMP functionality is used in practice, giving implementers guidance to use alongside the specification. This is the first public review of the Usage Guide at Version 3.0.

The document and all related files are available here:

Key Management Interoperability Protocol Usage Guide Version 3.0

Committee Note Draft 01

18 June 2026

Editable Source: <https://docs.oasis-open.org/kmip/kmip-ug/v3.0/cnd01/kmip-ug-v3.0-cnd01.docx> (Authoritative)

HTML: <https://docs.oasis-open.org/kmip/kmip-ug/v3.0/cnd01/kmip-ug-v3.0-cnd01.html>

PDF: <https://docs.oasis-open.org/kmip/kmip-ug/v3.0/cnd01/kmip-ug-v3.0-cnd01.pdf>

ZIP (complete package): <https://docs.oasis-open.org/kmip/kmip-ug/v3.0/cnd01/kmip-ug-v3.0-cnd01.zip>

How to Provide Feedback

The public review is now open and ends 15 August 2026 at 23:59 UTC.

Comments from TC members should be sent to the TC's mailing list. Comments may be submitted by any other person through the project Comment Facility: <https://groups.oasis-open.org/communities/community-home?CommunityKey=2b5e5c66cc41-4aa5-92ee-018f5aa7dfc4>

Comments submitted by non-members for this work product are publicly archived and can be viewed by using the link above and clicking on the "Discussions" tab. Please note that you must log in or create a free account to see the material. Comments submitted by any other means cannot be accepted.

Please contact the TC Administrator (tc-admin@oasis-open.org) with any questions on how to submit a comment.

All comments submitted to OASIS are subject to the OASIS Feedback License, which ensures that the feedback you provide carries the same obligations at least as the obligations of the TC members. In connection with this public review, we call your attention to the OASIS IPR Policy applicable especially the work of this technical committee. All members of the TC should be familiar with this document, which may create obligations regarding the disclosure and availability of a member's patent, copyright, trademark and license rights that read on an approved OASIS specification.

OASIS invites any persons who know of any such claims to disclose these if they may be essential to the implementation of the above specification, so that notice of them may be posted to the notice page for this TC's work.

TC public home page: <https://www.oasis-open.org/committees/kmip/>

Additional references:

OASIS IPR Policy: <https://www.oasis-open.org/policies-guidelines/ipr/>

KMIP TC IPR Policy page: <https://www.oasis-open.org/committees/kmip/ipr.php>

Latest news

Project news

**Invitation to comment on
Akoma Ntoso v2.0 Part 2
(AKN 3.1) before call for
consent as OASIS Standard**

16 Jul 2026

Press Release

OASIS Approves Two Public-Key Cryptography Standards to Advance Post-Quantum Security and Interoperability

15 Jul 2026

Privacy/Identity

Project news

**Invitation to comment on
KMIP Specification v3.0 and
KMIP Profiles v3.0 – ends 13
August 2026**

14-Jul-2026

[Tweets by OASISopen](#)

2 Editable source: the authoritative format

3 Public comments route through this link

in Share X Post f Share Email

The work of OASIS is supported by organizations from around the world. Members include:

a posted Invitation to Comment on the all-members community, showing the subject line carrying the stage and the closing date, and the body's format links and comment-routing paragraph

A real 30-day Invitation to Comment as posted is available to download.

[Evidence captured in draft 0.4: a real 30-day Invitation to Comment as posted]

A second download gives an Invitation to Comment for a 60-day candidate review, which names the Call for Consent that follows.

[Evidence captured in draft 0.4: a real Invitation to Comment for a 60-day candidate review, which names the Call for Consent that follows]

6.3 Comments and the resolution log

Comments come in through the member platform, and the public has exactly one way to submit them. The legacy TC mailing lists (lists.oasis-open.org) no longer carry mail, so TC members post their comments to the TC's own Higher Logic community instead. Comments from everyone else, including the public, must be made via the TC's comment facility and shall not be accepted via any other means ([TC Process 1.7](#), policy:public_comment_facility), and the announcement must say so in those terms. The public form that submits into the facility is the facility's own entry point; there is no second channel.

Who comments	Where they post
TC members	the TC's own Higher Logic community
Everyone else, including the public	the TC's comment facility

Announce the comment facility key

The comment facility is a separate community from the TC's own community and has a different key, so the announcement must point to the comment facility. Putting the TC community key in an announcement points the public at a place they cannot post.

Review the comment position before quoting anyone a completion date: a single comment on a candidate review forces a further ballot and moves the date by weeks.

- Read the comment facility's digest view sorted by most recently updated, and read it against the TC community, whose default scope covers subcommunities.
- Read the dates rather than the titles.
- There is no working feed and the digest view paginates, so open the page in a browser and read it rather than fetching it raw.

Confirm the comment route before reading zero comments as clean

Zero comments counts as a clean result only once the route is confirmed live, for example by finding a real comment that arrived through it recently. One CSD review drew zero comments because the comment form link was broken, recorded as TCADMIN-4683.

Keep the comment resolution log alongside the Work Product as comments arrive. The log records, for each comment:

- a link to the original message in the archives;
- who raised it;
- how it was resolved.

A log kept as comments arrive turns the disposition task at close into recording decisions rather than reconstructing them.

- **Owner:** commenters submit; the TC resolves; the TC Administrator points the channels correctly in the announcement and reads the position during the window.
- **System:** the TC's own Higher Logic community for members; the TC's public comment facility community for everyone else.
- **Permission:** administrator of the per-TC public comment facilities.
- **Timing:** checked before any completion date is quoted to anyone.
- **Record:** the comment resolution log kept alongside the Work Product.

How comment activity is read from the digest

The screenshot shows the OASIS Open Member Platform interface. At the top, there's a navigation bar with links like 'Edit Page', 'Edit Navigation', 'Site Options', 'Impersonate', and 'Admin'. Below this, a header bar contains 'OASIS OPEN', 'Workspace Home', 'Communities', and 'Member Home (Admin)'. A search bar is also present. The main content area is titled 'Community Home' and shows a list of posts under the 'Discussion' tab. The posts are sorted by 'Most Recently Updated'. The first post is 'Invitation to Comment on KMIP Usage Guide v3.0 - ends 15 August 2026'. Other posts include 'Invitation to comment on KMIP Specification v3.0 and KMIP Profiles v3.0 CSD02 - 30-day public review ends 13 August 2026', 'Cannot parse KeyBlock data lazily', 'Potential typo in the kmip spec', 'Minor issues with kmip2.0 spec.html', 'KMIP Key Block Origin authenticity [Signer Information] for offline storage', 'Alternative/Alternate failover endpoints naming', 'cryptographic usage mask after key revocation', 'Invitation to Comment on Two KMIP Specs', and 'Migration schedule update for this mail list'. The footer contains social media links, contact information for OASIS Open, membership information, and privacy/terms links.

Thread Subject	Replies	Last Post
Invitation to Comment on KMIP Usage Guide v3.0 - ends 15 August 2026 ★	2	4 days ago by Judith Furlong Original post by Michael Coletta
Invitation to comment on KMIP Specification v3.0 and KMIP Profiles v3.0 CSD02 - 30-day public review ends 13 August 2026 ★	0	14 days ago by Michael Coletta
Cannot parse KeyBlock data lazily	2	09-29-2025 by Samuel Wycliffe
Potential typo in the kmip spec	1	09-22-2025 by Judith Furlong Original post by Gaurav Malhotra
Minor issues with kmip2.0 spec.html	7	08-21-2025 by Judith Furlong Original post by Samuel Wycliffe
KMIP Key Block Origin authenticity [Signer Information] for offline storage	1	06-26-2025 by Judith Furlong Original post by MohamedHanisullaSha A
Alternative/Alternate failover endpoints naming	1	03-27-2025 by Tim Hudson Original post by atyshlek
cryptographic usage mask after key revocation	1	03-27-2025 by Tim Hudson Original post by Alexis Abell
Invitation to Comment on Two KMIP Specs	0	09-13-2024 by Kelly Cullinane
Migration schedule update for this mail list	0	02-09-2024 by Scott McGrath

Showing 1 to 10 of 136 threads (136 total approved posts)

The kmip-comment community lists the invitation itself as the first tracked post.

the comment facility community's digest view sorted by most recently updated, with the date column legible and the Invitation to Comment visible as a post in the sequence

The TC community's own digest view corroborates that reading, and its scope control shows that it covers the community and its subcommunities.

Community digest scope is switchable here

The screenshot shows the OASIS LegalDocumentML (LegalDocML) TC community page. The top navigation bar includes links for Edit Page, Edit Navigation, Site Options, Impersonate, and Admin. The main header shows the community name and a dropdown menu for switching communities. The discussion tab is selected, showing a list of threads with columns for Thread Subject, Replies, and Last Post. A search bar is visible at the top left of the discussion area. Two callouts are present: Callout 1 points to the 'Scope control for switching communities' dropdown menu, and Callout 2 points to the 'Discussion' tab, indicating it is the TC's activity digest.

Thread Subject	Replies	Last Post
Invitation to Comment on Akoma Ntoso v2.0 Part 2 (AKN 3.1) before Call for Consent as OASIS Standard - ends 15 September 2026	0	12 days ago by Michael Coletta
StatementsOfUse-AKN-3-1-2026 uploaded	0	28 days ago by Monica Palmirani
Akoma Ntoso Version 2.0, Part 2: Specifications of AKN 3.1 Committee Specification 01 uploaded	0	05-22-2026 by Monica Palmirani
Akoma Ntoso Version 2.0, Part 2: Specifications of AKN 3.1 Committee Specification 01 uploaded	0	05-17-2026 by Monica Palmirani
A Special Majority Vote to consider AKN-core v2.0 CSRD01 Part 2- Specs as a Committee Specification has been set up	0	04-30-2026 by Kelly Cullinane
Public Review Open: Akoma Ntoso Version 2.0, Part 2: Specifications	1	04-24-2026 by Monica Palmirani Original post by Kelly Cullinane
Request a first public review for Akoma Ntoso Version 2.0, Part 2: Specifications of AKN 3.1 (Revision 2) from LegalDocML	0	03-19-2026 by Kelly Cullinane
Minutes of TC meeting on 5 March 2026 - approval of CSD uploaded	0	03-19-2026 by Monica Palmirani
Akoma Ntoso Version 2.0, Part 2: Specifications of AKN 3.1 uploaded	0	03-02-2026 by Monica Palmirani
Akoma Ntoso Version 2.0, Part 2: Specifications of AKN 3.1 uploaded	0	02-25-2026 by Monica Palmirani

Showing 1 to 10 of 665 threads (665 total approved posts)

This TC's Discussion tab is the digest of recent activity, and the Communities control changes which community you are viewing.

the TC community's digest view with its scope control showing that it covers the community and its subcommunities

The public reaches the comment facility through a single entry point, the form a member of the public submits through.

How the public enters this comment facility

The screenshot shows the 'kmip-comment' community page on OASIS Open. Three numbered callouts explain the public entry process:

- 1** Identifies which TC's comment facility this is (points to the 'kmip-comment' header).
- 2** The public submits by joining this list (points to the 'Join Community' button in the mailing list section).
- 3** Free account required, then select Join Community (points to the 'Join Community' button in the mailing list section).

The page includes a mailing list address, a 'Join Community' button, and a 'Licensing' section. The footer contains contact information for OASIS Open and links to membership and privacy policies.

This community home page is the public's only route into the TC's review comments.

the public entry point into a TC's comment facility, the form a member of the public submits through, with the facility it posts into identifiable

The published comment resolution log from a real specification directory is available to download.

[Evidence captured in draft 0.4: a published comment resolution log from a real specification directory]

6.4 Closing a review

At the close the TC must acknowledge every comment and post a disposition for each one to the TC's own community and its comment facility community; the legacy mailing lists no longer carry mail.

Not finished until every comment has a disposition

The review is not finished until every comment has a recorded disposition.

After the review closes, the next task depends on whether it changed the document:

- If the review produced no material changes, the specification proceeds to the Special Majority Vote that approves the Committee Specification.
- If it produced material changes, the changed document goes to another public review at the 15-day minimum as the next public review draft.

A candidate review closes differently, because what follows it is the Call for Consent rather than a ballot. There the chair notifies the TC Administrator of the results and the 7-day clock to open the Call for Consent runs from that notification rather than from the review closing, so follow up for the notification. Section 5.6 sets out that chain.

Record the outcome on the request ticket, the work tracker row and the activity log, and set the follow-up date.

- **Owner:** the TC dispositions the comments; the TC Administrator records the outcome and starts the next task.
- **System:** the TC's own community and the comment facility for the dispositions; the request tracker and the work tracker for the record.
- **Timing:** begins the day the window closes.
- **Record:** the dispositions posted to both communities; the comment resolution log; the request ticket and tracker updated.

7. Communications

Every operation in chapters 4 and 5 ends with a public announcement. This chapter covers where each announcement is posted, what one looks like, who is copied, and where the result appears on the public website.

7.1 Announcement channels and who is copied

Three announcements go out on the path from Committee Specification to OASIS Standard, and all three follow the Special Majority Vote rather than preceding it:

- **The Invitation to Comment** that opens the candidate review.
- **The Call for Consent announcement.**
- **The OASIS Standard approval announcement.**

The vote itself carries no membership announcement, because the member platform emails the eligible voters when a ballot opens and again when it closes. A public review opened under chapter 6 uses the same Invitation to Comment, and there the announcement is the act that opens the review and starts the clock.

Each of the three has a fixed destination:

- **The Invitation to Comment** is posted to the all-members community on the member platform and published again as a news post on the public website.
- **The Call for Consent** runs in the all-members voting facility as an opt-out ballot in which each eligible OASIS Organizational Member at the time of the call is entitled to express consent, and it is announced to the same all-members community. Results of the Call for Consent are published to the membership and the TC within 7 days after it closes.
- **The OASIS Standard approval announcement** is written by the TC Administrator and posted to the all-members list by OASIS staff, alongside the deploy of the os package.


Distribution method affects whether an announcement reaches members. Distribute member-wide through the community's web interface rather than by mailing it from the OASIS mailbox (Google Workspace), because a post submitted by email is silently dropped when the sender is not subscribed to that community. The legacy mailing-list host (lists.oasis-open.org) that used to carry TC and comment traffic is unreachable, and mail sent to it fails silently for roughly two days before bouncing, so an announcement sent that way appears to have gone out until the bounce arrives. Re-confirmed on 22 July 2026: the host still publishes a mail exchanger record and its mail port still does not answer.

The distribution route

Distribute through the community's web interface only. A post submitted by email is silently dropped when the sender is not subscribed to that community, and mail to the retired list host fails silently for roughly two days before bouncing, so both failures appear successful before they show.

Every public news post copies the marketing communications lead and the Chief Operating Officer. Where a notification is already going out, such as the note telling a chair a ballot has closed, the copy goes in that message rather than arriving separately.

- **Owner:** TC Administrator
- **System:** the member platform, all-members community discussion; the all-members voting facility for the Call for Consent
- **Permission:** posting rights on the all-members community
- **Timing:** the post is live immediately and fans out to members from there; the Call for Consent is open at least 14 days
- **Record:** the community post and its URL, recorded on the request ticket



the Post a Message composer on the all-members community, the community selector reading OASIS All Members, the subject field filled with a real Invitation to Comment subject line, and the Post control in frame, captured without the address bar so no community key appears

Once posted, the Invitation to Comment appears in the all-members community discussion with its title, posting date, author, and the first screen of the body.

How the live invitation appears to members

The screenshot shows the 'OASIS All Members - Mailing List Only' page. The page header includes navigation links like 'Edit Page', 'Edit Navigation', 'Site Options', 'Impersonate', and 'Admin'. The main content area displays a community discussion post titled 'on Akoma Ntoso v2.0 Part 2 (AKN ...'. The post is by Michael Coletta, 12 days ago. The post body includes an 'Invitation to Comment on KMIP Usage Guide v3.0 - ends ...'. Numbered callouts (1-4) point to specific elements of the post: 1. The posted Invitation to Comment title; 2. Author and posting date shown here; 3. First lines of the invitation body; 4. Poster's profile icon marks the author.

Once posted, the Invitation to Comment carries its title, author, date and opening lines in the community feed.

the posted Invitation to Comment as it appears in the all-members community discussion, showing the post title, the posting date, the author, and the first screen of the body including the labelled document links

7.2 News posts on the website

The public face of all of this is the news feed on the OASIS website (WordPress, <https://www.oasis-open.org>). Announcements appear there as ordinary dated posts under www.oasis-open.org/news/, in reverse date order, alongside press releases and blog entries. The news post is the review's public listing: publish it, categorise it, and link it.

The feed offers four categories: blog, press release, project news and recent post. An Invitation to Comment is filed under **project news**; an approval or launch is a **press release**. When an announcement elsewhere needs to point a reader at the website, link either the general news feed or the specific post itself. Those are the two stable link targets.

An Invitation to Comment post reads the same way whether it is on the member platform or the website. The title names the specification, its version and the closing date. The body follows a fixed structure:

- opens with the TC and OASIS jointly announcing the review;
- one paragraph of TC-supplied description;

- a labelled link block giving the editable source marked authoritative, the HTML, the PDF and the complete package as separate lines;
- the review window with opening and closing times in UTC;
- the comment routing;
- the IPR policy references;
- the TC home page link.

The approval announcement follows a different structure, covered in 7.3. Live examples of both are on the feed: the [KMIP](#) Usage Guide v3.0 invitation posted 16 July 2026, and the two-standard [PKCS#11](#) approval posted 15 July 2026, which carried the Specification and the Profiles at version 3.2 together.

Every post states the comment routing, and the wording follows the TC Process:

- TC members comment on the TC's own discussion list;
- everyone else uses the public comment facility;
- comments submitted by any other means cannot be accepted.

The comment facility is separate

The comment facility is a separate community from the TC's own community and has its own key, which is the detail most often got wrong.

- **Owner:** TC Administrator drafts and publishes; the marketing communications lead edits or reposts
- **System:** the public website's content management system
- **Permission:** author access to the content management system
- **Timing:** same day, from draft to published post
- **Record:** the published post URL, circulated to the marketing communications lead and the COO

One feed mixes reviews and approvals

Member and Community Login Member Login tips

OASIS OPEN About Projects & Committees Standards Get Involved News & Events Search

News from OASIS Open and our communities

Stay current on the major announcements, project milestones, and new activities happening at OASIS.

Filter by: News type Technology area Year

Project news

Invitation to comment on Akoma Ntoso v2.0 Part 2 (AKN 3.1) before call for consent as OASIS Standard

16 Jul 2026

Project news

Invitation to comment on KMIP Usage Guide v3.0 – ends 15 August 2026

16 Jul 2026

Press Release

OASIS Approves Two Public-Key Cryptography Standards to Advance Post-Quantum Security and Interoperability

15 Jul 2026

Privacy/Identity Security

Project news

Invitation to comment on KMIP Specification v3.0 and KMIP Profiles v3.0 – ends 13 August 2026

14 Jul 2026

Project news

Invitation to comment on OpenEx Core Schema Version 1.0 CSD01

14 Jul 2026

Blog

NIEM Goes Global: NIEMOpen Submits to ISO/IEC JTC 1

2 Jun 2026

Content Technology

Project news

Invitation to comment on UBL Version 2.5 before call for consent as OASIS Standard

28 May 2026

e-Business

Press Release

OASIS Launches Single Name Space Technical Committee to Standardize Universal Data Access

19 May 2026

Cloud

Uncategorized

Invitation to comment on DPS TC's Data Provenance Metadata Version 1.0 CSD01

18 May 2026

1 The tag reads Project news

2 An approved standard, same feed

3 Another review labeled Project news

4 No tag distinguishes open reviews

65 Shares In Share Post f Share Email

The work of OASIS is supported by organizations from around the world. Members include:

the public news index showing at least four consecutive posts in date order, with at least one Invitation to Comment and one approval announcement visible together, and each post's category label showing

One complete Invitation to Comment post is the worked example of the format described above, with its title, date, category label, the four labelled document links and the comment-routing paragraph all readable.

Invitation to Comment, the worked example

Invitation to comment on KMIP Usage Guide v3.0 – ends 15 August 2026

16 Jul 2026

1 Category still reads Project news

2 Subject line states the document and deadline

OASIS and the KMIP TC are pleased to announce that the Key Management Interoperability Protocol Usage Guide Version 3.0 is now available for public review and comment.

The Usage Guide is a Committee Note for developers and architects designing systems and applications that interoperate using the KMIP specification. It explains the assumptions behind the protocol and describes how KMIP functionality is used in practice, giving implementers guidance to use alongside the specification. This is the first public review of the Usage Guide at Version 3.0.

The document and all related files are available here:

Key Management Interoperability Protocol Usage Guide Version 3.0
Committee Note Draft 01
18 June 2026

Editable Source: <https://docs.oasis-open.org/kmip/kmip-ug/v3.0/cnd01/kmip-ug-v3.0-cnd01.docx> (Authoritative)

HTML: <https://docs.oasis-open.org/kmip/kmip-ug/v3.0/cnd01/kmip-ug-v3.0-cnd01.html>

PDF: <https://docs.oasis-open.org/kmip/kmip-ug/v3.0/cnd01/kmip-ug-v3.0-cnd01.pdf>

ZIP (complete package): <https://docs.oasis-open.org/kmip/kmip-ug/v3.0/cnd01/kmip-ug-v3.0-cnd01.zip>

3 Four formats: editable source, HTML, PDF, ZIP

How to Provide Feedback

The public review is now open and ends 15 August 2026 at 23:59:59 UTC.

Comments from TC members should be sent to the TC's mailing list. Comments may be submitted by any other person through the project's Comment Facility: <https://groups.oasis-open.org/communities/community-home?CommunityKey=2b5e5c66-cc41-4aa5-92ee-018f5aa7dfc4>

Comments submitted by non-members for this work product are publicly archived and can be viewed by using the link above and clicking on the "Discussions" tab. Please note that you must log in or create a free account to see the material. Comments submitted by any other means cannot be accepted.

Please contact the TC Administrator (tc-admin@oasis-open.org) with any questions on how to submit a comment.

4 Non-member comments route through the Comment Facility

All comments submitted to OASIS are subject to the OASIS IPR Policy, which ensures that the feedback you provide carries the same obligations at least as the obligations of the TC members. In connection with this public review, we call your attention to the OASIS IPR Policy applicable especially to the work of this technical committee. All members of the TC should be familiar with this document, which may create obligations regarding the disclosure and availability of a member's patent, copyright, trademark and license rights that read on an approved OASIS specification.

OASIS invites any persons who know of any such claims to disclose these if they may be essential to the implementation of the above specification, so that notice of them may be posted to the notice page for this TC's work.

TC public home page: <https://www.oasis-open.org/committees/kmip/>

Additional references:
OASIS IPR Policy: <https://www.oasis-open.org/policies-guidelines/ipr/>
KMIP TC IPR Policy page: <https://www.oasis-open.org/committees/kmip/ipr.php>

Press Release

OASIS Approves Two Public-Key Cryptography Standards to Advance Post-Quantum Security and Interoperability

15 Jul 2026

Privacy/identity Security

Project news

Invitation to comment on Akoma Ntoso v2.0 Part 2 (AKN 3.1) before call for consent as OASIS Standard

16 Jul 2026

Invitation to comment on KMIP Specification v3.0 and KMIP Profiles v3.0 – ends 13 August 2026


14 Jul 2026

[Tweets by OASISopen](#)

The work of OASIS is supported by organizations from around the world. Members include:

one complete Invitation to Comment post, scrolled or stitched so the title, date, category label, the four labelled document links and the comment-routing paragraph are all readable in a single image

The category itself is set in the news post editor, where the category panel lists the four selectable categories.



the news post editor with the category panel expanded, showing the four selectable categories and project news ticked


The reusable Invitation to Comment template, with its placeholders intact, is available to download.

[Evidence captured in draft 0.4: the reusable Invitation to Comment template with its placeholders intact]

7.3 Announcing and promoting a finished publication

When a Committee Specification or an OASIS Standard is finished, its public announcement follows a fixed sequence. The order exists for one reason: nothing is announced before the thing it announces is deployed and live.

- 1. Deploy and confirm it is live first.** The package is published to docs.oasis-open.org and confirmed live, and staff compare the deployed files with the approved package before any announcement is drafted. A specification is an OASIS Standard the moment the Call for Consent closes clean, but it is not on the docs site until it is deployed.
- 2. Announce to the membership.** The approval announcement is posted to the all-members community on the member platform, naming the specification, its version and its OASIS Standard date, a one-line description of the TC, a plain-language paragraph of what the version adds, the Statements of Use named by organisation, and a link block to every published artifact, the authoritative source, the HTML, the PDF and the complete package, on docs.oasis-open.org.
- 3. Post to the public website.** A dated news post goes up on the OASIS website under the project news category, in the register described below.
- 4. Release and amplify where the work warrants it.** For a marquee standard the marketing communications lead schedules a press release and supplies the link and the social posts for the TC and its members to amplify, two to three days after the membership announcement.



the four stages of announcing a finished publication in their fixed order, deploy first, with the 2-to-3-day pad between the Call for Consent close and any announcement

The worked example is PKCS#11. PKCS#11 Specification Version 3.2 and Profiles Version 3.2 became OASIS Standards on 3 June 2026 when the Call for Consent closed with no objections; the all-members announcement went out on 13 July 2026 and the public [news post and press release](#) followed on 15 July 2026, once the packages were confirmed live.

The register is chosen deliberately for each standard.

Register	Length	Contents
Default publication notice	roughly 250 to 370 words	the approval date, the TC's own description of itself, one substantive overview paragraph saying what the version adds, the Statements of Use named by organisation, the labelled document links and a fixed closing congratulation to the TC
Full press release	800 to 1800 words	a significance paragraph and quotes from the chair and named member companies

The press release is discretionary and reserved for marquee standards, and its quotes are solicited from real people rather than written on their behalf.

Coordination beyond the sequence above is limited. The marketing communications lead issues the membership announcement, schedules the press release and edits or reposts the news posts, and the TC chair is given advance notice and confirms the release timing. Beyond the copy rule in 7.1, which copies the marketing communications lead and the COO on every public news post, and the shared drafting of news posts in 7.2, no formal press sign-off is recorded. [VERIFY] Until one is documented, the copy practice in 7.1 is the only coordination step for any release-day announcement.

The date question is where marketing and the operation most often disagree, because the operation's dates come from deployment records rather than the approval date. Because the package is not on the docs site until it is deployed, a press release scheduled for the approval date points at a page that does not exist yet. Two to three days of padding sit between the close and any announcement, and marketing is told that is what the padding is for. The wider forecast is longer than review close plus 14 days: measured intervals from review close to OASIS Standard were 17, 28, 29 and 56 days across four specifications, so nearly the whole spread falls in the administrative gap before the Call for Consent opens. A forecast built on those medians reflects the pre-ballot backlog time rather than the operation's own turnaround. The companion figure, that the Call for Consent itself ran 12 to 15 days in every one of the four, is not settled and is not quoted to marketing until it is: 5.6 records what the record supports and what it does not. [VERIFY]

On a clean Call for Consent the package is published and the approval announcement is sent to the membership as one batch. Treating the announcement as separate work increases the chance it is missed: PKCS#11 Specification Version 3.2 and Profiles Version 3.2 became OASIS Standards on 3 June 2026 when the Call for Consent closed with no objections, but the approval announcement to the membership was not sent at the time; it went out on 13 to 15 July 2026, roughly six weeks later, folded into the next batch. That gap is the reason the announcement is treated as part of the publication and not scheduled separately.

- **Owner:** TC Administrator writes the announcement; OASIS staff post it to the all-members list; the marketing communications lead handles press
- **System:** the all-members community, plus the website news feed
- **Permission:** as 7.1 and 7.2
- **Timing:** 2 to 3 days between Call for Consent close and any announcement or press activity
- **Record:** the all-members post and the news post, both referenced from the ticket

One real OASIS Standard approval announcement as posted to the membership is available to download in full.

[Evidence captured in draft 0.4: one real OASIS Standard approval announcement as posted to the membership, in full]

7.4 The announcement types on the public record

The publication and review announcements in 7.1 to 7.3 are the ones this operation writes, but they are a subset of what appears on the public feed. A successor scanning [the news feed](#) will find at least eight recurring announcement types across the two years to July 2026. Each uses one of the four post categories: an approval or a launch is a press release, a review or a Committee Specification is project news. The examples below are real dated posts, none of them the PKCS#11 approval used as the worked example in 7.3.

Announcement type	What puts it on the feed	A real example, 2024 to 2026
OASIS Standard approval	a Call for Consent closes clean and the os package is deployed	OASIS approves ODF v1.4, 3 December 2025; TOSCA v2.0, 9 September 2025
ISO/IEC submission or approval	a standard enters or clears the ISO/IEC JTC 1 route	CSAF v2.0 approved as an ISO/IEC International Standard, 20 May 2025; NIEMOpen submits to ISO/IEC JTC 1, 2 June 2026
Committee Specification approval	a TC approves a Work Product as a Committee Specification	CACAO Layout Extension v1.0, 7 June 2024
Public-review Invitation to Comment	a review opens and starts the clock	OpenDocument v1.4 before call for consent, 7 July 2025; XLIFF v2.2 CSD01, 9 September 2024
New TC launch and Call for Participation	a new Technical Committee forms	Single Name Space TC, 19 May 2026; OEMF, 30 October 2025
Milestone or anniversary	a standard reaches a landmark	CAP 20th anniversary, 7 October 2024
Governance election	the membership elects the Board of Directors	Board election, 24 June 2024
Recognition or award	a contributor or project is honoured	Distinguished Contributor Award, 15 August 2025

An Open Project announcement is not a TC announcement

The feed also carries Open Project news, which runs on a different cadence: sponsor and contribution posts rather than the review-ballot-publish rhythm of a TC. The Coalition for Secure AI is the running example, from [its launch](#) on 18 July 2024 through recurring sponsor and donation posts. Do not read an Open Project's cadence as a TC's, or apply a TC announcement task to it.

The point here is recognition. Most of these types are written by other people, but a successor reading the feed has to tell an OASIS Standard approval from a Committee Specification approval from a public-review invitation at a glance, because only the publication and review types in 7.1 to 7.3 start a clock this operation is accountable for.

7.5 Templates for the announcement at each stage

Four announcements go out on the path from a draft to an OASIS Standard, each with a reusable template, and a fifth template covers the Committee Specification approval that sits off that path. The ballot itself sends none: the member platform emails the eligible voters on open and on close, so there is no ballot-open announcement to write. The templates below are the working copy, reduced to placeholders in [SQUARE BRACKETS]. Fill every placeholder, and confirm every link works before posting, because a dead link in an announcement is a credibility defect on the public record.

The four path templates go out in this order:

1. **Public-review Invitation to Comment** opens a first or subsequent review.
2. **Candidate-review Invitation to Comment** opens the 60-day review after the Special Majority Vote.
3. **Call for Consent announcement** opens the opt-out consent process.
4. **OASIS Standard approval announcement** goes out with the deploy of the os package.

The Special Majority Vote's own ballot text is not an announcement but it is a template too, and it lives with the ballot mechanics in 5.3. The request-ticket body that precedes a vote is in 5.3 as well.

1. Public-review Invitation to Comment. Posted to the all-members community and published as an open-reviews news post. The announcement is the act that opens the review and starts the clock.

Subject: Invitation to Comment on [SPEC SHORT] [VERSION] - ends [END DATE]

Dear OASIS Members and Interested Parties:

OASIS and the [TC FULL NAME] are pleased to announce that [SPEC TITLE] [VERSION] is now available for public review and comment.

[ONE PARAGRAPH TC-SUPPLIED DESCRIPTION]

The documents and all related files are available here:

[SPEC TITLE] [VERSION] - [STAGE LONG], [DOC DATE]

- Editable Source (Authoritative): [DOCX URL]

- HTML: [HTML URL]

- PDF: [PDF URL]

- ZIP (complete package): [ZIP URL]

How to Provide Feedback

The public review starts [START DATE] at 00:00 UTC and ends [END DATE] at 23:59 UTC.

Comments from TC members should be sent to the TC's mailing list. Comments may be submitted by any other person through the project's Comment Facility:

[COMMENT FACILITY URL]. Comments submitted by any other means cannot be accepted.

Please contact the TC Administrator (tc-admin@oasis-open.org) with any questions.

All comments are subject to the OASIS Feedback License. We call your attention to the OASIS IPR Policy [1] applicable especially [2] to the work of this technical committee.

TC public home page: [TC HOME URL]

[1] <https://www.oasis-open.org/policies-guidelines/ipr/>

[2] [TC IPR URL]

2. Candidate-review Invitation to Comment. The 60-day review of a Candidate OASIS Standard, posted the same two ways. Same structure as template 1 with the candidate framing.

Subject: Invitation to comment on [SPEC TITLE] [CS-STAGE] before call for consent as OASIS Standard

OASIS and the [TC NAME] TC are pleased to announce a 60-day public review of the above Candidate OASIS Standard.

Review period: [START] through [END] (minimum 60 days; give UTC times)

Specification and review materials:

[candidate stage dir URL: docx (Authoritative) / html / pdf / zip]

Comment routing:

- TC members: the [TC] general mailing list.

- Non-members: the public Comment Facility ONLY. Comments submitted via any other channel shall not be accepted.

Comment Facility: [comment-facility community URL]

IPR: governed by the OASIS IPR Policy

(<https://www.oasis-open.org/policies-guidelines/ipr/>) and the Feedback License.

TC home page: [https://www.oasis-open.org/committees/\[tc\]/](https://www.oasis-open.org/committees/[tc]/)

Contact: tc-admin@oasis-open.org

3. Call for Consent announcement. Posted to the all-members community when the consent ballot opens in the all-members voting facility. Its essential content is the opt-out instruction: silence is consent, so an objection is the only action.

Subject: Call for Consent: [SPEC TITLE] [VERSION] as an OASIS Standard

OASIS Members,

The [TC NAME] has requested that [SPEC TITLE] [VERSION] (Candidate OASIS Standard, [CANDIDATE STAGE URL]) be approved as an OASIS Standard. A Call for Consent is now open.

This is an opt-out consent process. Each eligible OASIS Organizational Member at the time of this call is assumed to consent. To record an objection you must use the voting facility before the call closes; an objection must carry a reason or a proposed remedy.

Voting facility: [CALL FOR CONSENT BALLOT URL]

Open: [START DATE] 00:00 UTC Close: [END DATE] 23:59 UTC (minimum 14 days)

Specification and complete package:

[candidate stage dir URL: docx (Authoritative) / html / pdf / zip]

Results are published to the membership and the TC within 7 days after the call closes.

Questions to the TC Administrator (tc-admin@oasis-open.org).

4. OASIS Standard approval announcement. The house default is the publication-notice register: a fixed opening formula, the TC's own description of itself, one overview paragraph of what the version adds, the Statements of Use named by organisation, labelled links, and a closing congratulation. This is the real PKCS#11 v3.2 copy reduced to placeholders, and it is written for a single standard. Where one ballot approves two standards together, as the PKCS#11 Specification and Profiles were, pluralise the opening line and repeat the title block and the link block once per standard.

Subject: [OASIS Standard(s) Approved: SPEC TITLE(S) VERSION]

OASIS Members and other interested parties,

OASIS is pleased to announce the publication of its newest OASIS Standard, approved by the members on [APPROVAL DATE]:

[SPEC TITLE] [VERSION]

OASIS Standard

[APPROVAL DATE]

[ONE PARAGRAPH: the TC's own description of what it develops]

[ONE PARAGRAPH: what this version adds, in plain language]

The TC received [N] Statements of Use from [ORG 1], [ORG 2], and [ORG 3].

The documents and all related files are available here:

[SPEC TITLE] [VERSION], OASIS Standard, [APPROVAL DATE]

Editable source (Authoritative): [DOCX URL]

HTML: [HTML URL]

PDF: [PDF URL]

ZIP of the complete set of files: [ZIP URL]

Our congratulations to the members of the [TC FULL NAME] on achieving this milestone.

5. Committee Specification approval announcement. Not every announcement concerns an OASIS Standard. When a TC approves a Work Product as a Committee Specification, the announcement uses the project-news register rather than the press register, and it is shorter than the OASIS Standard notice: there are no Statements of Use to name, because a Committee Specification is not a Candidate for OASIS Standard yet. The DMLex and [CACAO](#) Committee Specification posts in 7.4 are the model.

Subject: [SPEC TITLE] [VERSION] is now an OASIS Committee Specification

OASIS Members and interested parties,

The [TC FULL NAME] has approved [SPEC TITLE] [VERSION] as an OASIS Committee Specification, [APPROVAL DATE].

[ONE PARAGRAPH: what the TC develops and what this Work Product is]

A Committee Specification is a stable, TC-approved deliverable. It may later be submitted as a Candidate for OASIS Standard once Statements of Use are in hand.

The documents and all related files are available here:

[SPEC TITLE] [VERSION], Committee Specification [NN], [APPROVAL DATE]

Editable source (Authoritative): [DOCX URL]
HTML: [HTML URL]
PDF: [PDF URL]
ZIP of the complete set of files: [ZIP URL]

Our thanks to the members of the [TC FULL NAME].

These are working templates. A TC that has published before has a house phrasing of its own, so compare each template with the TC's most recent post in the same class before reusing it; the 7.4 examples span several TCs on purpose.

Fill the placeholders, then confirm every link

Every template ships with placeholders in square brackets and a link block. Fill each placeholder against the request and the deployed package, and confirm every link works before posting, because the announcement is the public record and a dead link in it is a defect other documents inherit.

- **Owner:** TC Administrator drafts each announcement; OASIS staff post it to the all-members community.
- **System:** the member platform, all-members community and voting facility; the public website for the news post.
- **Record:** the posted announcement and its URL, recorded on the request ticket.

[Evidence captured in draft 0.4: the four announcement templates plus the ballot and request-ticket templates as one fillable file]

8. Systems and access

8.1 The system map

The operation runs across seven systems, and none of them holds the whole record:

- ****The member platform (Higher Logic, in use since March 2024)**** is where committees live: the community discussions that carry announcements and comments, the ballots, the roster that supplies the eligible-voter count, and the document portal through which a TC editor delivers a finished package.
- ****The request tracker (Atlassian Jira, project key TCADMIN, at <https://issues.oasis-open.org>)**** holds one ticket per request and is the record of what was asked and what was returned.
- **The internal publishing repositories** hold the artifacts and are the authoritative record of what is deployed; a TC never touches them, because editors deliver through the document portal or by email and staff move the package in.
- **The public website (WordPress) with its content management system** carries the news feed and the pages a member reads before making a request.
- **Mail, the OASIS mailbox (Google Workspace)** is where TC-facing correspondence is staged and sent.
- **Publication runs through four layers rather than one.** The rendered package moves through them in order, every time.

The four layers, in order:

1. The rendered package is copied to the origin server.
2. It is synced to the object store behind the content delivery network.
3. The delivery network distribution is invalidated.
4. The domain and cache layer above it is purged by path prefix.


The fan-out is by hand

The publisher's two deploy steps that once automated part of that chain no longer run, so the fan-out is done by hand.

The legacy mailing-list host that used to sit alongside mail is unreachable and nothing routes through it.

Each of these systems has a member-facing view and an administrative view, and the two look nothing alike. Sections 8.2 and 8.3 are written from the administrative side, because that is the side a successor inherits.

OASIS operations system map



the seven systems as boxes with the artifact flow between them: TC editor to document portal to internal repository to the four publication layers to the public URL, with the request tracker and the work tracker drawn as records attached to the flow rather than as stages in it, and the legacy mailing-list host drawn struck through

8.2 Ownership and permissions per system

The table below is the inheritance list. Where a cell says [VERIFY], the system exists and is in use, but who administers it and who grants access to it has not been confirmed, and that gap is itself a finding as of 22 July 2026.

System	Administrative console	Permission the work needs	Who grants it
Member platform	An administrator entry point separate from the member	Posting rights on the all-members community, and	[VERIFY]

System	Administrative console	Permission the work needs	Who grants it
	view, plus per-community administration	administrator rights on each per-TC public comment facility	
Request tracker	The project's own queue, ticket and permission-scheme screens	Membership in the TC Administrator permission group, which is what carries close and resolve	Held today by the TC Administrator, who also holds tracker administration
Internal publishing repositories (GitHub, the OASIS-Docs organisation)	The repository and organisation settings	Organisation membership able to create and write repositories	[VERIFY]
Docs origin box, then AWS S3, AWS CloudFront and Cloudflare (object store, CDN, domain and cache layer)	Four separate consoles or command lines, one per layer	Deploy credentials for each layer, run today from a staff workstation	[VERIFY]
Public website	The content management system's page editor and post editor	Author access	[VERIFY]
Work tracker	The spreadsheet itself	Edit access to the tracker	[VERIFY]
Mail	The mailbox, with drafts staged over IMAP	Mailbox access	[VERIFY]

Four administrative consoles need a fuller description than the table gives, because that is where the work happens.

How you sign in to the member platform. The member platform authenticates through SAML 2.0 single sign-on backed by a Salesforce identity provider, confirmed on 29 July 2026. Two consequences follow for a successor:

- The single sign-on "Log in" path can dead-end at the identity provider, showing an unauthenticated Salesforce screen rather than the platform. The platform's own direct login form is the reliable way in when that happens.
- Because the account that authenticates is a Salesforce identity, a member-platform sign-in problem is an identity-provider problem, so it is diagnosed and fixed on the Salesforce side.

Sign-in runs through Salesforce

The member platform logs in through SAML single sign-on against a Salesforce identity provider. When the "Log in" link dead-ends, use the platform's direct login form, and treat any sign-in failure as an identity-provider issue rather than a platform one.

The member platform's administrative side. Signed in with the administrative role, the platform adds a distinct entry point in the navigation beside the ordinary member links:

MEMBER PLATFORM

Admin access is a separate entry point

Feature Something ✨

Featured cards can be customized to promote anything you want! Welcome members to your community, direct them to a quick start guide or promote an event.

[Add Featured Cards](#)

Admin-only toolbar sits above the member view

Distinct admin link beside ordinary member links

My Activity Feed

FEB 26 monthly OASIS ESAT TC meeting
Abbie Barbir in Electronic Secure Authentication (ESAT) in over 1 year
Event: February 26th, 2028 12:00 AM GMT
Description: call in <https://trusona.zoom.us/my/truck> ***** Agenda: 1. roll call 2. agenda bashing 3. approve minutes 4. progress work 5. end of meeting ***** Minutes: ...

JAN 26 monthly OASIS ESAT TC meeting
Abbie Barbir in Electronic Secure Authentication (ESAT) in over 1 year
Event: January 26th, 2028 12:00 AM GMT
Description: call in <https://trusona.zoom.us/my/truck> ***** Agenda: 1. roll call 2. agenda bashing 3. approve minutes 4. progress work 5. end of meeting ***** Minutes: ...

DEC 26 monthly OASIS ESAT TC meeting
Abbie Barbir in Electronic Secure Authentication (ESAT) in over 1 year
Event: December 26th, 2027 12:00 AM GMT
Description: call in <https://trusona.zoom.us/my/truck> ***** Agenda: 1. roll call 2. agenda bashing 3. approve minutes 4. progress work 5. end of meeting ***** Minutes: ...

NOV 26 monthly OASIS ESAT TC meeting
Abbie Barbir in Electronic Secure Authentication (ESAT) in over 1 year
Event: November 26th, 2027 12:00 AM GMT
Description: call in <https://trusona.zoom.us/my/truck> ***** Agenda: 1. roll call 2. agenda bashing 3. approve minutes 4. progress work 5. end of meeting ***** Minutes: ...

OCT 26 monthly OASIS ESAT TC meeting
Abbie Barbir in Electronic Secure Authentication (ESAT) in about 1 year
Event: October 26th, 2027 12:00 AM GMT
Description: call in <https://trusona.zoom.us/my/truck> ***** Agenda: 1. roll call 2. agenda bashing 3. approve minutes 4. progress work 5. end of meeting ***** Minutes: ...

Upcoming Events

JUL 29 OASIS OData Technical Committee Weekly Meeting
Event: July 29th, 2028 12:00 AM GMT

AUG 29 Common Security Advisory Framework (CSAF) Technical Committee (TC) Monthly Meeting
Event: August 29th, 2028 12:00 AM GMT

AUG 29 PKCS 11 TC Bi-Weekly Meeting
Event: August 29th, 2028 12:00 AM GMT

View all upcoming events →

Engagement Leaderboard

	Weekly	Monthly	All Time
PD Patrick Durusau Patrick Durusau (Perso...)	157+		
AB Abbie Barbir Abbie Barbir	100+		
GK Gerald Krause SAP SE	77+		
YU Yoshito Umaoka Yoshito Umaoka (Perso...)	77+		
TW Thomas Wood Disaster Relief Commu...	58+		

Michael Coletta
Current at OASIS Contractors

Profile Completeness 37%

197 Contributions 31979 Points

My Communities Quick List

- pps-comment 1 member
- op-advisory-council 1 member
- virtio-dev 1 member
- shoes-markup-comment 2 members

View all communities →

400 TradeCenter Suite 5900
Woburn MA USA 01801

Contact Us Terms of Use Privacy Policy

This website uses cookies to ensure you get the best experience on our website. [Learn more](#)

OK

Signing in as an administrator adds a distinct toolbar and admin link; the member view stays the same.

the platform landing page while signed in as an administrator, with the administrative entry point visible in the navigation next to the ordinary member links

Ballots are created from a form that takes these values as free text, so the roster arithmetic is typed into a field rather than computed by the platform:

- the title
- the specification link
- the summary
- the Statements of Use
- the opening and closing dates
- the passing threshold

Chapter 5 shows the form itself, filled for a real vote.

The roster view supplies the eligible-voter count that arithmetic depends on, fixed at the moment the ballot opens. It is read here:

1 Report used to pull the ballot roster

2 Current roster size against the cap

3 Voter or non-voter status per row

4 Total members, the base for eligibility

Details	Company	Role	Voting
GC Crowe, Gary	[Individual]	Observer	Non-Voter
AS Sandoval, Alvaro	[Individual]	Voting Member	Voter
CB Bouzas Mantas, Clara	European Parliament	Member	Non-Voter
James E. Cabral Jr. (Personal)		Member	Non-Voter
TH Handono, Thomas	M.I.T.	Member	Non-Voter
SC Collins, Sue	National Association of Professional Process Servers	Observer	Non-Voter
YM Madrigal, Yoni	National Center for State Courts	Observer	Non-Voter
VP Parise, Veronique	Pariser Consulting SARL-S	Voting Member	Voter
MD Duro, Mr. Michael	Publications Office of the European Union	Observer	Non-Voter
AH Hernandez-Garcia, Alejandro	Publications Office of the European Union	Member	Non-Voter
MLV Kardam, Maria	Publications Office of the European Union	Voting Member	Voter
WV Van Gemert, Willem	Publications Office of the European Union	Observer	Non-Voter
Cervone, Dr. Luca	University of Bologna-CIRSFID	Member	Non-Voter
FV Vitali, Fabio	University of Bologna-CIRSFID	Chair **	Voter
Ceci, Dr. Marcello	University of Luxembourg	Member	Non-Voter
Vergottini, Grant	Xcental Group, LLC	Voting Member	Voter

Roster Statistics (18 Total Users)

Group Roles

- 6 (33.3%) Member
- 5 (27.8%) Observer
- 4 (22.2%) Voting Member
- 2 (11.1%) Chair
- 1 (5.6%) OASIS Staff Cont

List Subscriptions

18 (100.0%) regular

[Show Voting Members Only](#)

The roster page shows the total membership and voting status the ballot math depends on.

the roster or eligible-voters view for one TC with the total count visible on screen

Results sharing is set in the same form, at creation, and is easy to overlook:

Sharing Results

This group automatically shares all ballot results with the following groups:

- OASIS General Membership
- General Public

Ballot creators can view detailed results at any time. The following options define who else can optionally see results.

☒ Members of this group

Results Availability

Available as soon as the ballot opens.

Results Style

Show a detailed list of voters and their votes.

the Sharing Results section of the ballot form: the groups this group automatically shares results with, the option governing who else may see detailed results, and the availability and style controls, as captured mid-creation during a real ballot opening at the platform's own form width

Results visibility defaults to administrators of the group, with sharing to the general membership and to the general public both off, so publishing a result outside the group is a separate deliberate task. Community administration is where the per-TC comment facilities are configured, and a comment facility is a separate community from the TC's own with its own key. The document portal sits on the same administrative side: it is where a TC editor delivers a package, as a portal upload rather than a repository commit.

Where a TC delivers its documents

OASIS LegalDocumentML (LegalDocML) TC

Community Home Discussion 360 Meetings 2 Members 23 Workspace Settings

Documents
Roster
Ballots
Action Items
Settings

Documents
Folder Navigator

Search Title All States Show Descriptions Apply Filter Last Updated

Showing 1 to 25 of 180 25

Details	Submitted / Last updated	State	Submitter	Actions
☐ StatementsOfUse-AKN-3-1-2028 Revisions: 0 Comments: 0	2026-06-30 2026-06-30	Com mitte e Draft	Palmirani , Monica	Download
☐ Akoma Ntoso Version 2.0. Part 2: Specifica... Revisions: 1 Comments: 0	2026-05-22 2026-05-22	Com mitte e Draft	Palmirani , Monica	Download
☐ Minutes of TC meeting on 5 March 2026 - appr... Revisions: 0 Comments: 0	2026-03-19 2026-03-19	Appr oved Docu ment	Palmirani , Monica	Download
☐ Akoma Ntoso Version 2.0. Part 2: Specifica... Revisions: 2 Comments: 0	2026-03-02 2026-03-02	Com mitte e Draft	Palmirani , Monica	Download
☐ Minutes - Committee Specification Draft - Rele... Revisions: 0 Comments: 0	2025-09-15 2025-09-15	Com mitte e Draft	Palmirani , Monica	Download

This website uses cookies to ensure you get the best experience on our website. [Learn more](#)


☐ Akoma Ntoso schema - new release - fixed 0.2 Revisions: 0 Comments: 0	2025-02-01 2025-02-01	Draft	Palmirani , Monica	Download
☐ Akoma Ntoso schema - new release - fixed 0.2 Revisions: 0 Comments: 0	2025-01-10 2025-01-10	Draft	Palmirani , Monica	Download
☐ Akoma Ntoso schema - new release - fixed 0.2 Revisions: 1 Comments: 0	2024-09-08 2024-09-08	Com mitte e Draft	Palmirani , Monica	Download
☐ LegalDocML - New release schema Revisions: 0 Comments: 0	2024-07-19 2024-07-19	Draft	Palmirani , Monica	Download
☐ LegalDocML - New release schema Revisions: 0 Comments: 0	2024-04-16 2024-04-16	Draft	Palmirani , Monica	Download
☐ LegalDocML_TC_meeting_Jan11_2023.pdf Revisions: 0 Comments: 0	2023-01-12 2023-01-12	Appr oved Docu ment	Palmirani , Monica	Download
☐ LegalDocML_TC_meeting_Sep128_2022.pdf Revisions: 0 Comments: 0	2023-01-11 2023-01-11	Appr oved Docu ment	Palmirani , Monica	Download
☐ LegalDocML_TC_meeting_Sep19_2022.pdf Revisions: 0 Comments: 0	2023-01-11 2023-01-11	Appr oved Docu ment	Palmirani , Monica	Download
☐ Akoma Ntoso Naming Convention v1.0 OS Revisions: 0 Comments: 0	2019-02-21 2019-02-21	OASI S Stand ard	Ensign, Chet	Navigate
☐ Akoma Ntoso Naming Convention v1.0 COS01 Revisions: 0 Comments: 0	2018-12-03 2018-12-03	Com mitte e Draft	Knight, Paul	Navigate
☐ LegalDocML TC minutes, Nov. 14th, 2018 Revisions: 0 Comments: 0	2018-11-26 2018-11-26	Appr oved Docu ment	Palmirani , Monica	Download
☐ CIRSFD-UNIBO letter of use of naming conven... Revisions: 0 Comments: 0	2018-11-12 2018-11-12	Appr oved Docu ment	Palmirani , Monica	Download
☐ Xcential letter of use of naming convention Revisions: 0 Comments: 0	2018-11-12 2018-11-12	Appr oved Docu ment	Palmirani , Monica	Download
☐ FAO letter of use of naming convention Revisions: 0 Comments: 0	2018-11-12 2018-11-12	Draft	Palmirani , Monica	Download
☐ Akoma Ntoso v1.0 OS Revisions: 0 Comments: 0	2018-09-29 2018-09-29	OASI S Stand ard	Knight, Paul	Navigate
☐ The Pocket Guide to Akoma Ntoso Revisions: 2 Comments: 0	2018-07-12 2018-07-12	Appr oved Docu ment	Vergottin i, Grant	Download
☐ Akoma Ntoso v1.0 COS01 Revisions: 0 Comments: 0	2018-05-08 2018-05-08	Com mitte e Draft	Knight, Paul	Navigate
☐ CS01 with Part: XML Vocabulary non-material... Revisions: 0 Comments: 0	2018-04-30 2018-04-30	Appr oved Docu ment	Palmirani , Monica	Download
☐ Letter of Use of UK and Scottish Revisions: 0 Comments: 0	2018-04-30 2018-04-30	Appr oved Docu ment	Palmirani , Monica	Download

the document portal upload view for one TC, showing the folder structure and the upload control a TC editor uses to deliver a package

The website's content management system. A page is edited by opening it in the editor, changing the content in place and republishing it. A news story is created as a post in the same system, given a category from the four the site offers, and published.

A save is a publication

There is no staging copy and no review queue in the path, so a save is a publication.



an existing page open in the content management system's editor, showing the content area, the publish or update control and the absence of any review or staging stage

Three things are not yet established:

- whether news stories arrive through a submission form of any kind
- who moves a draft to published when the author is not the publisher
- whether the author role can publish directly or only submit for review

[VERIFY]

The public request form, where requests arrive. A Gravity Forms public request form writes directly into the request tracker as a service account and creates a TCADMIN ticket. It does not post as the person submitting, which is why the ticket record does not carry the requester's identity. The form is open to anyone, which is how a wave of 20 spam submissions reached the queue in the year to 20 July 2026.

Request a Special Majority Vote to approve a candidate for OASIS Standard

Use this form to assign Project Administration the task of holding a Special Majority Vote to approve submitting a Committee or Project Specification to the OASIS membership as a candidate for OASIS Standard.

Note that the project must have collected and approved a minimum of three [Statements of Use] before requesting this ballot and at least one must come from an OASIS member. The Statements of Use must be stored and available on an OASIS-approved and managed platform.

Please enter one request ticket for each submission vote you are requesting. Do not group multiple ballot requests together in one ticket.

Contact [Project Administration](#) with any questions.

Request a Special Majority Vote to approve a candidate for OASIS Standard

Use this form to assign Project Administration the task of holding a Special Majority Vote to approve submitting a Committee or Project Specification to the OASIS membership as a candidate for OASIS Standard.

Your name: *

Project name: *

Please enter the full name of the Technical Committee or Open Project.

Project email address: *

Enter the main working email address for your project (e.g. oslc-op@lists.oasis-open-projects.org or cti@lists.oasis-open.org). A confirmation copy of this assignment will be sent to the address.

Title and version number: *

Enter the title and version number for the Specification to be approved as a candidate for OASIS Standard.

Specification URL: *

Provide the URL to the directory where the Specification is published (e.g. <http://docs.oasis-open-projects.org/oslc-op/core/v3.0/ps02/>). Note that the directory must include editable source files for the Specification content.

English-language summary of the specification: *

Enter a brief description of the Specification that can be provided with the membership ballot.

Relationship to similar work:

Enter a brief statement describing the relationship of this Specification to similar work of other projects or other standards developing organizations.

Link to Statement of Use #1: *

Provide the link to the first Statement of Use.

Link to Statement of Use #2: *

Provide the link to the second Statement of Use.

Link to Statement of Use #3: *

Provide the link to the third Statement of Use.

the public request form as an unauthenticated visitor sees it, showing every field the submitter is asked to fill and the submit control

The request tracker's own screens. The queue list shows every request in the project; as of 22 July 2026 every recent ticket reads as a generic task, so the type column carries no information and the request kind survives only as free text in the summary.

A ticket's detail screen holds the record: the inbound package from the TC and the two reports OASIS returns.

REQUEST TRACKER

One ticket carries the full publication record

Technical Committee Administration / TCADMIN-4727

Request a first public review for KMIP Usage Guide Version 3.0 Committee Note Draft 01 (cnd01) from OASIS KMIP TC

Insert Lucidchart Diagram **In Progress** Export

Details

Type: ☒ Task Resolution: Unresolved

Priority: ☒ Major

Component/s: None

Labels: None

Description

Your name: Judith Furlong

Project name: OASIS Key Management Interoperability Protocol (KMIP) TC

Project email address: OASIS-kmip@ConnectedCommunity.org

Title and version number: KMIP Usage Guide v3.0 Committee Note Draft 01

Approval: <https://groups.oasis-open.org/discussion/kmip-meeting-minutes-for-june-4-2026pdf-uploaded>

Notes: On June 4, 2026 the KMIP TC voted to designate the KMIP 3.0 Usage Guide as Committee Note Draft 01 (cnd01) and to request a first 30-day public review. The June 4 minutes were approved at the June 18, 2026 TC meeting: <https://groups.oasis-open.org/discussion/kmip-meeting-minutes-for-june-18-2026pdf-uploaded>

The version to be published (latest CND01, includes the KMIP 3.0 participation list): <https://groups.oasis-open.org/discussion/cnd01-kmip-30-usage-guide-uploaded-1>

Ticket filed by Michael Coletta (TC Administrator) on behalf of Judith Furlong, from her request by email of 16 July 2026 (thread: "KMIP v3.0 first public review"). Related: TCADMIN-4723 (KMIP Specification v3.0 csd02 review), TCADMIN-4724 (KMIP Profiles v3.0 csd02 review).

Attachments

kmip-ug-v3.0-cnd01-pub-16/Jul/26 11:49 PM 358 kB

kmip-ug-v3.0-cnd01-pub-16/Jul/26 3:32 PM

Issue Links

mentions

☒ TCADMIN-4723 Request a first public review for KMIP Specification v3.0... **IN PROGRESS**

☒ TCADMIN-4724 Request a first public review for KMIP Profiles v3.0 Co... **IN PROGRESS**

Activity

All Comments History Activity Newest first

Michael Coletta added a comment - 16/Jul/26 11:49 PM

Validation report updated (v3). Replaced the attached pub-check validation PDF: observed values are now complete (a 400-character capture on previously cut long value sets – e.g. Latest-stage URLs and full test-case path lists – to an ellipsis), and the report now renders landscape with narrow margins so the full observed-vs-expected table for all 92 conditions is legible. **System of record:** OASIS-Docs/kmip_audit/commit 23556fe.

Annotations:

- 1 The summary line records exactly what was requested
- 2 Status shows where the request stands today
- 3 Both delivered files attach directly to the ticket
- 4 Reporter field names who actually asked

This ticket shows the request, its status, the delivered files and who asked, all in one place.

one real publication ticket showing the summary line, the status, the inbound attachment from the TC and the two returned report attachments named in the audit convention

The permission-scheme screen is easy to overlook. That gap was found and closed on 10 July 2026 by adding the account to the group. The scheme and the group that holds the grant look like this:

Closing and resolving tickets need named groups

1 TC Admin Permissions is the scheme in force

2 Extended admin rights require this group grant

3 Closing issues is limited to these groups

4 Resolving issues has its own separate list

Project settings

Summary
Details
Audit log
Re-index project
Delete project

Project Permissions

Permissions define who can access a project, and what they can do within the project, and with the issues within that project. The permission scheme defines how the permissions are set up for this project. To change the permissions, you can select a different permission scheme, or modify the current scheme. Learn more about project permissions

Scheme used by this project: TC Admin Permissions USED BY 1 PROJECT

Project permissions

Permission	Granted to
Impersonate users in A4 J project scope Having the permission allows to select other user as automation rule actor	
Administer Projects Ability to administer a project in Jira. Extended project administration ENABLED Grant extended project administration permissions.	Project role • Administrators Group • TC Administrator • jira-administrators
Browse Project Archive Ability to browse archived issues from a specific project.	
Browse Projects Ability to browse projects and the issues within them.	Group • Anyone on the web
Edit Sprints Ability to edit sprint name and goal.	
Manage Sprints Ability to manage sprints.	Project role • Administrators Group • TC Administrator • jira-administrators
Start/Complete Sprints Ability to start and complete sprints.	
View Development Tools Allows users in a software project to view development-related information on the issue, such as commits, reviews and build information.	Project role • Developers Group • TC Administrator • jira-administrators • tca chair • tca member
View Read-Only Workflow Users with this permission may view a read-only version of a workflow.	
Issue permissions	
Archive Issues Ability to archive issues for a specific project.	
Assignable User Users with this permission may be assigned to issues.	Project role • Developers Group • TC Administrator • tca chair • tca member • tca secretary
Assign Issues Ability to assign issues to other people.	Group • TC Administrator • jira-administrators • tca chair • tca member • tca secretary
Close Issues Ability to close issues. Often useful where your developers resolve issues, and a QA department closes them.	Group • TC Administrator • tca chair • tca secretary
Create Issues Ability to create issues.	Project role • TC Member Group • TC Administrator • jira-administrators • tca chair • tca member • tca secretary
Delete Issues Ability to delete issues.	Group • TC Administrator • jira-administrators
Edit Issues Ability to edit issues.	Group • TC Administrator • jira-administrators • tca chair • tca member • tca secretary
Link Issues Ability to link issues together and create linked issues. Only useful if issue linking is turned on.	Group • TC Administrator • jira-administrators • tca chair • tca member • tca secretary
Modify Reporter Ability to modify the reporter when creating or editing an issue.	Project role • Administrators Group • TC Administrator • tca chair • tca member • tca secretary
Move Issues Ability to move issues between projects or between workflows of the same project (if applicable). Note the user can only move issues to a project he or she has the create permission for.	Group • TC Administrator • jira-administrators • tca chair • tca member • tca secretary
Resolve Issues Ability to resolve and reopen issues. This includes the ability to set a fix version.	Group • TC Administrator • tca chair • tca member • tca secretary
Restore Issues Ability to restore issues for a specific project.	
Schedule Issues Ability to view or edit an issue's due date.	Group • TC Administrator • jira-administrators • tca chair • tca member • tca secretary
Set Issue Security Ability to set the level of security on an issue so that only people in that security level can see the issue.	
Transition Issues Ability to transition issues.	Group • Anyone on the web

the project's permission scheme screen scrolled to the close-issue and resolve-issue entries, showing the named groups that hold them

Administration does not bypass the group

Close and resolve are granted to named groups, and holding global or project administration does not bypass that grant, so an administrator who is not in the group sees only start progress and stop progress.

REQUEST TRACKER

Seven accounts actually hold this key group

1 Filtered to the exact group that matters

2 Only these seven accounts hold membership

3 Several listed members are already inactive

Full name	Username	Login details	Group name	Applications	Directory	Actions
Dustin Trask	DTRASK dustin.trask@oasis-open.org	Count: 20 Last: Yesterday 7:36 PM	jira-administrators jira-software-users jira-users TC Administrator	Jira Software	Jira Internal Directory	Edit ...
Greg Carpenter	gregcarpenter (Inactive) greg.carpenter@oasis-open.org	Count: 33 Last: 24/Aug/17 9:28 PM	jira-administrators jira-developers jira-users TC Administrator	Jira Software	Jira Internal Directory	Edit ...
Michael Coletta	Michael.Coletta michael.coletta@gmail.com	Count: 49 Last: 20/Nov/24 4:56 PM CAPTCHA required at next login Last failed login: 10/Jul/26 12:01 AM Current failed logins: 9 Total failed logins: 46 Reset failed login count	jira-administrators jira-software-users jira-users TC Administrator	Jira Software	Jira Internal Directory	Edit ...
Michael Coletta	michael.coletta@oasis-open.org michael.coletta@oasis-open.org	Count: 203 Last: Just now	jira-administrators jira-software-users jira-users TC Administrator	Jira Software	Jira Internal Directory	Edit ...
Paul Knight	paul.knight (Inactive) paul.knight@oasis-open.org	Count: 34 Last: 19/Mar/24 6:09 PM	jira-administrators jira-developers jira-users TC Administrator	Jira Software	Jira Internal Directory	Edit ...
Ryan Allison	rallison@techempower.com rallison@techempower.com	Count: 5 Last: 18/Mar/25 5:15 PM	jira-administrators jira-software-users jira-users TC Administrator	Jira Software	Jira Internal Directory	Edit ...
Robin Cover	robineover (Inactive) robin.cover@oasis-open.org	Count: 4 Last: 24/Jul/15 7:02 PM	jira-administrators jira-developers jira-users TC Administrator	Jira Software	Jira Internal Directory	Edit ...

Group membership is what actually grants close and resolve permissions.

the request tracker's user management filtered to the TC Administrator group, listing the accounts that actually hold it

As of 22 July 2026, the published TC administration request forms page is a defect: it is still served, and all 18 request forms on it link to a former staff member's personal domain, every one of which returns not found. The form slugs also use stage abbreviations retired in January 2024. Two things are wrong:

- an OASIS process page routes members to a third-party personal domain
- the request vocabulary it presents is out of date

The entry point recorded internally as the current route redirects instead to the member platform's workspace home, which is not a request form either. Whether to retire the page or redirect it is an open decision with no owner recorded.

THE PUBLISHED PAGE, STILL SERVED (docs.oasis-open.org/templates/TCAdminRequests.html)

TC Administration Requests

In an effort to facilitate TC Administration requests, all submissions must now be sent through the appropriate form interface. These forms provide several benefits:

- they help to ensure that requests are complete and accurate - the form will not send if the required fields aren't completed
- they ensure that requests are received by automatically creating an issue in JIRA
- they help to ensure that all required assets are provided - a single zip containing the specification plus all related components must be uploaded
- they ensure that the TC is notified when the submission is made - a copy of the request will be sent to the TC email address

By using this form you no longer need to go to a chart or help file to remember what information is required for any given request. The form contents will be uploaded into the [TC Administration Issues Tracker](#).

The links below will display a form in an iframe. Please note that all required information must be provided.

New Work Products:

[Work Product Registration / Template Request](#)

Creation of Official Committee Drafts and upload to docs.oasis-open.org/Kavi:

[Committee Specification Draft Creation / Upload Request](#)

[Committee Note Draft Creation / Upload Request](#)

[Errata Committee Draft Creation / Upload Request](#)

[Approved Errata Creation / Upload Request](#)

Public Review Requests:

[30-day Committee Specification Draft Public Review \(CSD-PR\) Request](#)

[15-day Committee Specification Draft Public Review \(CSD-PR\) Request](#)

[30-day Committee Note Draft Public Review \(CND-PR\) Request](#)

[15-day Committee Note Draft Public Review \(CND-PR\) Request](#)

[15-day Errata Committee Draft Public Review \(ECD-PR\) Request](#)

WHAT EVERY ONE OF ITS 18 FORM LINKS RETURNS (third-party personal host, redacted)

404

Page not found

Oops! The page you are looking for does not exist. It might have been moved or deleted.

[Back to home](#) ▶

the published request forms page with its list of form links, paired in one frame with the not-found response returned by following one of them, with the third-party host redacted in both frames

8.3 Onboarding a new staff member

There is no onboarding procedure and no access checklist anywhere in the operational documentation. The only recorded access list is in the public review runbook, and it covers just the access needed to open a review. Everything below was reconstructed from the individual runbooks for this handbook, and it should become a checklist rather than staying prose.

7

separate grants a successor needs on day one

0

bundled behind one account

A person taking over any part of this operation needs seven separate grants, and none of them are bundled behind a single account:

- posting rights on the all-members community of the member platform plus administrator rights on the per-TC public comment facilities

- membership in the request tracker's TC Administrator permission group, which is what carries close and resolve, and which project administration alone does not confer
- organisation membership on the internal publishing repositories
- deploy credentials for each of the four publication layers, separately
- author access to the public website's content management system
- edit access to the work tracker
- access to the OASIS mailbox used for TC correspondence

Two of these have a known history worth passing on:

- **The member-platform posting right** sat with a staff member who left in June 2026 and should be confirmed before a review is opened.
- **The request tracker's group membership** is separate from project administration: an incoming person can hold administration and still have no close or resolve transition until this membership is granted.

Record each grant as a ticket

Each grant should be requested and recorded the same way any other request is, with a ticket.

Who to request each grant from is not yet documented, and it should be established before the next handover. [VERIFY]

- **Owner:** whoever holds each system today, granting to the incoming person; the grant authority per system is unconfirmed
- **System:** every system in the 8.1 map
- **Permission:** administrative rights on each system to add a user
- **Timing:** no recorded turnaround target for any grant
- **Record:** a ticket per grant, or one ticket listing the full set where they are issued together

ONBOARDING, SECTION 8.3

Day one access matrix

The seven grants a successor needs, against the four things a new person must be able to do on day one.

PROVISIONAL
Grant authority per system, who actually grants each access, is not yet confirmed (8.2, marked to verify). This matrix shows only which grants a task needs.

✓ needed to perform this task (inferred from what each system does, ch. 8) — not tied to this task in chapter 8

GRANT (CHAPTER 8.2 TO 8.3)	PUBLISH A PACKAGE day one task	OPEN A REVIEW day one task	RUN A BALLOT day one task	CLOSE A TICKET day one task
1 Member platform access posting rights (all members) plus comment facility admin	—	✓	✓	—
2 Request tracker permission group TC Administrator group, carries close and resolve	—	—	—	✓
3 Publishing repo org membership organisation membership, internal publishing repositories	✓	—	—	—
4 Deploy credentials all four publication layers, separately	✓	—	—	—
5 Website CMS author access the public website's content management system	—	—	—	—
6 Work tracker edit access the work tracker spreadsheet	—	—	—	—
7 OASIS mailbox access the mailbox used for TC correspondence	—	—	—	—

Chapter 8 does not itemize which access each task needs; 8.3 states only that no onboarding checklist exists. These marks are reconstructed from what each system does, cross-referenced against the four tasks from a chapter 8 list. The whole matrix is provisional pending confirmation of who grants each access. The seven-grant count (7 separate, 0 bundled) is section 8.3's own figure; no grant, count or task name here is invented.

the seven grants as rows against the four things a new person must be able to do on day one, publish a package, open a review, run a ballot and close a ticket, with each cell marked required or not required

8.4 How this handbook is served


The handbook is one more system a successor inherits, so its own hosting is recorded here, with the links a successor needs to change any of it.

The source. The authoritative copy is the markdown in [OASIS-Docs/tc-operations-handbook](#), a private repository in the internal publishing organisation. To change the handbook, edit the chapter files in [md/](#), one file per chapter; diagrams and screenshots live under [site/assets/](#) and the renderers under [build/](#). A push to main or to the current draft branch publishes it.

The deployment. The workflow [deploy-pages.yml](#) runs on every push: it rebuilds the master document from md/, renders the HTML, and deploys the site/ tree to the tc-operations-handbook Cloudflare Pages project with Wrangler. Every run is listed under the repository's [Actions tab](#); a green run means the live site matches the pushed commit, and a failed run leaves the previous deployment serving. The two repository secrets the workflow uses (a Pages-scoped API token and the account identifier) are set in the repository's Actions secrets.

The serving and the gate. The site is served at [ops-handbook.oasis-infra.net](#) behind Cloudflare Access, all of it configured on the OASIS-Open Cloudflare account. The Pages project sits under **Workers & Pages** in [the Cloudflare dashboard](#), and the custom domain is attached there. The gate is the Access application named **TC Operations Handbook (internal)** under **Zero Trust, Access, Applications** in [the Zero Trust dashboard](#): a reader is sent straight to a Google sign-in, and the policy admits only accounts whose email ends in oasis-open.org. Cloudflare enforces the policy at the network edge, before the site is served, so there is no unauthenticated path to the content, and the handbook can be a real website for staff while staying off the public web.

- **Owner:** the TC Administrator maintains the markdown and the render; the deploy workflow and the access gate run on the OASIS Cloudflare and GitHub accounts.
- **System:** the source repository and its deploy workflow; Cloudflare Pages for hosting; Cloudflare Access with the Google Workspace identity provider for the gate.
- **Permission:** an oasis-open.org Google account to read; write access to the repository to change the content; Cloudflare account access to change the gate or the domain.
- **Record:** the repository history, the workflow run log, and the Cloudflare Access policy.



the Cloudflare Access sign-in the reader meets at ops-handbook.oasis-infra.net, showing the Google login and that only an oasis-open.org account is admitted

9. Records and accountability

Every fulfilled request leaves two records, and a publication leaves a third:

- the ticket that tracks it;
- the log and tracker row that account for the work;
- for a publication, the pair of reports that prove it was done correctly; 9.3 therefore covers publications rather than requests in general.

This chapter states what each record is, who writes it, and where it is kept. It closes with what those records cannot currently answer; that gap is a finding in itself, and the reason several figures in this handbook had to be assembled by hand.

The same rule applies to all three records. One linking-profiles request ran for seven months with no ticket in practice, and one publication had no ticket at all.

No ticket, no audit trail

The ticket is the system of record a TC can see, so a request fulfilled without one cannot be seen by the TC or audited afterwards.

9.1 Every request gets a ticket

Every fulfilled TC or publication request has a ticket in the request tracker. Requests arrive by several routes, so the first task at intake is to search the tracker for an existing ticket. Those routes include:

- the public web request form;
- email;
- the member platform;
- direct message.

Where none exists, staff open one before or while the request is fulfilled, recorded on behalf of the named requester.

The requester usually has no account on the tracker, so the ticket cannot be opened under their identity. The reporter is set to the shared intake identity that every web-form request already carries, and the first line of the description records that the ticket was opened by the TC Administrator on behalf of the named requester. The body captures their request in the house form:

- the requester's name;
- the TC;
- the Work Product title, version and stage;
- the link to the minutes recording the approving vote;
- the channel and date the request arrived on.

Related tickets are cross-linked. Reports are attached to the ticket as the work completes (9.3).

This convention stands in for the requester identity the tracker does not capture. Section 9.4 gives the numbers behind that.

Search first, then open on behalf

At intake, search the tracker for an existing ticket before doing anything else; where none exists, open one on behalf of the named requester rather than leave the request untracked.

- **Owner:** TC Administrator
- **System:** the request tracker
- **Permission:** create, edit and close tickets in the tracker's TC administration project (8.2 lists the grant)
- **Timing:** opened at intake, before or during fulfillment, and kept current through close
- **Record:** the ticket, carrying the request, the approval link, the cross-links and the attached reports

Requester identity lives inside the description

Technical Committee Administration / TCADMIN-4695

Request a Special Majority Vote to approve a candidate for OASIS Standard for PKCS #11 V3.2 CSD01 and PKCS #11 Profiles Version 3.2 CSD01 from OASIS PKCS 11 TC

Insert Lucidchart Diagram **Closed** Export

Details

Type: ☒ Task Resolution: Done
 Priority: ☒ Major
 Component/s: None
 Labels: None

People

Assignee: VP_Standards
 Reporter: VP_Standards
 Votes: 0 Vote for this issue
 Watchers: 1 Start watching this issue

Dates

Created: 25/Feb/26 3:10 PM
 Updated: 17/Mar/26 5:52 PM
 Resolved: 17/Mar/26 5:52 PM

Status Time Free

Username *
 Password *

Description

Your name: Valerie Fenwick
 Project name: OASIS PKCS 11 TC
 Project email address: [1]OASIS-pkcs11@connectedcommunity.org
 Title and version number: PKCS #11 V3.2 CSD01 and PKCS #11 Profiles Version 3.2 CSD01
 Specification URL: [2]https://docs.oasis-open.org/pkcs11/pkcs11-spec/v3.2/csd01/pkcs11-spec-v3.2-csd01.pdf
 English-language summary of the specification: [3]https://docs.oasis-open.org/pkcs11/pkcs11-spec/v3.2/csd01/pkcs11-spec-v3.2-csd01.pdf
 [4]https://docs.oasis-open.org/pkcs11/pkcs11-profiles/v3.2/csd01/pkcs11-profiles-v3.2-csd01.pdf
 BOTH please 😊
 PKCS#11 (also known as Cryptoki) is a specification of an API for using cryptographic algorithms and related objects (like key types).
 Link to Statement of Use #1: [3]https://groups.oasis-open.org/higherlogic/ws/public/document?document_id=73097&wg_id=922ef643-1e10-4d65-a5ea-018dc7d3f0a4
 Link to Statement of Use #2: [4]https://groups.oasis-open.org/higherlogic/System/DownloadDocumentFile.aspx?DocumentFileKey=7fcc2d5b-5c96-4228-b646-019ad9085db7
 Link to Statement of Use #3: [5]https://groups.oasis-open.org/higherlogic/ws/public/document?document_id=73079&wg_id=922ef643-1e10-4d65-a5ea-018dc7d3f0a4
 Links to additional Statements of Use: [5]https://groups.oasis-open.org/higherlogic/System/DownloadDocumentFile.aspx?DocumentFileKey=3dc4c687-8a0a-488d-9634-a84534ddfd79
 Earlier attempts to standardize: Yes
 Notes: PKCS#11 has been a standard since 1995. Most recently we elevated v 3.1 to OASIS Standard.
 NOTE: Please include the header files in the Special Majority Vote. https://groups.oasis-open.org/higherlogic/ws/public/document?document_id=73040&wg_id=922ef643-1e10-4d65-a5ea-018dc7d3f0a4
 ALSO - we released a committee note already for 3.2 - should that be included here? https://groups.oasis-open.org/higherlogic/ws/public/document?document_id=72732&wg_id=922ef643-1e10-4d65-a5ea-018dc7d3f0a4. (Approved April 23, 2025 https://groups.oasis-open.org/higherlogic/System/DownloadDocumentFile.aspx?DocumentFileKey=7919640b-f227-4b7ea-eb7c9b369da&forceDialog=0)
 [1] OASIS-pkcs11@connectedcommunity.org
 [2] https://docs.oasis-open.org/pkcs11/pkcs11-spec/v3.2/csd01/pkcs11-spec-v3.2-csd01.pdf
 [3] https://groups.oasis-open.org/higherlogic/ws/public/document?document_id=73097&wg_id=922ef643-1e10-4d65-a5ea-018dc7d3f0a4
 [4] https://groups.oasis-open.org/higherlogic/System/DownloadDocumentFile.aspx?DocumentFileKey=7fcc2d5b-5c96-4228-b646-019ad9085db7
 [5] https://groups.oasis-open.org/higherlogic/ws/public/document?document_id=73079&wg_id=922ef643-1e10-4d65-a5ea-018dc7d3f0a4

This ticket's house form names the real requester on its first line, since the Reporter field only shows a shared account.

the description field of a ticket opened on behalf of a requester, showing the first line naming who it was opened for and the house-form field labels beneath it

9.2 What the record cannot currently tell you

4,381

tickets, all time

142

raised in 24 months

41

in calendar 2026

The request tracker holds 4,381 tickets all time. Of those, 142 were raised in the 24 months to 22 July 2026, 69 in the 12 months to that date, and 41 in calendar 2026 to date. Of the 142:

- 127 are closed;
- 9 are in progress;
- 6 are resolved.

The record is complete enough to count, but not to count by category.

The request taxonomy is no longer used. The tracker defines 20 purpose-built request types, one for each kind of request a TC can make:

- public reviews at each of the three durations and an informal public review;
- Approved Errata;
- chair elections;
- charter clarification ballots;
- two separate types for closing a TC;
- creating a subcommittee;
- Committee Specification ballots;
- discussion lists;
- document uploads;
- errata reviews;
- new TC charter submissions;
- OASIS Standard submissions and their ballots;
- registration and template requests;
- open repository requests;
- version control setup.

Every one of them has real historical use:

Request type	Times used
document upload	225
the 15-day public review	107
registration and template requests	75
the Committee Specification ballot	72
the 60-day public review	62
the 30-day public review	45
OASIS Standard submissions	16
new TC charter submissions	12
the rest	single figures

Usage in the last 24 months is zero. All 142 recent tickets are filed as a generic task, so the request type survives only as free text in the summary line, in the form "Request a first public review for..." or "Request a Special Majority Vote to advance...". No report of the form "how many public reviews did we open last year" can be produced from the tracker without parsing prose. As of 22 July 2026 this is why usage figures for the operation have to be assembled by hand across several systems. Method: the figures come from a sweep run against the tracker's query interface on 22 July 2026, one query per request type over the window, counting tickets rather than sampling them.

The tracker cannot count by category

The 20 purpose-built request types have zero use in the last 24 months and every recent ticket is a generic task, so any count by request type must be parsed out of free-text summaries by hand.

Requests do not arrive under the requester's identity.

142	83	53	5
tickets, 24 months	filed by the shared intake account	carry no reporter	named TC requester

Of the same 142 tickets, 83 were filed by the shared intake account and 53 carry no reporter at all, so 136 of 142 arrive either through the shared account or anonymously. Only 5 tickets in two years carry a named requester from a TC. The web request form writes into the queue without creating or attaching a requester identity, and requesters have no accounts on the tracker to attach. So the tracker cannot answer which TCs ask for what, and the ticket record alone will not tell a successor who requested it. The house description convention in 9.1 exists to put the requester's name back into the ticket body by hand, which makes the identity readable but still not reportable.

A third limit applies to any timing figure taken from this record. Across the 24 months to 22 July 2026, 113 requests were resolved with a median of 7.2 days from raise to resolution, and of those, 82 were publication, review or ballot requests, resolved at a median of 10.8 days with a range from same-day to 181 days. State the method with the figure or it misleads:

- The 20 tickets resolved invalid are spam and are excluded from the 113, which is why they are reported separately.

- The resolution date records when the ticket was closed rather than when the TC received the result.
- Several requests resolve in zero days because the ticket was opened on behalf of the requester after the work was already done, which pulls the median down.

The medians describe when tickets closed in the tracker. No turnaround from request to publication is committed, in either the stated contract or an internal service level.

The form is open to anyone, which is why the 20 invalid tickets exist. All 20 fall inside the last 12 months, and six of them, TCADMIN-4716 to 4721, were raised consecutively in a single run and closed together. The six are a subset of the 20.

All four findings are dated 22 July 2026 and can be derived again. Each carries the query that produced it in the fact registry, so a successor can run the same sweep and get the same figures.

REQUEST TRACKER
One generic type for all 142 tickets

OASIS OPEN Dashboards Projects Issues Boards Plans Status Time Free Create

Search Save as

Find filters

Filters

My open issues

Reported by me

All issues

Open issues

Done issues

Viewed recently

Created recently

Resolved recently

Updated recently

FAVOURITE FILTERS

You don't have any favourite filters.

Technical Com... Type: All Status: All Assignee: All Contains text More Search Advanced

Created Date: 21/Jul/24

Columns

T	Key	Summary	Assignee	Reporter	P	Status	Resolution	Created	Updated	Due
☒	TCADMIN-4727	Request a first public review for KMIP Usage Guide Version 3.0 Committee Note Draft 01 (cnd01) from OASIS KMIP TC	Michael Coletta	VP_Standards		IN PROGRESS	Unresolved	16/Jul/26	16/Jul/26	
☒	TCADMIN-4726	Request a Special Majority Vote to advance Akoma Ntoso Version 2.0. Part 2: Specifications of AKN 3.1 CS01 to Candidate OASIS Standard	Michael Coletta	Michael Coletta		IN PROGRESS	Unresolved	08/Jul/26	17/Jul/26	
☒	TCADMIN-4725	Request a first public review for OpenEoX Core Schema Version 1.0 from OASIS OpenEoX TC	Michael Coletta	VP_Standards		IN PROGRESS	Unresolved	18/Jun/26	16/Jul/26	
☒	TCADMIN-4724	Request a first public review for KMIP Profiles v3.0 Committee Specification Draft 01 from OASIS Key Management Interoperability Protocol (KMIP) TC	Michael Coletta	VP_Standards		IN PROGRESS	Unresolved	12/Jun/26	16/Jul/26	
☒	TCADMIN-4723	Request a first public review for KMIP Specification v3.0 Committee Specification	Michael Coletta	VP_Standards		IN PROGRESS	Unresolved	12/Jun/26	16/Jul/26	

Showing results 1-142 of 142

Every ticket in the last 24 months carries the same generic type, while 20 purpose-built types sit unused.

the request-type breakdown over the last 24 months, showing the 20 purpose-built types at zero use and all 142 tickets typed as a generic task

The reporter breakdown over the same window shows how much of the requester identity is lost at intake.

REQUEST TRACKER
Requester identity mostly lost at intake

OASIS OPEN Dashboards Projects Issues Boards Plans Status Time Free Create

Search Save as

Find filters

Filters

My open issues

Reported by me

All issues

Open issues

Done issues

Viewed recently

Created recently

Resolved recently

Updated recently

FAVOURITE FILTERS

You don't have any favourite filters.

Technical Com... Type: All Status: All Assignee: All Contains text More Search Advanced

Created Date: 21/Jul/24

Columns

T	Key	Summary	Assignee	Reporter	P	Status	Resolution	Created	Updated	Due
☒	TCADMIN-4727	Request a first public review for KMIP Usage Guide Version 3.0 Committee Note Draft 01 (cnd01) from OASIS KMIP TC	Michael Coletta	VP_Standards		IN PROGRESS	Unresolved	16/Jul/26	16/Jul/26	
☒	TCADMIN-4726	Request a Special Majority Vote to advance Akoma Ntoso Version 2.0. Part 2: Specifications of AKN 3.1 CS01 to Candidate OASIS Standard	Michael Coletta	Michael Coletta		IN PROGRESS	Unresolved	08/Jul/26	17/Jul/26	
☒	TCADMIN-4725	Request a first public review for OpenEoX Core Schema Version 1.0 from OASIS OpenEoX TC	Michael Coletta	VP_Standards		IN PROGRESS	Unresolved	18/Jun/26	16/Jul/26	
☒	TCADMIN-4724	Request a first public review for KMIP Profiles v3.0 Committee Specification Draft 01 from OASIS Key Management Interoperability Protocol (KMIP) TC	Michael Coletta	VP_Standards		IN PROGRESS	Unresolved	12/Jun/26	16/Jul/26	
☒	TCADMIN-4723	Request a first public review for KMIP Specification v3.0 Committee Specification	Michael Coletta	VP_Standards		IN PROGRESS	Unresolved	12/Jun/26	16/Jul/26	

Showing results 1-142 of 142

Shared intake account in the reporter field

Rare case: a reporter actually named

Most tickets list a shared intake account as reporter instead of the person who actually asked.

the reporter breakdown over the same window, showing the shared intake account, the tickets with no reporter, and the handful of tickets carrying a named one

Appendix A. Open verification items

Every claim in this handbook has a source behind it, or it carries a [VERIFY] marker and appears in this list. The appendix is the complete list. Nothing here is known to be wrong. Each entry is a claim that is not yet proven, kept in view so nobody mistakes an assumption for a record.

19

actionable markers

10

questions they reduce to

3

policy conflicts

Nineteen [VERIFY] markers in this draft need action, and they reduce to ten questions. They sit in these chapters:

Chapter	Markers	Detail
Chapter 8	10	most are cells in the access table
Chapter 5	4	
Chapter 3	2	
Chapter 7	2	
Chapter 10	1	

Chapter 1 and this appendix mention the marker to explain it; those mentions are not items.

Three of the ten are policy conflicts rather than gaps: A.2, A.3 and A.4 each record a place where current practice and a Required rule disagree.

Policy wins

The contract's rule is that policy wins and the disagreement is a defect to file, so those three are not waiting on a decision about what OASIS should do. They are waiting on a reading of what policy already says.

A.1 Who grants access to each system

Where: 8.2, seven cells in the inheritance table. 8.3 restates it as the section's own open question.

Every system in the operation is known, and so is the access each one needs. Who grants that access is recorded for exactly one of them: the request tracker, where the TC Administrator also holds tracker administration. For these systems the granting authority is not written down anywhere:

- the member platform;
- the internal publishing repositories;
- the four publication layers;
- the public website;
- the work tracker;
- mail.

Needed: for each system, the role that grants access and the role that owns the account.

Why it matters: this is the single largest gap in the handbook.

The largest gap

An incoming staff member cannot be onboarded from a document that lists what they need but not who to ask. One person currently holds that information, and it is not written down.

A.2 Whether a Special Majority Vote must offer an abstain option

Where: 5.3.

The operating procedure sets the ballot options to Yes and No with no Abstain, following current practice and the immediately prior ballot on the same TC. [TC Process section 1.11](#) requires that any Work Product Ballot conducted as an electronic ballot must permit each

voter to choose yes, no, or abstain. Committee Specification Draft ballots from 2018 did offer abstain.

Needed: a policy reading of whether a ballot submitting a Committee Specification as a Candidate OASIS Standard is a Work Product Ballot within the meaning of section 1.11.

Why it matters: the threshold arithmetic is unaffected either way, because Yes and No are each counted against the eligible-voter total and an abstention changes no outcome. The option to abstain matters in its own right, and if section 1.11 applies then current practice does not conform and the defect was inherited from a predecessor. Treat it as a defect to file rather than a practice to write down. Resolve it before the next Special Majority Vote opens. Until then, record which options each ballot used.

A.3 Whether the ballot form's single-vote setting removes the right to change a vote

Where: 5.3.

The setting used to date on the Add Ballot form is that voters may vote once. [TC Process section 1.11](#) states, as a Required rule, that eligible voters may change their vote up until the end of the voting period. A single-vote setting removes exactly that right. This is the second section 1.11 conflict in the same field map, alongside A.2, and it has been in place longer.

Needed: an inspection of the live Add Ballot form to establish what the vote-once setting actually does. If it still lets a voter re-open the ballot and change a cast vote before close, there is no conflict and this item is closed here. If it does not, revoting is set to allow changes until close.

Why it matters: unlike A.2, this one may not be a real breach at all, which is why it needs an inspection rather than a policy reading. It cannot be settled by precedent: every prior ballot used the same setting, so precedent proves only that the question was never asked. Until it is answered, record which revoting setting each ballot used.

A.4 Whether a wrong Committee Specification number invalidates a Statement of Use

Where: 5.4.

Current practice records a wrong Committee Specification number in the prose of a Statement of Use as a defect and proceeds, on the ground that the prose still identifies the specification. The [Defined Terms](#) rule that a Statement of Use must be made to a specific version of the Specification, and must include that Specification's approval date, is Required. Recording the defect and proceeding waives it.

Needed: a reading of what a wrong version number in the prose does to the statement when the hyperlinks and the surrounding text otherwise identify the specification.

Why it matters: the operating approach itself is sound. Statements of Use are taken at face value and are not audited, and that approach is deliberate and correct. The problem is that one specific waiver contradicts a Required rule and has not been visible anywhere in the record. Three Statements of Use are what a Special Majority Vote to submit a Candidate OASIS Standard rests on, so a defect in what counts as one is a defect in the ballot. Resolve it before the next Special Majority Vote opens.

A.5 What the recorded 12 to 15 day Call for Consent range measures

Where: 5.6 and 7.3.

The operating procedure records that the Call for Consent itself ran 12 to 15 days across

the four specifications measured from review close to OASIS Standard. Two of the four can be reconstructed from the record, and both conform:

- [PKCS#11 v3.2](#) opened 19 May 2026 and closed 3 June 2026, 15 days;
- **OpenDocument v1.4** was announced to the membership on 22 September 2025 and was an OASIS Standard on 6 October 2025, 14 days.

The 12 at the bottom of the range matches no open-and-close pair in the record.

Needed: the ballot opening and closing timestamps for all four Calls for Consent, and the method behind the recorded figure. Either it measures something other than the open window, such as the interval from the announcement post to the close, or a Call for Consent was run for less than the minimum.

Why it matters: [section 2.8.3](#) requires the consent period to be open for at least 14 days. A 12-day open window is a breach. It currently appears in the record as a routine statistic in a forecasting note, with no defect flag. The figure is quoted to marketing when a standard's date is forecast, so it is in circulation. It remains in the handbook while it is unresolved, still marked, because if OASIS ran a short Call for Consent, that matters more than the forecast the figure was collected for.

A.6 The written mandate for the standards role

Where: 10.2.

Draft 0.1 asserted, without a citation, that the standards role owns policy while the publication and balloting mechanics move to a dedicated support position reporting into it. Nothing in the handbook's sources states this.

Needed: a written source for the role definition and the reporting line.

Why it matters: 10.2 exists to tell an incoming hire what they are taking on. An uncited organisational intent is the wrong thing to tell them.

A.7 How a news story reaches the website

Where: 8.2.

A page is edited by opening it in the content management system's editor, changing the content in place and republishing. How a news story gets from a draft to published is less clear when the author and the publisher are different people.

Needed:

- whether news stories arrive through a submission form;
- who moves a draft to published when the author and the publisher differ;
- and whether the author role publishes directly or only submits for review.

A.8 Whether a press process exists

Where: 7.3.

The rule about who is copied on a website news post is recorded, and the drafting practice for news posts is recorded. Nothing records a press process as such.

Needed: whether a recorded press process exists at all, and if so:

- its lead time;
- its sign-off task;
- and whether press distribution is a channel distinct from ordinary member announcements.

A.9 The document that states the five publication guarantees

Where: 3.3.

Section 3.3 states the five things the publishing pipeline does not promise, as the limits that sit beside the publication guarantees a TC may rely on. The specific TC-facing document and its URL that state those guarantees and their matching limits are not yet identified.

Needed: the document and its URL.

Why it matters: the limits bind what a TC may expect as firmly as the guarantees do, so a TC-facing statement of them should be citable rather than described.

A.10 The Board and Board Process Committee template-approval record

Where: 3.4.

Section 3.4 records that the Board approved a master template for the OASIS Standard, Committee Specification and Committee Specification Draft stages on 24 April 2025 and delegated derivative templates to the Board Process Committee, which released the Committee Note template on 3 June 2025, and that the Technical Report template does not appear in the record. The Approvals-record URL and its two dated entries are not yet cited.

Needed:

- the Board and Board Process Committee Approvals-record URL;
- its 24 April 2025 master-template entry;
- and its 3 June 2025 Committee Note entry.

Why it matters: the two dates and the negative claim about the Technical Report template rest on a record that is not yet linked.

How to close an item.

1. Confirm the answer against a real source.
2. Add it to _build/ops-facts.json with the source and the section.
3. Remove the [VERIFY] marker from the chapter.
4. Delete the entry here.

When an item is closed

An item is closed only when the fact registry can prove it.